

Please write clearly in block capitals.	
Centre number	Candidate number
Surname	
Forename(s)	
Candidate signature	

GCSE CHEMISTRY

Foundation Tier Paper 1

Thursday 17 May 2018

Morning

Time allowed: 1 hour 45 minutes

Materials

For this paper you must have:

- a ruler
- a scientific calculator
- the periodic table (enclosed).

Instructions

- Use black ink or black ball-point pen.
- Fill in the boxes at the top of this page.
- Answer all questions in the spaces provided.
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.

Information

- There are 100 marks available on this paper.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.


For Exam	iner's Use
Question	Mark
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
TOTAL	






0 1	This question is about mixtures.		Do not write outside the box
0 1.1	Substances are separated from a mixture using di	ifferent methods.	
	Draw one line from each substance and mixture to	o the best method of separation. [3 marks]	
	Substance and mixture	Method of separation	
		Chromatography	
	Ethanol from ethanol and water		
		Crystallisation	
		[]	
	Salt from sea water	Electrolysis	
	The different colours in	Filtration	
	black ink	Fractional distillation	
		Fractional distillation	








box











0 2	The halogens are elements in Group 7.	Do not write outside the box
02.1	Bromine is in Group 7.	
	Give the number of electrons in the outer shell of a bromine atom. [1 mark]	
02.2	Bromine reacts with hydrogen. The gas hydrogen bromide is produced. What is the structure of hydrogen bromide? Tick one box.	
	Giant covalent Ionic lattice Metallic structure Small molecule	
02.3	What is the formula for fluorine gas? [1 mark] Tick one box.	



Do not write outside the box

A student mixes solutions of halogens with solutions of their salts.

 Table 1 shows the student's observations.

Table 1

	Potassium chloride (colourless)	Potassium bromide (colourless)	Potassium iodide (colourless)
Chlorine (colourless)		Solution turns orange	Solution turns brown
Bromine (orange)	No change		Solution turns brown
lodine (brown)	No change	No change	

0 2. **4** Explain how the reactivity of the halogens changes going down Group 7.

Use the results in Table 1.

[3 marks]


Question 2 continues on the next page



8

	A company uses chlorine to produce titanium chloride from titanium dioxide.	Do not write outside the box
02.5	What is the relative formula mass (M_r) of titanium dioxide, TiO ₂ ?	
	Relative atomic masses (A_r): O = 16 Ti = 48 [1 mark]	
	Tick one box.	
	64	
	80	
	128	
	768	
02.6	The company calculates that 500 g of titanium dioxide should produce 1.2 kg of titanium chloride.	
	However, the company finds that 500 g of titanium dioxide only produces 900 g of titanium chloride.	
	Calculate the percentage yield. [2 marks]	
	Percentage yield =%	
		9








				Do not with		
0 3				Do not write outside the box		
0 3.1	. Complete the sentences.					
	Choose answers fro	m the box.				
	Each word may be u	ised once, more than once, or n	ot at all. [5 marks]			
	electro	n ion n	eutron			
		nucleus proton				
	The centre of the ato	om is the				
	The two types of par	ticle in the centre of the atom a	e the proton			
	and the					
	James Chadwick pro	oved the existence of the				
	Niels Bohr suggested particles orbit the centre of the atom. This type of particle					
	is the					
	The two types of particle with the same mass are the neutron					
		·				
	Table 2 shows inform	nation about two isotopes of ele	ement X .			
		Table 2				
		Mass number	Percentage (%) abundance			
	Isotope 1	63	70			
	Isotope 2	65	30			
	-			1		



03.2	Calculate the relative atomic mass (A_r) of element X using the equation:	Do not write outside the box
$A_{\rm r}$ =	(mass number × percentage) of isotope 1 + (mass number × percentage) of isotope 2 100	
	Use Table 2.	
	Give your answer to 1 decimal place. [2 marks]	
	A _r =	
03.3	Suggest the identity of element X .	
	Use the periodic table. [1 mark]	
	Element X is	
	The radius of an atom of element \mathbf{V} is 1.2×10^{-10} m	
0 3.4	The radius of an atom of element X is 1.2×10^{-10} m The radius of the centre of the atom is $\frac{1}{10000}$ the radius of the atom.	
	Calculate the radius of the centre of an atom of element X . Give your answer in standard form.	
	[2 marks]	
	Radius =m	10


Do not write outside the

box




The student measured the volume of gas collected in each measuring cylinder every minute for 20 minutes.












Do not write outside the box

15

Which of the lines on Figure 6 show a positive correlation between the volume of gas 04. 3 collected and time? [1 mark] Tick **one** box. **Both lines** Chlorine line only Hydrogen line only Neither line Question 4 continues on the next page







Do not write outside the box

0 4. **5** The teacher demonstrates the electrolysis of:

- molten zinc chloride
- potassium bromide solution.

Complete **Table 3** to predict the products.

Choose answers from the box.

[4 marks]

chlorine	bromine	hydrogen	oxygen	potassium	zinc

Table 3

Substance electrolysed	Product at cathode (negative electrode)	Product at anode (positive electrode)
Molten zinc chloride		
Potassium bromide solution		

Turn over for the next question

8



A student investigated the mass of copper oxide produced by heating copper carbonate.

This is the method used.

0 5

- 1. Weigh an empty test tube.
- 2. Weigh 2.00 g of copper carbonate into the test tube.
- 3. Heat the copper carbonate until there appears to be no further change.
- 4. Re-weigh the test tube and copper oxide produced.
- 5. Subtract the mass of the empty tube to find the mass of copper oxide.
- 6. Repeat steps 1–5 twice.
- 7. Repeat steps 1–6 with different masses of copper carbonate.

Table 4 shows the student's results.

Table 4

Mass of copper	Mass of copper oxide in g			
carbonate in g	Trial 1	Trial 2	Trial 3	Mean
2.00	1.29	1.27	1.31	1.29
4.00	2.89	2.57	2.59	2.58
6.00	3.85	3.90	3.87	3.87
8.00	5.12	5.15	5.09	Х
10.00	6.42	6.45	6.45	6.44

The equation for the reaction is:

 $CuCO_3(s) \rightarrow CuO(s) + CO_2(g)$

Complete the sentence.

The state symbol shows carbon dioxide is a



0 5

1


[1 mark]

Do not write outside the box

1	9

0 5.2	Why do the contents of the test tube lose mass in the investigation? [1 mark]	Do no outsie b
0 5.3	Calculate the mean mass X in Table 4. [1 mark]	
	X = g	
0 5.4	One of the results in Table 4 is anomalous. Which result is anomalous?	
	[1 mark] Mass of copper carbonateg Trial	
0 5.5	Suggest how the investigation could be improved to make sure the reaction is complete. [2 marks]	







0 5.6	Draw a line of best fit on Figure 8 . [1 mark]	Do not write outside the box
05.7	Determine the mass of magnesium oxide produced by 8.4 g of magnesium carbonate. Use Figure 8.	
	Mass =g	
05.8	Calculate the mass of magnesium oxide produced when 168 g of magnesium carbonate is heated.	
	Use your answer to Question 05.7 [2 marks]	
	Mass of magnesium oxide produced =g	
	Turn over for the next question	10




			1
0 6	A student investigated the temperature chan metals and copper sulfate solution.	nge in displacement reactions between	Do not write outside the box
	This is the method used.		
	1. Measure 50 cm ³ of the copper sulfate so	plution into a polystyrene cup.	
	2. Record the starting temperature of the co	opper sulfate solution.	
	3. Add the metal and stir the solution.		
4. Record the highest temperature the mixture reaches.			
5. Calculate the temperature increase for the reaction.			
	6. Repeat steps 1-5 with different metals.		
06.1	Draw one line from each type of variable to	the name of the variable in	
	the investigation.	[2 marks]	
	Type of variable	Name of variable in the investigation	
		Concentration of solution	
	Dependent variable	Particle size of solid	
		Temperature change	
	Independent variable		
		Type of metal	
		Volume of solution	



		1
06.2	The student used a polystyrene cup and not a glass beaker. Why did this make the investigation more accurate?	Do not write outside the box
	[1 mark]	
	Tick one box.	
	Glass is breakable	
	Glass is transparent	
	Polystyrene is a better insulator	
	Polystyrene is less dense	
	Question 6 continues on the next page	




24






06.4	The student concluded that the reactions between the metals and copper sulfate solution are endothermic.	Do not write outside the box
	Give one reason why this conclusion is not correct. [1 mark]	
06.5	The temperature increase depends on the reactivity of the metal.	
	Write the metals magnesium, nickel and zinc in order of reactivity.	
	Use Table 5. [1 mark]	
	Most reactive	
	Least reactive	
06.6	Y is an unknown metal.	
	Describe a method to find the position of Y in the reactivity series in Question 06.5 [3 marks]	











0 7	This question is about elements in Group 1.	Do not write outside the box
	A teacher burns sodium in oxygen.	
0 7.1	Complete the word equation for the reaction. [1 mark]	
	sodium + oxygen \rightarrow	
07.2	What is the name of this type of reaction? [1 mark] Tick one box.	
	Decomposition	
	Electrolysis	
	Oxidation	
	Precipitation	
07.3	The teacher dissolves the product of the reaction in water and adds universal indicator. The universal indicator turns purple. What is the pH value of the solution? Tick one box. 1 4 7 13	



0 7.4	The solution contains a substance with the formula NaOH	Do not write outside the box
	Give the name of the substance. [1 mark]	
0 7.5	All alkalis contain the same ion.	
	What is the formula of this ion? [1 mark]	
	Tick one box.	
	H ⁺	
	Na ⁺	
	OH⁻	
	O ²⁻	
07.6	A solution of NaOH had a concentration of 40 g/dm ³	
	What mass of NaOH would there be in 250 cm ³ of the solution?	
	[2 marks]	
	Mass = g	



Do not write outside the

box

0 7.7

The melting points of the elements in Group 1 show a trend.

 Table 6 shows the atomic numbers and melting points of the Group 1 elements.


Table 6

Element	Atomic number	Melting point in °C
Lithium	3	181
Sodium	11	98
Potassium	19	63
Rubidium	37	X
Caesium	55	29

Plot the data from **Table 6** on **Figure 11**.

[2 marks]







		1
08	Soluble salts are formed by reacting metal oxides with acids.	Do not write outside the box
0 8.1	Give one other type of substance that can react with an acid to form a soluble salt. [1 mark]	
	\sim	
0 8 2	Calcium nitrate contains the ions Ca^{2+} and NO_3^{-} Give the formula of calcium nitrate.	
	Give the formula of calcium hitrate. [1 mark]	
08.3	Describe a method to make pure, dry crystals of magnesium sulfate from a metal	
	oxide and a dilute acid. [6 marks]	



22		
		\mathbf{r}
00	ັ	J

Do not write outside the box

8

Turn over for the next question




34

09	This question is about metals and metal compounds.	Do not write outside the box
09.1	Iron pyrites is an ionic compound.	
	Figure 12 shows a structure for iron pyrites.	
	Figure 12	
	Key Fe S	
	Determine the formula of iron pyrites.	
	Use Figure 12. [1 mark]	
09.2	An atom of iron is represented as $^{56}_{26}$ Fe Give the number of protons, neutrons and electrons in this atom of iron. [3 marks]	
	Number of protons	
	Number of neutrons	
	Number of electrons	
09.3	Iron is a transition metal.	
	Sodium is a Group 1 metal.	
	Give two differences between the properties of iron and sodium. [2 marks]	
	1	
	2	



	Nickel is extracted from nickel oxide by reduction with carbon.		Do not write outside the box
09.4	Explain why carbon can be used to extract nickel from nickel oxide.		box
0 3.4		[2 marks]	
09.5	An equation for the reaction is:		
	$NiO + C \rightarrow Ni + CO$		
	Calculate the percentage atom economy for the reaction to produce nickel.		
	Relative atomic masses (A_r): C = 12 Ni = 59		
	Relative formula mass (M_r): NiO = 75		
	Give your answer to 3 significant figures.		
		[3 marks]	
	Percentage atom economy =	%	
			11
	Т	urn over ►	







	Alkaline batteries are non-rechargeable.	Do not write outside the box
10.2	Why do alkaline batteries eventually stop working? [1 mark]	
10.3	Why can alkaline batteries not be recharged? [1 mark]	
	Question 10 continues on the next page	
	Turn over ►	




box

Do not write outside the Hydrogen fuel cells and rechargeable lithium-ion batteries can be used to power electric cars. Complete the balanced equation for the overall reaction in a hydrogen fuel cell. 1 0 4 [2 marks] H₂ + H_2O \rightarrow 1 0. 5 Table 7 shows data about different ways to power electric cars. Table 7 Rechargeable Hydrogen fuel cell lithium-ion battery Time taken to refuel or 5 30 recharge in minutes Distance travelled before Up to 240 Up to 415 refuelling or recharging in miles Distance travelled per unit of 22 66 energy in km Cost of refuelling or recharging 50 3 in £ Minimum cost of car in £ 60 000 18 000 Evaluate the use of hydrogen fuel cells compared with rechargeable lithium-ion batteries to power electric cars. Use Table 7 and your own knowledge. [6 marks]

	Do not write outside the box
	DOX
END OF QUESTIONS	11





Copyright © 2018 AQA and its licensors. All rights reserved.

