

Please write clearly in blo	ock capitals.		
Centre number		Candidate number	
Surname			
Forename(s)			
Candidate signature			

## GCSE COMBINED SCIENCE: SYNERGY



Foundation Tier

Paper 3 Physical sciences

Monday 11 June 2018

Morning

Time allowed: 1 hour 45 minutes

## Materials

For this paper you must have:

- a ruler
- · a scientific calculator
- the periodic table (enclosed)
- the Physics Equations Sheet (enclosed).

## Instructions

- Use black ink or black ball-point pen.
- Fill in the boxes at the top of this page.
- Answer all questions in the spaces provided. Do not write outside the box around each page or on blank pages.
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.

## Information

- The maximum mark for this paper is 100.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.

For Examiner's Use		
Question	Mark	
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		
TOTAL		



0 1	A teacher extracted copper from copper oxide.	
	This is the method used.	
	1. Mix 1.30 g of zinc and 1.59 g of copper oxide.	
	2. Heat the mixture strongly.	
	3. When the mixture starts to glow, stop heating.	
	4. Let the glow spread through the mixture.	
	5. Leave the mixture to cool.	
0 1.1	This reaction is exothermic.	
	Which part of the method shows the reaction is exothermic?	
	Tick <b>one</b> box. [1 mark]	
	Mix zinc and copper oxide	
	Heat the mixture	
	Let the glow spread	
	Leave to cool	
	The equation for the reaction between zinc and copper oxide is: $ \frac{Zn(s)}{1.30 \text{ g}} + \frac{CuO(s)}{1.59 \text{ g}} \rightarrow \frac{ZnO(s)}{1.62 \text{ g}} + \frac{Cu(s)}{1.62 \text{ g}} $	
0 1.2	1.30 g of zinc fully reacted with 1.59 g of copper oxide to produce 1.62 g of zinc oxide.	
	What mass of copper was produced?  [1 mark]	
	Mass of copper produced = g	



0 1.3	What is the physical state of zinc oxide in the reaction?  Tick one box.	1 mark]	
	Aqueous		
	Gas		
	Liquid		
	Solid		
0 1.4	Which substance has been oxidised in the reaction?  Tick one box.	1 mark]	
	Copper		
	Copper oxide		
	Zinc		
	Zinc oxide		
0 1.5	What type of reaction takes place when zinc reacts with copper oxide?  Tick one box.	1 mark]	
	Combustion		
	Crystallisation		
	Displacement		
	Neutralisation		
Question 1 continues on the next page			




Do not write
outside the
box

	Copper is a me	tal.		
0 1.6	Which structure	e represents the arrangen	nent of atoms in pure c	opper? [1 mark]
(	<b>A</b>	B	c d	D + - + -
	Tick <b>one</b> box.			
	Α			
	В			
	С			
	D			
0 1.7	Copper is used	in electrical wiring.		
	Give <b>one</b> reaso	on why.		[1 mark]



0 1 . 8	In the UK, 40% of the copper we use is recycled copper.	Do not write outside the box	
	The other 60% is copper obtained by mining.		
	What is the simplest ratio of recycled copper to copper obtained by mining?		
	Tick <b>one</b> box. [1 mark]		
	2:3		
	2:5		
	4:10		
	6:4		
0 1.9	What are <b>two</b> advantages of recycling copper?  [2 marks]		
	Tick <b>two</b> boxes.		
	Conserves copper ores		
	Increase in greenhouse gases		
	Less energy used		
	More jobs for miners		
	More space used at landfill	10	
		10	
	Turn over for the next question		








0 2 This question is about Group 1 metals.

**Figure 1** shows the melting points of Group 1 metals plotted against their atomic number.

Figure 1



**0 2**. **1** Describe the trend shown by the melting points of Group 1 metals as the atomic number increases.

[1 mark]

0 2 . 2 Determine the atomic number and melting point of caesium.

Use Figure 1.

[1 mark]

Atomic number of caesium = \_\_\_\_\_

Melting point of caesium = °C



	Lithium is a Group 1 metal.		Do not write outside the box
0 2.3	A lithium atom can be shown as ${7 \atop 3}$ Li.  How many electrons does the <b>outer shell</b> of a lithium	m atom contain? [1 mark]	
	Tick <b>one</b> box.  1		
0 2.4	Lithium reacts with oxygen to produce lithium oxide.  Draw <b>one</b> line from each substance to the correct de		
	Substance	Description	
		compound	
	Lithium oxide	element	
		metal	
	Oxygen	mixture	
		polymer	



0 2.5	Balance the equation for the reaction of lithium with oxygen.  [1 mark]	Do not write outside the box
	Li + $O_2 \rightarrow 2Li_2O$	
0 2.6	What type of bonding is present in lithium oxide?  [1 mark]  Tick one box.	
	Covalent	
	Metallic	
0 2.7	Calculate the relative formula mass ( $M_r$ ) of lithium oxide ( $Li_2O$ ).  Relative atomic masses ( $A_r$ ): $Li = 7$ $O = 16$ [2 marks]	
	Relative formula mass =	9
	Turn over for the next question	



0 3	The stopping distance of a car depends on the thinking distance and the braking distance.
0 3.1	Thinking distance depends on the driver's reaction time.  Give <b>two</b> factors that can affect reaction time.  [2 marks]
	1 2
0 3.2	Give <b>one</b> factor that can affect the braking distance.  [1 mark]
0 3.3	The thinking distance is the distance travelled during the driver's reaction time.  A car was travelling at 13 m/s  The driver's reaction time was 0.6 s
	Calculate the thinking distance.
	Use the equation:  distance travelled = speed × time  [2 marks]
	Thinking distance = m



0 3 . 4	The braking distance of the car was 14.0 m		Do n outs
	What was the stopping distance of the car?	[1 mark]	
	Stopping distance =	m	
0 3.5	What is the link between speed and braking distance?		
	Complete the sentence.	[1 mark]	
	The greater the speed, the		
0 3.6	If a large braking force is applied, the car decelerates and stops in a very short distance.		
	Give <b>two</b> disadvantages of applying a large braking force.	[2 marks]	
	1		
	2		


Turn over for the next question



0 4 One alloy contains iron, chromium and nickel.

Figure 2 shows the mass of iron and the mass of nickel in 80 g of this alloy.

Figure 2



0	4 . 1	Determine the mass of iron and nickel in 80 g of the alloy.
---	-------	---

Use Figure 2.

[1 mark]

Mass of iron = \_\_\_\_\_ g

Mass of nickel = \_\_\_\_\_ g

**0 4 . 2** Calculate the mass of chromium in 80 g of the alloy.

Draw a bar on Figure 2 to show the mass of chromium in 80 g of the alloy.

[2 marks]

Mass of chromium = \_\_\_\_\_ g


0 4.3	What mass of iron is present in <b>0.80 kg</b> of the alloy?	Do not write outside the box
	Give your answer in grams.  [1 mark]	
	Mass of iron = g	
0 4.4	What is an alloy? [1 mark]	
0 4.5	Give <b>one</b> reason why alloys are used instead of pure metals.  [1 mark]	
0 4.6	Iron and nickel are both magnetic metals.	
	Which is also a magnetic metal?  [1 mark]	
	Tick <b>one</b> box.	
	Cobalt	
	Copper	
	Sodium	
	Zinc	



A student plotted the magnetic field pattern around a bar magnet.

Figure 3 shows the magnetic field pattern.

Figure 3



0 4 . 7 Complete the sentence.

Choose the answer from the box.

[1 mark]

		induced	permanent	tempo	rary	
	Bar magne	ts produce their owr	n magnetic fields.			
	Bar magne	ts are described as			_ magnet	S.
0 4 . 8	Which state	ement about the ma	gnetic field around a ba	r magnet is c	orrect?	
	Tick <b>one</b> bo	ox.				[1 mark]
	The magne	tic field is the same	strength all around the	magnet.		
	The magne	tic field is strongest	at the poles of the mag	net.		
	The magne	tic field is strongest	near the middle of the	magnet.		



0 4.9	This is the start of a method used to plot a magnetic field pattern around a bar magnet.	Do not write outside the box
	1. Place the magnet on a piece of paper.	
	2. Draw around the magnet.	
	3. Mark a dot by a pole of the magnet.	
	4. Place the compass on the dot.	
	Figure 4 shows the apparatus after steps 1–4.	
	Figure 4	
	N S Bar magnet on piece of paper Compass	
	Describe the rest of the method to plot the magnetic field pattern.  [4 marks]	

Turn over for the next question

0 5

A student investigated the rate of reaction of magnesium with dilute hydrochloric acid.


Do not write outside the box

This is the method used.

- 1. Add 50 cm<sup>3</sup> of dilute hydrochloric acid to a conical flask.
- 2. Add 0.2 g of magnesium ribbon to the dilute hydrochloric acid in the conical flask.
- 3. Attach a gas syringe to the conical flask.
- 4. Record the volume of gas in the gas syringe every 10 seconds.

**Figure 5** shows the student's results.





0 5 . 1 Calculate the mean rate of reaction in the first 10 seconds.

Use Figure 5 and the equation:

mean rate of reaction = 
$$\frac{\text{volume of gas produced after 10 seconds}}{\text{time taken}}$$
 [2 marks]

Mean rate of reaction =



0 5.2	What is the unit for the mean rate of the reaction calculated in Question <b>05.1</b> ?  [1 mark]  Tick <b>one</b> box.	Do not write outside the box
	cm³/s g/s s/cm³ s/g	
0 5.3	Give <b>two</b> conclusions you can make about the reaction from 90 s to 120 s  Use <b>Figure 5</b> .  [2 marks]	
	The student repeated the method using magnesium powder instead of magnesium ribbon. All other variables were kept the same.	
0 5.4	What is the independent variable in the investigation?  [1 mark]  Tick one box.	
	Surface area of magnesium  Temperature of reaction	
	Volume of bydrochleric gold	
0 5 . 5	Sketch a line on <b>Figure 5</b> to show the expected results for the experiment using magnesium powder.  [2 marks]	8



0 6

A teacher demonstrated the temperature change when hydrochloric acid is added to sodium hydroxide.

This is the method used.

- 1. Add 25.0 cm<sup>3</sup> of sodium hydroxide solution to a polystyrene cup.
- 2. Measure the temperature of the sodium hydroxide solution.
- 3. Add 25.0 cm<sup>3</sup> of hydrochloric acid to the sodium hydroxide solution.
- 4. Stir the solution.
- 5. Measure the maximum temperature of the solution.

Draw **one** line from each measurement to the most suitable piece of equipment to use to make the measurement.

[2 marks]

Measurement	Equipment
	balance
Temperature of solution	beaker
	measuring cylinder
Volume of hydrochloric acid	metre rule
	thermometer



0 6 . 2	The teacher did the experiment four tin	nes.		Do not write outside the box
	Table 1 shows the teacher's results.			
		Table 1		
	Experiment Ma	aximum temperature rise in °C	]	
	1	6.1		
	2	7.8		
	3	6.1		
	4	6.4	]	
	Calculate the mean maximum tempera  Do <b>not</b> use the anomalous result in you		[2 marks]	
	Mean maxi	mum temperature rise =	°C	
0 6.3	How could the accuracy of the experimental Tick one box.	nent be improved?	[1 mark]	
	Add 20.0 cm <sup>3</sup> of hydrochloric acid			
	Use a lid on the polystyrene cup			
	Use a metal beaker			
	Use a thermometer with a resolution of	f 1 °C		
	Question 6 continues	on the next page		

			www.xtrapapo	ers.com
		20		
	The reaction between hydrochloric neutralisation reaction.	c acid and sodium hydroxide is a		Do not write outside the box
	The reaction produces a salt and	one other product.		
6.4	Complete the word equation for the	ne reaction.	[2 marks]	
hydrochlo	oric acid + sodium hydroxide	* <b>+</b>		
6.5	Universal indicator is used to mea	sure the pH of solutions.		
	Hydrochloric acid is pH 1			
	Sodium hydroxide is pH 13			
	Draw <b>one</b> line from the pH to the that pH.	colour of universal indicator in a se	olution with	
	that prin		[2 marks]	
	рН	Colour of universal indicator		
		green		
	1	orange		
		purple		
	13	red		
		yellow		

0 6 . 4

0 6 . 5


0 7	An athlete trains to improve his fitness by walking, cycling and running.	Do not write outside the box
0 7.1	What is a typical mean speed for a person walking?  [1 mark]  Tick one box.	
	1.5 m/s	
	3.0 m/s	
	4.5 m/s	
	6.0 m/s	
0 7.2	What is a typical mean speed for a person cycling?  [1 mark]	
	Tick <b>one</b> box.	
	1.5 m/s	
	3.0 m/s	
	4.5 m/s	
	6.0 m/s	
	Question 7 continues on the next page	



The athlete takes part in a race on a straight, horizontal running track.

**Figure 6** shows the velocity-time graph for the athlete. **A**, **B**, **C**, **D** and **E** represent points in the race.

Figure 6



0 7 . 3	Determine the time taken for the athlete to move between points <b>C</b> and <b>D</b> .	
	1	[2 marks]

Time at **C** = \_\_\_\_\_s

Time at **D** = \_\_\_\_\_s

Time taken between points  $\mathbf{C}$  and  $\mathbf{D} = \mathbf{s}$ 



0 7.4	Point E represents the end of the race.
	After point <b>E</b> , the athlete has a constant deceleration.
	The athlete stops 14 seconds after the start of the race.
	Complete <b>Figure 6</b> to show the motion of the athlete after point <b>E</b> .  [2 marks]
0 7.5	Which section of the graph in <b>Figure 6</b> shows the athlete moving at constant velocity?  [1 mark]  Tick <b>one</b> box.
	A-B
	B-C
	C-D
	D-E
0 7.6	Which section of the graph in <b>Figure 6</b> represents a part of the race where the resultant force on the athlete is zero?  [1 mark]  Tick <b>one</b> box.
	A–B
	B-C
	C-D
	D-E
	Question 7 continues on the next page



0 7.7	What does the area under a velocity-time graph represent?	Do not writ outside the box
	Tick <b>one</b> box.	
	Acceleration	
	Distance travelled	
	Energy	
	Speed	
0 7.8	Write the equation which links acceleration, mass and resultant force.  [1 mark]	
0 7.9	In another race, the athlete had a constant acceleration during the first 3.2 seconds. His velocity increased from 0 m/s to 11.6 m/s  Calculate the acceleration of the athlete.  Use the equation: $\frac{\text{change in velocity}}{\text{time taken}}$	
	[2 marks]	
	Acceleration = m/s <sup>2</sup>	12



Do not write outside the box Turn over for the next question DO NOT WRITE ON THIS PAGE ANSWER IN THE SPACES PROVIDED




- 0 8 This question is about hydrogen chloride.
- 0 8 . 1 A hydrogen atom contains 1 electron and a chlorine atom contains 17 electrons.

Complete **Figure 7** to show a dot and cross diagram for a hydrogen chloride molecule.

Show the outer electrons only.

[2 marks]

Figure 7



Hydrogen gas (H<sub>2</sub>) reacts with chlorine gas to produce hydrogen chloride.


0 8 . 2 Complete the balanced chemical equation for the reaction between hydrogen and chlorine.

[2 marks]

$$H_2$$
+  $\longrightarrow$   $\longrightarrow$ 

**Figure 8** shows the reaction profile diagram for the reaction between hydrogen and chlorine.


Figure 8





	What do <b>A</b> and <b>B</b> represent on <b>Figure 8</b> ? [2 marks]
	[2 marks]
	A
	B
8 . 4	How does the reaction profile diagram show that the reaction is exothermic?
<u> </u>	[1 mark]
8 . 5	Hydrogen chloride gas dissolves in water to form hydrochloric acid.
	Hydrochloric acid contains hydrogen ions and chloride ions.
	Explain why hydrogen chloride gas does <b>not</b> conduct electricity but hydrochloric acid is able to conduct electricity.
	[3 marks]







0 9	When a metal carbonate reacts with an acid, a salt, carbon dioxide and water are produced.	Do not wri outside th box
0 9.1	Describe how you would test for carbon dioxide gas.  Give the result of the test.	
	Test	
	Result	
0 9.2	Describe how to make pure dry crystals of magnesium chloride from magnesium carbonate and a dilute acid.	
	In your method you should name the apparatus and reagents you plan to use.  [6 marks]	
		8



1 0	An energy input of $1.3 \times 10^{18}$ J is supplied each year by power stations to the National Grid.	Do not write outside the box
	Not all of this energy is supplied to consumers. Some of the energy is wasted in the distribution process.	
10.1	Write the equation which links efficiency, total input energy transfer and useful output energy transfer.  [1 mark]	
1 0.2	The energy supplied each year to consumers is $1.2 \times 10^{18}$ J  Calculate the efficiency of the distribution process.	
	[2 marks]	
	Efficiency =	
1 0.3	How is electrical power transmitted across the National Grid to make the process as efficient as possible?  [1 mark] Tick one box.	
	At a high potential difference and a high current	
	At a high potential difference and a low current	
	At a low potential difference and a high current	
	At a low potential difference and a low current	



Write the equation which links energy transferred, power and time.	[1 mark]	Do not outside bo.
A wind turbine supplies a power output of 8000 kW for 1200 seconds.  Calculate the energy transferred by the wind turbine in kJ	[3 marks]	
Energy transferred =	kJ	
Describe the environmental advantages and disadvantages of using wind to generate electricity in the UK.	d turbines [4 marks]	
		12
	A wind turbine supplies a power output of 8000 kW for 1200 seconds.  Calculate the energy transferred by the wind turbine in kJ  Energy transferred =  Describe the environmental advantages and disadvantages of using wind	A wind turbine supplies a power output of 8000 kW for 1200 seconds.  Calculate the energy transferred by the wind turbine in kJ  [3 marks]  Energy transferred =kJ  Describe the environmental advantages and disadvantages of using wind turbines to generate electricity in the UK.

3 1

box

There are no questions printed on this page DO NOT WRITE ON THIS PAGE ANSWER IN THE SPACES PROVIDED Copyright information For confidentiality purposes, from the November 2015 examination series, acknowledgements of third party copyright material will be published in a separate booklet rather than including them on the examination paper or support materials. This booklet is published after each examination series and is available for free download from www.aqa.org.uk after the live examination series.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team, AQA, Stag Hill House, Guildford, GU2 7XJ.

Copyright © 2018 AQA and its licensors. All rights reserved.

