



GCSE COMBINED SCIENCE: TRILOGY

8464/B/1F – BIOLOGY PAPER 1 FOUNDATION TIER

Mark scheme

8464

June 2018

Version/Stage: 1.0 Final

Mark schemes are prepared by the Lead Assessment Writer and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation events which all associates participate in and is the scheme which was used by them in this examination. The standardisation process ensures that the mark scheme covers the students' responses to questions and that every associate understands and applies it in the same correct way. As preparation for standardisation each associate analyses a number of students' scripts. Alternative answers not already covered by the mark scheme are discussed and legislated for. If, after the standardisation process, associates encounter unusual answers which have not been raised they are required to refer these to the Lead Assessment Writer.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of students' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this mark scheme are available from aqa.org.uk

Information to Examiners

1. General

The mark scheme for each question shows:

- the marks available for each part of the question
- the total marks available for the question
- the typical answer or answers which are expected
- extra information to help the Examiner make his or her judgement
- the Assessment Objectives and specification content that each question is intended to cover.

The extra information is aligned to the appropriate answer in the left-hand part of the mark scheme and should only be applied to that item in the mark scheme.

At the beginning of a part of a question a reminder may be given, for example: where consequential marking needs to be considered in a calculation; or the answer may be on the diagram or at a different place on the script.

In general the right-hand side of the mark scheme is there to provide those extra details which confuse the main part of the mark scheme yet may be helpful in ensuring that marking is straightforward and consistent.

2. Emboldening and underlining

- 2.1** In a list of acceptable answers where more than one mark is available ‘any **two** from’ is used, with the number of marks emboldened. Each of the following bullet points is a potential mark.
- 2.2** A bold **and** is used to indicate that both parts of the answer are required to award the mark.
- 2.3** Alternative answers acceptable for a mark are indicated by the use of **or**. Different terms in the mark scheme are shown by a / ; eg allow smooth / free movement.
- 2.4** Any wording that is underlined is essential for the marking point to be awarded.

3. Marking points

3.1 Marking of lists

This applies to questions requiring a set number of responses, but for which students have provided extra responses. The general principle to be followed in such a situation is that 'right + wrong = wrong'.

Each error / contradiction negates each correct response. So, if the number of error / contradictions equals or exceeds the number of marks available for the question, no marks can be awarded.

However, responses considered to be neutral (indicated as * in example 1) are not penalised.

Example 1: What is the pH of an acidic solution?

[1 mark]

Student	Response	Marks awarded
1	green, 5	0
2	red*, 5	1
3	red*, 8	0

Example 2: Name two planets in the solar system.

[2 marks]

Student	Response	Marks awarded
1	Neptune, Mars, Moon	1
2	Neptune, Sun, Mars, Moon	0

3.2 Use of chemical symbols / formulae

If a student writes a chemical symbol / formula instead of a required chemical name, full credit can be given if the symbol / formula is correct and if, in the context of the question, such action is appropriate.

3.3 Marking procedure for calculations

Marks should be awarded for each stage of the calculation completed correctly, as students are instructed to show their working. Full marks can, however, be given for a correct numerical answer, without any working shown.

3.4 Interpretation of 'it'

Answers using the word 'it' should be given credit only if it is clear that the 'it' refers to the correct subject.

3.5 Errors carried forward

Any error in the answers to a structured question should be penalised once only.

Papers should be constructed in such a way that the number of times errors can be carried forward is kept to a minimum. Allowances for errors carried forward are most likely to be restricted to calculation questions and should be shown by the abbreviation ecf in the marking scheme.

3.6 Phonetic spelling

The phonetic spelling of correct scientific terminology should be credited **unless** there is a possible confusion with another technical term.

3.7 Brackets

(.....) are used to indicate information which is not essential for the mark to be awarded but is included to help the examiner identify the sense of the answer required.

3.8 Allow

In the mark scheme additional information, 'allow' is used to indicate creditworthy alternative answers.

3.9 Ignore

Ignore is used when the information given is irrelevant to the question or not enough to gain the marking point. Any further correct amplification could gain the marking point.

3.10 Do not accept

Do **not** accept means that this is a wrong answer which, even if the correct answer is given as well, will still mean that the mark is not awarded.

4. Level of response marking instructions

Extended response questions are marked on level of response mark schemes.

- Level of response mark schemes are broken down into levels, each of which has a descriptor.
- The descriptor for the level shows the average performance for the level.
- There are two marks in each level.

Before you apply the mark scheme to a student's answer, read through the answer and annotate it (as instructed) to show the qualities that are being looked for. You can then apply the mark scheme.

Step 1: Determine a level

Start at the lowest level of the mark scheme and use it as a ladder to see whether the answer meets the descriptor for that level. The descriptor for the level indicates the different qualities that might be seen in the student's answer for that level. If it meets the lowest level then go to the next one and decide if it meets this level, and so on, until you have a match between the level descriptor and the answer.

When assigning a level you should look at the overall quality of the answer. Do **not** look to penalise small and specific parts of the answer where the student has not performed quite as well as the rest. If the answer covers different aspects of different levels of the mark scheme you should use a best fit approach for defining the level.

Use the variability of the response to help decide the mark within the level, ie if the response is predominantly level 2 with a small amount of level 3 material it would be placed in level 2 but be awarded a mark near the top of the level because of the level 3 content.

Step 2: Determine a mark

Once you have assigned a level you need to decide on the mark. The descriptors on how to allocate marks can help with this.

The exemplar materials used during standardisation will help. There will be an answer in the standardising materials which will correspond with each level of the mark scheme. This answer will have been awarded a mark by the Lead Examiner. You can compare the student's answer with the example to determine if it is the same standard, better or worse than the example. You can then use this to allocate a mark for the answer based on the Lead Examiner's mark on the example.

You may well need to read back through the answer as you apply the mark scheme to clarify points and assure yourself that the level and the mark are appropriate.

Indicative content in the mark scheme is provided as a guide for examiners. It is not intended to be exhaustive and you must credit other valid points. Students do **not** have to cover all of the points mentioned in the indicative content to reach the highest level of the mark scheme.

You should ignore any irrelevant points made. However, full marks can be awarded only if there are no incorrect statements that contradict a correct response.

An answer which contains nothing of relevance to the question must be awarded no marks.

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.1	cell membrane	extra ticks negates marks	1	AO1 4.1.1.2
01.2	engulf pathogens produce antibodies produce antitoxins	extra ticks negates marks	1 1 1	AO1 4.2.2.3 4.3.1.6
01.3	2050 – 100 = 1950	an answer of 1950 scores 2 marks allow 1 mark for a correct subtraction of incorrect values	1 1	AO2 4.3.1.2
01.4	any one from: • (more) people vaccinated • (more) people immune • no new measles strain	ignore injections / treatments / medicines unqualified allow vaccine produced allow (more people given) MMR (vaccine) do not allow antibiotics ignore less people infected	1	AO2 4.3.1.1 4.3.1.2 4.3.1.7
01.5	any one from: • measles is (caused by) a virus • viruses cannot be killed / destroyed by antibiotics	allow measles is not caused by a bacterium allow antibiotics only kill / destroy bacteria ignore harmed / treated	1	AO1 4.3.1.1 4.3.1.8 4.3.1.2
01.6	any one from: • use of a barrier method of contraception • use of a condom • vaccination / immunisation • avoid sexual intercourse / contact	ignore use of diaphragm ignore use protection / safe sex do not accept less sexual intercourse / contact	1	AO1 4.3.1.3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
01.7	any one from: <ul style="list-style-type: none"> size / shape/ type of paper disc concentration of antibiotic volume / amount of antibiotic (incubation) time (incubation) temperature 	ignore paper disc unqualified allow strength / dosage of antibiotic allow 3 days ignore size of petri dish	1	AO2 4.3.1.8
01.8	to check that the disc / water did not have an effect or to make sure it was the antibiotic that had an effect	allow for comparison with the antibiotics allow as a (experimental) control do not accept as a control variable	1	AO3 4.3.1.8
01.9	(antibiotic) A any one from: <ul style="list-style-type: none"> (antibiotic A) had the largest clear area around it (antibiotic A) killed the most bacteria 	no marks if wrong antibiotic given	1 1	AO3 4.3.1.8
Total			13	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.1	glucose	extra ticks negates marks	1	AO1 4.4.1.1
	oxygen		1	
02.2	count the number of bubbles produced in 1 minute	extra ticks negates marks	1	AO3 4.4.1.2
	measure the volume of gas produced in 30 seconds		1	
02.3	<p>any one from:</p> <ul style="list-style-type: none"> to control the temperature temperature affects the rate of photosynthesis 	<p>ignore reference to 'it'</p> <p>allow so pondweed / solution did not warm up</p> <p>allow correct description of effect of temperature on rate allow high temperatures denature enzymes</p> <p>ignore references to limiting factors</p>	1	AO3 4.4.1.2
02.4	52		1	AO2 4.4.1.2
02.5	all points plotted correctly	<p>(where a bar chart has been plotted) allow 1 mark for all bars plotted correctly if points are plotted as well as bars, ignore bars</p> <p>allow $\pm \frac{1}{2}$ a square allow 1 mark for three points correctly plotted</p>	2	AO2 4.4.1.2
	smooth curve drawn through all points		1	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
02.6	any one from: <ul style="list-style-type: none"> • the nearer the light source to the pondweed the faster the rate of photosynthesis • the greater the light intensity the faster the rate of photosynthesis 	allow converse statements for all marking points allow the nearer the light source to the pondweed the faster the bubbles produced allow the greater the light intensity the faster the bubbles produced allow the closer the light source the more the plant photosynthesises ignore more bubbles are produced with no reference to rate allow oxygen for bubbles do not accept carbon dioxide	1	AO3 4.4.1.2
Total			10	


Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.1	any one from: <ul style="list-style-type: none"> water on potato would increase mass to control amount of water on potato 	allow so only the mass of the potato is measured allow to remove water from outside of potato allow liquid / solution / sugar solution for water allow so you get the correct (starting) mass of the potato do not accept so that all the pieces of potato weighed the same	1	AO3 4.1.3.2
03.2	increase in mass increase in length	extra ticks negate marks	1 1	AO2 4.1.3.2
03.3	osmosis into lower	in this order only allow diffusion allow inside do not accept through allow low / more dilute / dilute	1 1 1	AO1 4.1.3.2 AO2 4.1.3.2 AO2 4.1.3.2
03.4	any one from: <ul style="list-style-type: none"> the concentration (of sugar solution) in the cells is 0.4 (mol/dm³) the concentration (of sugar solution) in the cells is the same as the solution (in the tube) 	allow reference to potato instead of cells	1	AO3 4.1.3.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
03.5	any two from: <ul style="list-style-type: none"> • has (root) hairs • large surface / area • (root) hairs extend into soil • (root) hairs have thin walls 	ignore references to active transport and mineral uptake allow root hair cells allow wide surface area allow (root) hairs are long / widespread	2	AO1 4.1.1.3 4.1.3.1 4.1.3.2
Total			9	


Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.1	<p>breathing rate when walking is twice that at rest</p> <p>breathing rate when jogging is 5 times that at rest</p> <p>breathing rate when jogging is 2.5 times that when walking</p>	<p>max 2 marks if written in terms of heart rate</p> <p>allow breathing rate when walking is 12 (breaths / minute) more than at rest</p> <p>allow breathing rate when jogging is 48 (breaths / minute) more than at rest</p> <p>allow breathing rate when jogging is 36 (breaths / minute) more than when walking</p> <p>allow for 1 mark if no other marks gained: breathing rate at rest is 12 (breaths per minute), breathing rate when walking is 24 (breaths per minute) and breathing rate when jogging is 60 (breaths per minute)</p> <p>or</p> <p>breathing rate increases with increasing activity</p>	<p>1</p> <p>1</p> <p>1</p>	<p>AO2 4.4.2.2</p>

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.2	(breathing rate increases)	reference to more / faster required at least once for full marks		AO1 4.4.2.2
	to supply more oxygen / O ₂ or to supply oxygen / O ₂ faster	allow to remove more carbon dioxide / CO ₂ or to remove carbon dioxide / CO ₂ faster do not accept incorrectly written formulae	1	
	for (aerobic) respiration or to reduce anaerobic respiration or to reduce lactic acid build up		1	
	(so) that more energy is transferred / released or (because) more energy is required	do not accept used / produced / created or energy made	1	
04.3	right ventricle / side of the heart pumps (blood) to the lungs		1	AO1 4.2.2.2
	left ventricle / side of the heart pumps (blood) to the body		1	
		if no other marks scored allow 1 mark for one side pumps blood to the lungs and the other side pumps blood to the body		

Question	Answers	Extra information	Mark	AO / Spec. Ref.
04.4	any one from: <ul style="list-style-type: none"> • (the left ventricle) has to pump blood further (than the right ventricle) • (the left ventricle) has to pump blood with a greater force (than the right ventricle) • (the left ventricle) has to pump blood at a higher pressure (than the right ventricle) 	there must be a comparative statement allow (the left ventricle) has to pump blood all around the body allow (left ventricle) has to pump blood harder	1	AO2 4.2.2.2
04.5	any one from: <ul style="list-style-type: none"> • strengthens heart (muscle) • reduces chance of another heart attack • reduces / controls weight • improves circulation 	ignore prevents / no heart attacks allow decreases chance of fatty deposits or fat building up (in arteries / blood vessels) allow reduces resting heart rate	1	AO2 4.2.2.2 4.2.2.6
Total			10	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.1	 <p>allow 1 mark for 1 or 2 correct</p> <p>credit can be given where students have matched the boxes correctly, for example numbering the boxes</p>		2	AO1 4.1.2.2
05.2	6 picograms		1	AO2 4.1.2.2
05.3	meristem cells in plants can differentiate throughout the life of the plant		1	AO1 4.1.2.3

Question	Answers	Extra information	Mark	AO / Spec. Ref.
05.4	<p>any two from:</p> <ul style="list-style-type: none"> may cure / treat diseases or cure medical conditions or produce replacement cells / tissues / organs cells unlikely to be rejected by patient cells / tissues of any type can be produced many cells produced cells produced could be used for research would reduce waiting time for transplants 	<p>ignore references to cost ignore all reference to producing babies / IVF</p> <p>allow example eg diabetes / paralysis allow cells can be stored for future use ignore used in medical treatments ignore patient makes / grows cells / tissues / organs</p> <p>ignore same genetic information</p> <p>ignore differentiated into most types of cells</p>	2	AO3 4.1.2.3 4.1.1.4 4.6.2.4
05.5	<p>any two from:</p> <ul style="list-style-type: none"> (potential) life is killed / destroyed shortage of donors / eggs egg donation / collection has risks do not yet know risks / side effects of the procedure on the patient may transfer (viral) infection poor success rate 	<p>ignore references to cost ignore unethical unqualified Ignore reference to religion / beliefs</p> <p>allow embryo is killed ignore embryo is destroyed ignore embryo is a life / becomes a baby</p> <p>ignore long term effects are not well understood allow may cause tumours / cancer</p> <p>allow in terms of viable egg / embryo / cell / tissue / organ production</p>	2	AO3 4.1.2.3 4.1.1.4 4.6.2.4
Total			8	

Question	Answers	Extra information	Mark	AO / Spec. Ref.			
06.1	 <p>allow 1 mark for one or two correct links</p>		2	AO1 4.1.1.1 4.1.1.2			
06.2	<table border="1" data-bbox="304 909 890 976"> <tr> <td data-bbox="304 909 491 976">vacuole</td> <td data-bbox="491 909 678 976">ribosome</td> <td data-bbox="678 909 890 976">cell wall</td> </tr> </table> <p>tick box takes precedence if no tick is given, look at both the figure and the circling of words in the table if writing is seen on the figure and in the table both must be correct</p>	vacuole	ribosome	cell wall		1	AO1 4.1.1.2
vacuole	ribosome	cell wall					
06.3	turn the (fine focusing) knob until the cells are in focus	<p>allow focus it</p> <p>do not accept increase magnification</p> <p>ignore decrease magnification ignore clear ignore references to resolution / illumination ignore zoom in / out</p>	1	AO2 4.1.1.2			

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.4	(rotate the) nosepiece / objective lens to a higher power (lens)	allow change the (objective / eyepiece) lens allow (to) increase the magnification a comparator is required ignore change / adjust the magnification allow stronger or more powerful lens ignore references to resolution / illumination unqualified ignore zoom in / out ignore references to an electron microscope	1 1	AO2 4.1.1.2

Question	Answers	Extra information	Mark	AO / Spec. Ref.
06.5	conversion of units: (112 mm →) 112 000 (µm) or (280 µm →) 0.28 (mm) (magnification =) $\frac{112}{0.28}$ or (magnification =) $\frac{112\ 000}{280}$ 400 (×)	an answer of 400 (×) scores 3 marks allow 1 mark for no conversion of units 112 / 280 or incorrect value from step 1 correctly substituted do not accept if units are given if no other mark scored allow 1 mark for: magnification = $\frac{\text{size of image}}{\text{size of real object}}$ a triangle with words or letters in is insufficient, as the correct rearrangement is needed	1 1 1	AO2 4.1.1.2
Total			9	

Question	Answers	Extra information	Mark	AO / Spec. Ref.
07.1	is not caused by a pathogen / infective organism	allow not caused by a microorganism / microbe ignore not caused by infection ignore named pathogen unless bacteria, virus and fungus all mentioned	1	AO1 4.2.2.4 4.2.2.5 4.3.1.1 4.3
	(so) is not passed / spread (from person to person)	allow cannot be spread / caught allow is not infectious / contagious	1	AO2 4.2.2.4 4.2.2.5 4.3.1.1 4.3
07.2	reduced / restricted / stopped blood flow	allow 'it' for heart it does not matter where blood flow is restricted to – heart / body	1	AO1 4.2.2.4
	(so) less oxygen reaches heart (muscle / cells)	must reference heart / it allow no oxygen reaches the heart (muscle / cells)	1	
	(so heart muscle / cells) cannot respire (enough) or (so heart muscle / cells) do not release (enough) energy	do not accept do not make / produce / create energy ignore references to breathing / suffocation ignore blood clots / blockages	1	

Question	Answers	Mark	AO / Spec. Ref.
02.3	Level 3: Relevant points (factors / effects) are identified, given in detail and logically linked to form a clear account.	5–6	AO2
	Level 2: Relevant points (factors / effects) are identified and there are attempts at logical linking. The resulting account is not fully clear.	3–4	AO2 AO1
	Level 1: Points are identified and stated simply, but their relevance is not clear and there is no attempt at logical linking.	1–2	AO1
	No relevant content	0	
	<p>Indicative content</p> <p>medical risk factors:</p> <ul style="list-style-type: none"> • high blood pressure • high cholesterol • diabetes • genetic factors • medications <p>lifestyle risk factors:</p> <ul style="list-style-type: none"> • smoking • obesity • lack of exercise • high fat / energy diet • eating insufficient fruit / vegetables • alcohol • high salt intake • exposure to air pollution • certain drugs / correct named drug <p>examples of links:</p> <ul style="list-style-type: none"> • smoking – high bp / cholesterol / fatty deposition • obesity – lack of exercise / high bp / cholesterol / fatty deposition / diabetes • exercise – obesity / bp /diabetes • diet – obesity / cholesterol / diabetes • alcohol – bp / cholesterol • high salt intake - high blood pressure • genetic factors – bp / cholesterol / diabetes / obesity • medication – can affect blood / blood vessels / metabolism <p>the main discriminator is the quality of linking both lifestyle and medical factors are required for level 3</p>		4.2.2.2 4.2.2.4 4.2.2.5 4.2.2.6
Total		11	