

GCSE

COMBINED SCIENCE: TRILOGY



Higher Tier Chemistry Paper 2H

8464/C/2H

Wednesday 13 June 2018 Morning

Time allowed: 1 hour 15 minutes

For this paper you must have:

- a ruler
- a scientific calculator
- the periodic table (enclosed).

At the top of the page, write your surname and other names, your centre number, your candidate number and add your signature.



BLANK PAGE



INSTRUCTIONS

- Use black ink or black ball-point pen.
- Answer ALL questions in the spaces provided.
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.

INFORMATION

- The maximum mark for this paper is 70.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.


DO NOT TURN OVER UNTIL TOLD TO DO SO



- 0 1 Crude oil is a mixture of hydrocarbons.
- 0 1 . 1 The hydrocarbons in crude oil are separated into fractions by fractional distillation.

FIGURE 1 shows a fractional distillation column.

FIGURE 1





Crude oil vapour passes up the column.
Complete the sentence.

Choose the answer from the list. [1 mark]

- condenses
- dissolves
- freezes
- melts

Each fraction	
•	

at a different level.



0 1 . 2	Why do the fractions separate? [1 mark]		
	Tick ONE box.		
		The fractions have different boiling points.	
		The fractions have different flammability.	
		The fractions have different melting points.	
		The fractions have different viscosity.	




7

Most of the hydrocarbons in crude oil are alkanes.

0 1.3 FIGURE 2 represents an alkane molecule.

FIGURE 2



Name the alkane. [1 mark]



01.4	Methan	e (CH ₄) is	an alk	ane.		
	What is [1 mark	the general	al for	mula for a	lkanes?	
	Tick ON	E box.				
		C _n H _n				
		C _n H _{2n}				
		C _n H _{2n-2}				
		C _n H _{2n+2}				
0 1 . 5		burn in o			e hurning	•
	[1 mark	_	.1011 10	n meman	e Durilli	j -
			CH ₄	+		02
			CO-	_		H ₋ ∩



9

0 1 . 6	Ethene is an alkene.		
	Which reagent is used to test for alkenes? [1 mark]		
	Tick ONE box.		
	Anhydrous copper sulfate		
	Bromine water		
	Damp litmus paper		
	Limewater		



TABLE 1 shows data from a life cycle assessment (LCA) for the disposal of 10 000 biodegradable plastic bags.

TABLE 1

	Burning and using the energy to generate electricity	Landfill
Mass of carbon dioxide produced in kg	25	15
Mass of solid residue in kg	0.050	0.070
Mass of sulfur dioxide produced in kg	0.20	0.30

0 1 . 7	Why are life cycle assessments (LCA) done? [1 mark]



01.8	Compare the TWO methods for the disposal of biodegradable plastic bags.				
	Use information from TABLE 1 [4 marks]				
		_			
		_			
		_			
		_			
		_			
		_			
		_			
		_			
		_			
		_			
		_			
	er]				

0 2	This question is about the Earth's atmosphere.
02.1	Carbon dioxide is a greenhouse gas.
	What is another greenhouse gas? [1 mark]
	Tick ONE box.
	Argon
	Methane
	Nitrogen
	Oxygen



02.2	Greenhouse gases cause global climate change.
	Give TWO effects of global climate change. [2 marks]
	1
	2



02.3	4.1 kg of a plastic, used to make plastic bottles, has a carbon footprint of 6.0 kg of carbon dioxide.
	Calculate the carbon footprint of one plastic bottle of mass 23.5 g [2 marks]
	Carbon footprint =
	kg of carbon dioxide
02.4	Give ONE way that carbon dioxide emissions can be reduced when a plastic bottle is manufactured. [1 mark]



BLANK PAGE



02.5	Explain how the percentages of nitrogen, oxygen and carbon dioxide in the Earth's atmosphere today have changed from the Earth's early atmosphere. [6 marks]



-			
-			
-			
[Turn ove	1		12



0 3 A student investigated the mass of dissolved solids in 5 cm³ samples of water.

FIGURE 3 shows the apparatus.

FIGURE 3






TABLE 2 shows the student's results.

TABLE 2

	Mass in g				
Type of water	Watch glass	Watch glass and dissolved solids	Dissolved solids in 5 cm ³ of water	Dissolved solids in 1000 cm ³ of water	
Sea water	9.34	9.48	0.14	28.00	
River water	9.15	9.23	0.08	x	
Rainwater	8.93	8.93	0.00	0.00	

0 3 . 1	Calculate mass X in TABLE 2 [1 mark]	
	Mass X =	g



03.2	5 cm ³ is a small volume of water for each experiment.
	Give ONE advantage and ONE disadvantage of using a larger volume. [2 marks]
	Advantage
	Disadvantage
03.3	Potable water is NOT pure water.
	Describe the difference between potable water and pure water. [1 mark]



0 3 . 4	Potable water is obtained from both groundwater AND from sea water.
	Describe how groundwater and sea water are treated to produce potable water. [3 marks]



0 3 . 5	The percentage by mass of dissolved solids in a 6.50 g sample is 2.2%
	Calculate the mass of the dissolved solids. [2 marks]
	Mass of dissolved solids =
	g
	9



BLANK PAGE



0 4	Fertilisers are formulations.
04.1	What is a formulation? [1 mark]
04.2	A bag of fertiliser contains 14.52 kg of ammonium nitrate (NH ₄ NO ₃).
	Relative formula mass (M_r): NH ₄ NO ₃ = 80
	Calculate the number of moles of ammonium nitrate in the bag of fertiliser.
	Give your answer in standard form to 2 significant figures. [4 marks]



	mol
Moles of ammonium nitrate =	



04.3	The fertiliser also contains potassium chloride.
	Explain why potassium chloride has a high melting point. [4 marks]
	9



BLANK PAGE



0 5


A student investigated the effect of the size of marble chips on the rate of the reaction between marble chips and hydrochloric acid.

This is the method used.

- 1. Add 10 g of marble chips into the flask.
- 2. Add 50 cm³ of hydrochloric acid, connect the gas syringe and start a timer.
- 3. Record the volume of gas produced every 10 seconds.

FIGURE 4 shows the apparatus.

FIGURE 4





0 5 . 1	Complete the equation for the reaction
	[2 marks]

CaCO₃ + _____ HCI


→ ____



FIGURE 5 shows the student's results.

FIGURE 5

Volume of gas produced in cm³






0 5.2	Describe the trend shown in FIGURE 5, on page 30.
	Use values in your answer. [3 marks]



Repeat of FIGURE 5

Volume of gas produced in cm³





0 5 . 3	Describe how you would use FIGURE 5 to find the rate of the reaction at 15 seconds.
	You do NOT need to do a calculation. [2 marks]
0 5 . 4	Give the units for the rate of this reaction. [1 mark]
ſTurn ov	orī



TABLE 3 shows the results of the investigation.

TABLE 3

Relative size of marble	Volume of gas produced in cm ³ after given time in seconds						
chips	10 s	20 s	30 s	40 s	50 s	60 s	
Small	35	53	60	60	60	60	
Medium	21	39	51	58	60	60	
Large	14	29	39	48	58	60	

[0 5].[5]	Give ONE conclusion about how the size of the marble chips affects the rate of the reaction. [1 mark]



 Suggest why all three sizes of marble chips produce a maximum volume of 60 cm ³ of gas. [1 mark]



0 5.7	FIGURE 6 shows eight small cubes, each 1 cm x 1 cm x 1 cm, and one large cube, 2 cm x 2 cm x 2 cm						
	FIGURE 6						
	Total volume of small cubes = 8 cm ³						
	Volume of large cube = 8 cm ³						
	Total surface area of small cubes = 48 cm ²						
	Calculate the surface area of the large cube. [2 marks]						
	Surface area of the large cube =						
	cm ²						



0 5 . 8	Explain why the size of the marble chips affects the rate of the reaction.						
	Give your answer in terms of 'collision theory'. [2 marks]						




0 5.9 The student repeated the investigation with small marble chips using hydrochloric acid with a lower concentration.

FIGURE 7 shows the volume of gas produced during the first 40 seconds.

FIGURE 7

Volume of gas in cm³





[3 marks	3]		
			_
_			



[Turn

0 6	Bleach is a solution of sodium hypochlorite (NaClO).
	Chlorine gas is produced when bleach reacts with hydrochloric acid.
NaCIO(a	q) + 2HCI (aq) \rightleftharpoons NaCI(aq) + H ₂ O(I) + CI ₂ (g)
06.1	Give the test and result for chlorine gas. [2 marks]




BLANK PAGE



FIGURE 8 shows a sealed flask of sodium hypochlorite and hydrochloric acid at equilibrium.

FIGURE 8





06.3	The stopper in FIGURE 8, on page 42, is removed and hydrochloric acid is added. The stopper is replaced. Explain what happens to the equilibrium. [4 marks]



Chlorine gas is also produced whe	n
hydrogen chloride decomposes.	

$$2HCI(g) \rightleftharpoons H_2(g) + CI_2(g)$$

The forward reaction is endothermic.

0 6 . 4	Predict the effect of increasing the
	temperature on the amount of chlorine gas
	produced at equilibrium.

Explain your answer using Le Chatelier's Principle. [2 marks]

-			



0 6	. 5	Explain the effect of increasing the pressure on this equilibrium. [2 marks]		
END	OF	QUESTIONS 12		



There are no questions printed on this page.

For Examiner's Use				
Question	Mark			
1				
2				
3				
4				
5				
6				
TOTAL				

Copyright information

For confidentiality purposes, from the November 2015 examination series, acknowledgements of third party copyright material will be published in a separate booklet rather than including them on the examination paper or support materials. This booklet is published after each examination series and is available for free download from www.aqa.org.uk after the live examination series.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team, AQA, Stag Hill House, Guildford, GU2 7XJ.

Copyright © 2018 AQA and its licensors. All rights reserved.

IB/M/Jun18/AMAS/8464/C/2H/E4

