


Surname	
Other Names	
Centre Number	
Candidate Number	
Candidate Signature	

GCSE
PHYSICS
Higher Tier P



Higher Tier Paper 1 8463/1H

Wednesday 23 May 2018 Afternoon

Time allowed: 1 hour 45 minutes

At the top of the page, write your surname and other names, your centre number, your candidate number and add your signature.



For this paper you must have:

- a ruler
- a scientific calculator
- the Physics Equation Sheet (enclosed).

INSTRUCTIONS

- Use black ink or black ball-point pen.
- Answer ALL questions in the space provided.
- Do all rough work in this book.
 Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.



INFORMATION

- The maximum mark for this paper is 100.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.

DO NOT TURN OVER UNTIL TOLD TO DO SO



FIGURE 1 shows a student walking on a carpet.

FIGURE 1



0 1.1 The student becomes negatively charged because of the friction between his socks and the carpet.

Explain why the friction causes the student to become charged. [2 marks]






0 1.2 The student's head is represented by the sphere in FIGURE 2.

The student is negatively charged. The arrow shows part of the electric field around the student's head.

Draw THREE more arrows on FIGURE 2 to complete the electric field pattern. [1 mark]

FIGURE 2





receives an electric shock.
Explain why. [3 marks]



01.4	Some carpets have thin copper wires running through them. The student is less likely to receive an electric shock after walking on this type of carpet. Suggest why. [2 marks]



0 2	A teacher used a Geiger-Muller
	tube and counter to measure
	the number of counts in
	60 seconds for a radioactive

rock.

0	2	. 1	The counter recorded
			819 counts in 60 seconds. The
			background radiation count
			rate was 0.30 counts per
			second.

Calculate the count rate for the rock. [3 marks]

Count rate =

____ per second



0	2	. 2	A householder is worried about the radiation emitted the the granite worktop in his kitchen.	ЭУ

1 kg of granite has an activity of 1250 Bq. The kitchen worktop has a mass of 180 kg.

Calculate the activity of the kitchen worktop in Bq. [2 marks]

[2 marks]	
Activity =	Bq



BLANK PAGE



0 2.3 The average total radiation dose per year in the UK is 2.0 millisieverts.

TABLE 1 shows the effects of radiation dose on the human body.

TABLE 1

Radiation dose in millisieverts	Effects
10 000	Immediate illness; death within a few weeks
1000	Radiation sickness; unlikely to cause death
100	Lowest dose with evidence of causing cancer



The average radiation dose from the granite worktop is 0.003 millisieverts per day.

Explain why the householder should NOT be concerned about his yearly radiation dose from the granite worktop.

One yea	ar is 365	days.	[2 marks]



02.4	Bananas are a source of
	background radiation. Some
	people think that the unit of
	radiation dose should be
	changed from sieverts to
	Banana Equivalent Dose.
	Suggest ONE reason why the
	Banana Equivalent Dose may
	help the public be more awar

of radiation risks. [1 mark]




BLANK PAGE



A student investigated how the resistance of a piece of nichrome wire varies with length.

FIGURE 3 shows part of the circuit that the student used.

FIGURE 3





0 3 . 1 Complete FIGURE 3 by adding an ammeter and a voltmeter.

Use the correct circuit symbols. [3 marks]



03.2	Describe how the student
	would obtain the data needed
	for the investigation.

Your answer should include a risk assessment for ONE hazard in the investigation.
[6 marks]





03.3	Why would switching off the circuit between readings have improved the accuracy of the student's investigation?
	Tick ONE box. [1 mark]
	The charge flow through the wire would not change.
	The potential difference of the battery would not increase.
	The power output of the battery would not increase.
	The temperature of the wire would not change.



BLANK PAGE



0 3.4 The student used crocodile clips to make connections to the wire.


They could have used a piece of equipment called a 'jockey'.

FIGURE 4, on page 23, shows a crocodile clip and a jockey in contact with a wire.




FIGURE 4

Crocodile clip



Jockey





How would using the jockey have affected the accuracy and resolution of the student's results compared to using the crocodile clip?

Tick TWO boxes. [2 marks]

The accuracy of the
student's results would be
higher.

The accuracy of the
student's results would be
lower.

The accuracy of the student's results would be the same.




The resolution of the length measurement would be higher.	
The resolution of the length measurement would be lower.	
The resolution of the length measurement would be the same.	





FIGURE 5 shows a cyclist riding along a straight, level road at a constant speed.

FIGURE 5





0 4 . 1	Complete the sentences.
	[2 marks]

As the cyclist rides along the road, the _____energy store in the cyclist's body decreases.

The speed of the cyclist is constant when the work done by the cyclist is


_____ the

work done against air resistance.



FIGURE 6 shows how the speed changes as the power output of the cyclist changes.

FIGURE 6





0 4 . 2	Write down the equation that links power, time and work done. [1 mark]
04.3	Calculate the work done by the cyclist when his power output is 200 W for 1800 seconds. [3 marks]

Work done =	,	J



04.4	Calculate the percentage increase in speed of the cyclist when the power output changes from 200 W to 300 W. [2 marks]
	Percentage increase in speed =



7	1	
J		

0 4.5	The maximum speed this
	cyclist can travel on a level
	road is 14 m/s.

How does cycling uphill affect the maximum speed of this cyclist?

youi	alisw	CI.	[၁ ၊၊	iai k5]
	youi			your answer. [5 ii



0 5.1 Complete the sentence.

Choose answers from the list.

[2 marks]

charge
potential difference
power
temperature
time

The current through an ohmic conductor is directly proportional to the

	_ across
the component, pro	vided
that the	
remains constant.	




BLANK PAGE



FIGURE 7 shows a current – potential difference graph for a filament lamp.

FIGURE 7



Explain how the resistance of a filament lamp changes as the potential difference across it increases. [3 marks]




05.3	Many householders are replacing their filament lamps with LED lamps which are more energy efficient.
	What does more energy efficient mean? [1 mark]



A Light Dependent Resistor (LDR) is used to turn on an outside lamp when it gets dark.

Part of the circuit is shown in FIGURE 8.

FIGURE 8



0 5.4 The light intensity decreases.

What happens to the potential difference across the LDR and the current in the LDR? [2 marks]



	Potential difference	
	Current	_
0 5 . 5	What is the resistance of the LDR when the potential difference across it is 4 V?	
	Give a reason for your answe [2 marks]	r.
	Resistance =Ω	<u>)</u>
	Reason	



BLANK PAGE




05.6	Calculate the current through the LDR when the resistance of the LDR is 5000 Ω .
	Give your answer to 2 significant figures. [4 marks]
	Current = A
[Turn ov	11



Smoke alarms contain an alpha radiation source and a radiation detector.

FIGURE 9 shows part of the inside of a smoke alarm.

FIGURE 9





06.1	The smoke alarm stays off while alpha radiation reaches the detector.
	Why does the alarm switch on when smoke particles enter the plastic casing? [1 mark]
06.2	Why is it safe to use a source of alpha radiation in a house? [1 mark]

BLANK PAGE




06.3	The smoke alarm would not work with a radiation source that emits beta or gamma radiation.
	Explain why. [2 marks]



0 6.4 FIGURE 10 shows how the count rate detected from the radiation source in the smoke alarm changes with time.

FIGURE 10





The smoke alarm switches on when the count rate falls to 80 counts per second.

Explain why the radiation source inside the smoke alarm should have a long half-life. [2 marks]				



0 6.5 FIGURE 11 shows a patient who has been injected with a radioactive source for medical diagnosis.

FIGURE 11

Radiation detector





Explain the ideal properties of a radioactive source for use in medical diagnosis. [4 marks]

[Turn over]


10



A student investigated how the pressure exerted by a gas varied with the volume of the gas.

FIGURE 12 shows the equipment the student used.

FIGURE 12






A pump was used to compress the gas in a tube. As the volume of the gas decreases, the pressure of the gas increases.

07.1	The student only recorded one set of results.
	Give TWO reasons why taking repeat readings could provide more accurate data. [2 marks]
	'



0 7.2 FIGURE 13 shows the position of the student's eye when taking volume measurements.

FIGURE 13



Explain what type of error would be caused if the student's eye was NOT in line with the level of the liquid in the tube. [2 marks]



	1
0 7 . 3	If the gas is compressed too
	quickly the temperature of the
	gas increases.
	Explain how the temperature
	increase would affect the
	pressure exerted by the gas.
	[2 marks]



0	7.4	One of the student's results is
		given below.

pressure = 1.6×10^5 Pa volume = 9.0 cm^3

Calculate the volume of the gas when the pressure was 1.8×10^5 Pa.

The temperature of the gas was constant. [3 marks]

Volume =	cm ³



07.5 FIGURE 14 shows a person using a bicycle pump to inflate a tyre.

FIGURE 14



The internal energy of the air increases as the tyre is inflated.

Explain why. [2 marks]



Nuclear power stations generate electricity through nuclear fission. Electricity can also be generated by burning shale gas.

0 8 . 1 Shale gas is natural gas trapped in rocks. Shale gas can be extracted by a process called fracking. There is some evidence that fracking causes minor earthquakes. Burning shale gas adds carbon dioxide to the atmosphere.

> Describe the advantages of nuclear power compared with the use of shale gas to generate electricity. [3 marks]



	-
	What is the name of ONE final
U O . Z	What is the name of ONE fuel
	used in nuclear power
	assa III IIasisai powsi
	stations? [1 mark]



	30	
08.3	Describe the process of nuclear fission. [4 marks]	
	nucieai nissioni. [4 marks]	





FIGURE 15 shows a coffee machine. The coffee machine uses an electric element to heat water.

FIGURE 15





0 9	. 1	The coffee machine has a
		metal case.

Why would it be dangerous for the live wire of the electric						
cable to touch the metal cas						
[1 mark]					



0	9	. 2	The power output of the coffee
			machine is 2.53 kW.

The mains potential difference is 230 V.

Calcu	late the	curre	nt in the
coffee	e machi	ne. [3	marks]

[Turn over]

Current =



0	9	3	The coffee machine heats
			water from 20 °C to 90 °C.

The power output of the coffee machine is 2.53 kW.

The specific heat capacity of water is 4200 J/kg °C.

Calculate the mass of water that the coffee machine can heat in 14 seconds. [5 marks]

Mass = _____kg



BLANK PAGE



FIGURE 16 shows a wind turbine.

FIGURE 16



10.1 At a particular wind speed, a volume of 2.3 × 10⁴ m³ of air passes the blades each second.

The density of air is 1.2 kg/m³.

Calculate the mass of air passing the blades per second. [3 marks]



Mass of air per second =	
	kg



The power output of the turbine is directly proportional to the kinetic energy of the air passing the blades each second.
Describe the effect on the power output when the wind speed is halved. [3 marks]



65
At a different wind speed, the wind turbine has a power output of 388 kW.
The mass of air passing the wind turbine each second is 13 800 kg.
Calculate the speed of the air passing the blades each second.

Assume that th	e process is)
100% efficient.	[3 marks]	

Speed of air = ____ m/s

END OF QUESTIONS



There are no questions printed on this page

For Examiner's Use	
Question	Mark
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
TOTAL	

Copyright Information

For confidentiality purposes, from the November 2015 examination series, acknowledgements of third party copyright material will be published in a separate booklet rather than including them on the examination paper or support materials. This booklet is published after each examination series and is available for free download from www.aqa.org.uk after the live examination series.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team, AQA, Stag Hill House, Guildford, GU2 7XJ.

Copyright © 2018 AQA and its licensors. All rights reserved.

IB/M/Jun18/IK/8463/1H/E2

