



**Surname** \_\_\_\_\_

**Other Names** \_\_\_\_\_

**Centre Number** \_\_\_\_\_

For Examiner's Use

**Candidate Number** \_\_\_\_\_

**Candidate Signature** \_\_\_\_\_

**A-level  
GEOGRAPHY**

**7037/1**

**Paper 1 Physical Geography**

**Monday 4 June 2018 Morning**

**Time allowed: 2 hours 30 minutes**

**At the top of the page, write your surname and other names, your centre number, your candidate number and add your signature.**

**[Turn over]**



J U N 1 8 7 0 3 7 1 0 1

**For this paper you must have:**

- **the colour insert (enclosed)**
- **a pencil**
- **a rubber**
- **a ruler.**

**You may use a calculator.**

## **INSTRUCTIONS**

- **Use black ink or black ball-point pen.**
- **Answer ALL questions in Section A.**
- **Answer EITHER Question 2 OR Question 3 OR Question 4 in Section B.**
- **Answer EITHER Question 5 OR Question 6 in Section C.**
- **You must answer the questions in the spaces provided. Do NOT write on blank pages.**
- **Do all rough work in this book. Cross through any work you do not want to be marked.**



## **INFORMATION**

- **The marks for questions are shown in brackets.**
- **The maximum mark for this paper is 120.**

**DO NOT TURN OVER UNTIL TOLD  
TO DO SO**



# SECTION A

## Water and carbon cycles

Answer ALL questions in this section.

0 1 . 1

Explain the role of cryospheric change in the water cycle. [4 marks]

---

---

---

---

---

---

---

---

---

---



---

---

---

---

**[Turn over]**







**FIGURE 2, on pages 4, 5, 6 and 7 of the insert, shows the contribution of the top ten greenhouse gas emitters and information regarding the ratification of the Paris Accord climate change agreement as of May 2017.**

**0 1 . 3**

**Using FIGURE 2 and your own knowledge, assess the challenges associated with reducing greenhouse gas emissions. [6 marks]**

---

---

---

---

---

---

---

---

---

---



















**SECTION B**

**Answer ONE question in this section.**

**Answer EITHER Question 2 OR Question 3 OR Question 4.**

**QUESTION 2 – Hot desert systems and landscapes**

**0 2 . 1**

**Outline the role of atmospheric processes in causing aridity in desert regions. [4 marks]**

---

---

---

---

---

---

---

---

---

---





---

---

---

---

---

---

**[Turn over]**



**FIGURE 3, on pages 8 and 9 of the insert, shows data on outbreaks of locust swarms (a threat to arable farming), civil unrest, drought and famine against the background of historical trends for population and rainfall in Niger between 1880 and 2005. Niger is in the Sahel region of Africa.**

**0 2 . 2**

**Analyse the data shown in FIGURE 3.  
[6 marks]**

---

---

---

---

---

---

---

---

---

---





**FIGURE 4, on pages 10 and 11 of the insert, shows a landscape in the Gobi Desert near Yumenguan, China.**

**0 2 . 3**

**Using FIGURE 4 and your own knowledge, assess the view that wind is the most important factor in the development of this landscape.**

**[6 marks]**

---

---

---

---

---

---

---

---

---

---

---





















---

---

---

**[Turn over]**







**FIGURE 6a, on page 14 of the insert, indicates sea levels relative to land 20 000 years before present.**

**The present day coastline is indicated for comparative purposes.**

**FIGURE 6b, on page 15 of the insert, indicates present day sea levels.**

**0 3 . 3**

**Using FIGURE 6a, FIGURE 6b and your own knowledge, assess the potential impact of these changes on coastal landform development in this area.  
[6 marks]**

---

---

---

---

---

---



















---

---

---

---

---

---

**[End of Question 3]**





**BLANK PAGE**

**[Turn over]**





---

---

**FIGURE 7, on pages 16 and 17 of the insert, shows information about ground temperatures at the Endalen permafrost station in central Spitsbergen, Svalbard. Temperatures have been recorded in a 19-metre-deep borehole since September 2008.**

**0 4 . 2**

**Analyse the data shown in FIGURE 7.  
[6 marks]**

---

---

---

**[Turn over]**





---

---

**FIGURE 8, on pages 18 and 19 of the insert, shows an image of the snout of the Thompson Glacier and surrounding landscape, Axel Heiberg Island, Canada.**

**0 4 . 3**

**Using FIGURE 8 and your own knowledge, assess the view that fluvioglacial depositional processes dominate in the development of this landscape. [6 marks]**

---

---

---

**[Turn over]**





---

---

04 . 4

**‘Warming taking place in fragile cold environments is set to generate unprecedented impacts affecting both people and the physical environment.’**

**To what extent do you agree with this view? [20 marks]**

---

---

---

---

---

---

**[Turn over]**

















**BLANK PAGE**



**SECTION C**

**Answer ONE question in this section.**

**Answer EITHER Question 5 OR Question 6.**

**For the multiple-choice questions, completely fill in the circle alongside the appropriate answer.**


**CORRECT METHOD**




**WRONG METHODS**



**If you want to change your answer you must cross out your original answer as shown.**



**If you wish to return to an answer previously crossed out, ring the answer you now wish to select as shown.**



**[Turn over]**



**QUESTION 5 – Hazards****0 5 . 1**

**What are the main characteristic processes operating at destructive plate boundaries? [1 mark]**

- A** **Opposing convection currents lead to the divergence of plates. As plates pull apart magma intrudes leading to the formation of ridges.**
- B** **As plates slide past each other, fault lines emerge which, following the build-up of substantial pressure, lead to the development of major earthquakes.**





- C** Subduction occurs where two plates converge. Subduction can lead to the formation of features such as deep sea trenches and island arcs.
- D** Radioactive decay is the main process. As the plate slides over the place experiencing the decay, the magma is forced through the plate leading to the formation of island chains.

**[Turn over]**



**0 5 . 2**

**Which of the volcanic hazards is being appropriately managed? [1 mark]**

- A The nuée ardente can be sprayed with sea water. This dramatically reduces the temperature of the gases contained within the cloud, leading to significantly reduced risk.**
- B Lahars can be controlled by geological surveys and drilling to stabilise hillslopes in affected areas. This reduces the likelihood of rockfall.**



- C** In certain types of eruptions, lava can be safely channelled away from places of high risk. This can be achieved using explosives and artificially dug channels.
- D** Liquefaction can be managed by geological surveys which can be used to create hazard maps. These maps can then be used by planners to create exclusion zones.

**[Turn over]**



**0 5 . 3**

**Which is the most significant natural factor leading to the spread of a wildfire?  
[1 mark]**

- A Unplanned human activities in natural locations. These activities, such as smoking or campfires, often combine with the dropping of materials which are combustible.**
- B Lightning strikes, particularly in areas of dense population that have very dry conditions in summer months. California is one such state in the USA.**



- C** **Controlled burning by farmers undertaken to remove scrub land which may have been left fallow. This removes large areas of vegetation and allows for the planting of crops.**
- D** **Prolonged periods of drought and high rates of evapotranspiration, especially in the summer months in subtropical climates. A strong dry wind increases the risk.**

**[Turn over]**



0 5 . 4

**What are the characteristics of tsunamis?  
[1 mark]**

- A They have a short wavelength and high amplitude. They travel at low speed, at around 30 km/h. They decrease in height as they approach land.**
- B They have a long wavelength and low amplitude. They travel at high speeds, sometimes over 700 km/h. Shallow water and the funnelling effect of bays dramatically increases height.**



- C** They have a short wavelength and consist of a series of waves. They strike land in quick succession with heights sometimes exceeding 20 metres.
- D** Strong winds whip up large waves which lead to very powerful waves. The funnelling effect of bays creates super-sized waves.

**[Turn over]**



# BLANK PAGE





**FIGURE 9, on page 20 of the insert, shows data related to seismic activity and vertical motion in the Yellowstone caldera in the USA. Sour Creek (SC) is a resurgent dome in the Yellowstone caldera in the USA. A resurgent dome is formed by swelling or rising of a caldera floor due to movement in the magma chamber beneath it.**

**FIGURE 10, on pages 22 and 23 of the insert, shows a map of Yellowstone: volcanic vents active since the last caldera collapse 640 000 years ago; earthquakes recorded between 2003 and 2008; faults; and ground deformation between 2004–2006.**

**[Turn over]**











---

---

---

---

0 5 . 7

**With reference to ONE OR MORE tropical storms that you have studied, assess the extent to which exogenous factors (relationships with other places) assisted with the response to the hazard created. [9 marks]**

---

---

---

---























**QUESTION 6 – Ecosystems under stress****06 . 1****Which of the following are adaptations found in savanna vegetation? [1 mark]**

- A** Buttress roots give the trees stability and access to nutrients found in the upper soil. Waxy leaves and drip tips help to remove large quantities of water during the short wet season.
- B** There are distinctive layers of vegetation adapted to deal with the intense summer insolation. Trees lose their leaves in winter as insolation levels fall and the dry season arrives.





- C** Only a few tree species can survive the long dry season. Waxy leaves reduce moisture loss. Deep tree roots reach groundwater. Grasses die and return during the wet season.
- D** Coniferous trees dominate and give way to small shrubs at the edges of the savanna. Needle-like leaves are adapted to cope with the large diurnal temperature variations.

**[Turn over]**



06 . 2

**What is a pioneer species? [1 mark]**

- A** Following a drought, there is almost always significant die-back for most plant species. In these conditions, xerophytic pioneers colonise the area with limited competition.
- B** Pyrophytes are adapted to cope with conditions associated with wildfire. Root systems can cope with loss of vegetation above ground. This vegetation quickly returns after fire.





**C** Plant species which require very few nutrients to survive and will colonise bare rock. These species are the first to colonise following a volcanic eruption and succession follows.



**D** Once human activity has altered the climatic climax vegetation, the species are quick to adapt to the niche which is created. Pioneers readily exploit the available environment.

**[Turn over]**



06 . 3

**What is net primary productivity (NPP)?  
[1 mark]**

- A** NPP is the biomass (minus respiration) produced in an ecosystem. It is a measure of the rate at which an ecosystem can capture and store carbon, usually measured in  $\text{g/m}^2/\text{yr}$ .
- B** NPP relates to the productivity of land for the purposes of agriculture. The addition of nitrate-based fertilisers or genetically modified crops dramatically increases NPP.



- C** As plants respire they take in oxygen and release carbon dioxide. NPP is a measure of how much oxygen is produced by plants in an ecosystem. This rate is measured as  $O_2/m^3/yr$ .
- D** NPP is the total amount of chemical energy (as biomass) that primary producers create in a given length of time. This is the rate at which decomposition occurs in an ecosystem.

**[Turn over]**



**0 6 . 4**

**Where are coral reefs typically found?  
[1 mark]**

- A Coral reefs form in latitudes between 30° north and south of the equator. Sea temperatures ideally need to be around 26 °C. Coral reefs are unlikely to exceed depths of 50 metres.**
- B Coral reefs form wherever there is a sufficient food source and calm water. The upwelling of cold currents around 12 °C brings an ample supply of phytoplankton and zooplankton, a key food source.**





**C** Algal blooms in the high latitudes at 60° north provide the ideal circumstances for coral reef formation. Deep water coral is found off the east coast of Australia – the Great Barrier Reef.



**D** Coral is found anywhere on the planet. Provided the water is free from pollution and well sheltered from strong currents, some coral will form. It will not form in warm sea water.

**[Turn over]**



**FIGURE 11, on pages 24 and 25 of the insert, shows data related to Main Trophic Index (MTI) in selected sea areas around Europe between 1950 and 2004. MTI indicates the percentage change in top marine predators.**

**FIGURE 12, on pages 26 and 27 of the insert, shows data related to the status of fish stocks in selected fishing regions around Europe in 2008.**

**0 6 . 5**

**Analyse the data shown in FIGURE 11 and FIGURE 12. [6 marks]**

---

---

---

---

---

---











---

---

---

---

06 . 7

**Assess the importance of global governance in securing the long-term health and survival of coral reefs.**  
**[9 marks]**

---

---

---

---

---







**06 . 8**

**‘It is simply not possible to find a true balance between biodiversity and sustainable economic development in savanna grasslands. Economic development will always come at the expense of biodiversity.’**

**To what extent do you agree with this view? [20 marks]**

---

---

---

---

---

---

---

---

---

---

**[Turn over]**

















# BLANK PAGE

| For Examiner's Use |      |
|--------------------|------|
| Section            | Mark |
| A                  |      |
| B                  |      |
| C                  |      |
| TOTAL              |      |

**Copyright information**

For confidentiality purposes, from the November 2015 examination series, acknowledgements of third party copyright material will be published in a separate booklet rather than including them on the examination paper or support materials. This booklet is published after each examination series and is available for free download from [www.aqa.org.uk](http://www.aqa.org.uk) after the live examination series.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team, AQA, Stag Hill House, Guildford, GU2 7XJ.

Copyright © 2018 AQA and its licensors. All rights reserved.

## G/KL/Jun18/7037/1/E1



1 0 2