



Level 3 Certificate

Mathematical Studies

1350/2C - Paper 2C - Graphical techniques

Mark scheme

1350

June 2018

Version/Stage: 1.0 Final

Mark schemes are prepared by the Lead Assessment Writer and considered, together with the relevant questions, by a panel of subject teachers. This mark scheme includes any amendments made at the standardisation events which all associates participate in and is the scheme which was used by them in this examination. The standardisation process ensures that the mark scheme covers the students' responses to questions and that every associate understands and applies it in the same correct way. As preparation for standardisation each associate analyses a number of students' scripts. Alternative answers not already covered by the mark scheme are discussed and legislated for. If, after the standardisation process, associates encounter unusual answers which have not been raised they are required to refer these to the Lead Assessment Writer.

It must be stressed that a mark scheme is a working document, in many cases further developed and expanded on the basis of students' reactions to a particular paper. Assumptions about future mark schemes on the basis of one year's document should be avoided; whilst the guiding principles of assessment remain constant, details will change, depending on the content of a particular examination paper.

Further copies of this mark scheme are available from aqa.org.uk

Q	Answer	Mark	Comments
1a	71.5	B1	
Additional Guidance			

Q	Answer	Mark	Comments
1b	<p><u>Graph 1: EU immigration in the UK</u></p> <p>Identify 'm' as millions or state what 'm' means</p> <p>Reposition 'm'</p> <p>Use grid/graph paper to enable more accurate readings</p> <p>Extend the all curves to 2045/ same point</p> <p>Add a broken axis</p> <p>Add a line for high net migration</p> <p>The starting point for each line should be the same</p> <p><u>Graph 2: Brexit's impact on the pound</u></p> <p>Use a key</p> <p>Indicate what 'NIESR' or 'OECD' stands for</p> <p>Use lines/points rather than bars</p> <p>Switch or remove the higher and lower labels</p> <p>Add more organisations</p> <p>Add space between each column</p> <p>Add (horizontal) grid lines</p> <p>Make it clear which currency they are comparing with</p>	E4	<p>E1 for each valid improvement with a maximum of E2 for each graph</p> <p>Ignore any additional but incorrect suggestions</p> <p>Not label the axes</p> <p>Not make lines distinct from each other</p> <p>Not define 'high' or 'low'</p> <p>Not make a bar chart</p> <p>SC1 (two errors identified but no suggestions for improvement)</p> <p>SC2 (three errors identified but no suggestions for improvement)</p> <p>eg. Don't know what 'm' stands for, line not extended to 2045 etc</p>
Additional Guidance			

Q	Answer	Mark	Comments
1c	Alternative method 1		
	14 600 000 000 ÷ 52 or $1.46 \times 10^{10} \div 52$ or $14.6 \div 52$ or [280 000 000, 281 000 000]	M1	oe
	[280 000 000, 281 000 000] and No	A1	oe SC1 $14\,600\,000\,000 \div 48 = 304\text{million}$ and No
	Alternative method 2		
	350 000 000 × 52 or $3.5 \times 10^8 \times 52$ or [18 000 000 000, 18 300 000 000]	M1	oe
	[18 000 000 000, 18 300 000 000] and No	A1	oe SC1 $350\,000\,000 \times 48 = 16.8\text{billion}$ and No
	Alternative method 3		
	14.6billion ÷ 350million	M1	
	41.7 weeks and No or 41.7 and 52 and No	A1	
	Additional Guidance		
	For use of [48, 52) use SC1 rule		
	Use of $365 \div 7$ or $365.25 \div 7$ in place of 52 is correct		
	Allow use of words such as million/billion or standard form rather than full ordinary figures		
	'Exaggeration' implies No		
For final answer, allow self-correction			

Q	Answer	Mark	Comments
1d	Tim Alternative method 1		
	(46 500 001 – 33 577 342) ÷ 46 500 001 or 12 922 659 ÷ 46 500 001 or 0.278 or 33 577 342 ÷ 46 500 001 or 0.72	M1	oe Condone interchange of 33 577 342 with 33 551 983 accept [0.26, 0.285] or [27, 28]% accept [0.715, 0.74] or [71.5, 74]%
	0.278 or 27.8(%) and No or 72 and 80 and No	A1	accept [0.27, 0.28] or [27, 28]% accept [71.5, 74]%
	Tim Alternative method 2		
	0.2 × 46 500 001 or 9 300 000 and 46 500 001 – 33 577 342	M1	accept [9 200 000, 9 400 000] accept [46 000 000, 13 000 000] Condone interchange of 33 577 342 with 33 551 983
	9 300 000 and 12 922 659 and No	A1	
	Kelly Alternative method 1		
	16 141 241 ÷ 12 or 1 345 103 and 17 410 742 ÷ 1 345 103 or 12.9(...)	M1	allow reverse order
	12.9(...) and Yes or 12.0(...) and Yes	A1	
	Kelly Alternative method 2		
	16 141 241 ÷ 17 410 742 or [0.925,0.928] or 12 ÷ 13 or 0.923	M1	allow reverse order
	[0.925,0.928] and 0.923 and Yes	A1	

Kelly Alternative method 3			
33 551 983 ÷ 25 ×12 or 16 104 951.(84) or 33 551 983 ÷ 25 ×13 or 17 447 031.(16)		M1	Condone interchange of 33 577 342 with 33 551 983
16 104 951 and 17 447 031 and Yes		A1	
Kelly Alternative method 4			
12 ÷ 25 or 0.48 or 13 ÷ 25 or 0.52		M1	oe
0.48 and 0.52 and Yes		A1	oe
Kelly Alternative method 5			
16 141 241 ÷ 12 or 1 345 103 and 17 410 742 ÷ 13 or 1 339 288		M1	
1 345 103 and 1 339 288 and Yes		A1	
Larissa			
2 000 000 + 16 141 241 or 18 141 241 or 2 000 000 + 33 577 342 or 35 577 342 or 2 000 000 + 33 551 983 or 35 551 983		M1	Condone interchange of 33 577 342 with 33 551 983
18 141 241 ÷ 35 577 342 (×100)	18 141 241 ÷ 35 551 983 (×100)	M1	oe Condone interchange of 33 577 342 with 33 551 983
0.509(...) or 0.51 and No (from using 35 577 342)	0.5102(...) or 0.5103 and Yes (from using 35 551 983)	A1	oe A1 for the correct answer and statement SC1 for 54.(...)%
Additional Guidance			
Be careful not all possible alternatives are shown for this question.			
Any fully correct method gains full marks.			
Condone interchange of 33 577 342 with 33 551 983			

Q	Answer	Mark	Comments
2	Alternative method 1 – Euros		
	1.08 ÷ 0.9 or 1.2	M1	
	17 000 × their 1.2 or 20 400	M1	Allow 1.08 or 1.188 or 1.19 in place of 1.2 to obtain 18 360 or 20 196 or 20 230
	253 000 × 1.125 or 284 625	M1	oe
	their 284 625 × 1.08 or 307 395	M1	oe
	their 20 400 + 307 395 or 20 400 + their 307 395 or 327 795	M1	
	327 795 and Yes	A1	SC4 for 325 755 or 327 591 or 327 625
	Alternative method 2– Pounds		
	1.08 ÷ 0.9 or 1.2	M1	
	17 000 × their 1.2 or 20 400	M1	Allow 1.08 or 1.188 or 1.19 in place of 1.2 to obtain 18 360 or 20 196 or 20 230
	253 000 × 1.125 or 284 625	M1	oe
	their 20 400 ÷ 1.08 or 18 888.(89) or 327 500 ÷ 1.08 or 303 240.(74)	M1	oe
	their 18 888.(89) + 284 625 or 18 888.(89) + their 284 625 or 303 513.(89)	M1	
	303 513.(89) and 303 240.(74) and Yes	A1	SC4 for 301 625 or 303 325 or 303 356.(4815)
	Additional Guidance		
Alternative 2: Method of 17 000 ÷ 0.9 (=18 888.89) scores the 1 st M1, 2 nd M1 and 4 th M1			

Q	Answer	Mark	Comments
3a	$150 \div 60$	M1	
	2.5	A1	

Q	Answer	Mark	Comments
3b	$t = 0, 30, 60$	B2	B1 for two times correct Maximum of B1 if there are extra times.

Q	Answer	Mark	Comments
3c	Draws tangent	M1	
	Finds gradient of their line	M1	
	Obtains gradient in the range 3.5 to 4.5	A1	

Q	Answer	Mark	Comments
3d	$150 = \frac{1}{8} \times 60^2 - 60^3 k$ Or $75 = \frac{1}{8} \times 30^2 - 30^3 k$	M1	Any correct coordinates from the curve can be used Can use 74 or 76 instead of 75.
	$150 = 450 - 216000k$ or $75 = 112.5 - 27000k$	M1	Follow through their coordinates.
	$k = \frac{1}{720}$ or 0.00138 or 0.00139 or 1.38×10^{-3} 1.38×10^{-3} or 1.39×10^{-3}	A1	Note that 74 gives 0.001425 And that 76 gives 0.00135 Accept AWRT 0.0014

Q	Answer	Mark	Comments
4a	(4910 – 2495) and (123.2 – 72.4)	M1	
	2415 ÷ 50.8 = 47.539... 47.54	A1	Answer Given

Q	Answer	Mark	Comments
4b	Alternative 1		
	Draws a straight line through $y = 47.54$ and attempts to read x values at 4 intersection points or finds total time between intersections.	M1	
	$\frac{(99.5 - 95.5) + (108.5 - 101)}{(123.2 - 72.4)} \times 100$	M1	Award mark if candidate correctly uses their time values in the numerator.
	$\frac{4 + 7.5}{50.8} \times 100$ 22.6(37795)% so No extra points	A1	Numerator in the range 10.5 to 12.5. FT their values Note: 10.5 gives 20.7% 11 gives 21.7% 11.5 gives 22.6% 12 gives 23.6% 12.5 gives 24.6%
	Alternative 2		
	Draws a straight line through $y = 47.54$ and attempts to read x values at 4 intersection points or finds total time between intersections.	M1	
	$(132.2 - 72.4) \times 0.25 = 12.7$	M1	Condone using 72 and 123.
	A1	FT their values	

	$(99.5 - 95.5) + (108.5 - 101) = 11.5$ $11.5 < 12.7$ so No extra points		Time from graph in the range 10.5 to 12.5
--	--	--	---

Q	Answer	Mark	Comments
4c	5	B1	There are 3 maximum points and 2 minimum points on the graph
	Zero gradient or turning or stationary points	B1	If candidate gives 3 as an answer (looks at the maximum points only) but gives the correct reason award B0 B1

Q	Answer	Mark	Comments
5a	Before T hours, the rate (gradient) is variable	B1	Allow changes (variable);
	After T hours the rate is constant	B1	Stays the same (constant) Allow a specific value for the gradient eg -0.381.

Q	Answer	Mark	Comments
5b	Alternative Method 1		
	States or uses $m = -0.39$	B1	Allow ± 0.39
	Uses (19.2, 0) and "their m " to find c $0 = (-0.39 \times 19.2) + c$	M1	SC1 Award for seeing 7.488 at any stage in their working.
	$c = 7.5$	A1	from $c = 7.488$
	Uses $h = 5$ and "their m " to find T $5 = (\text{"their } m" \times T) + \text{"their } c"$	M1	SC1 Award for seeing 12.82 at any stage in their working.
	$T = 6.4$	A1	from $T = 6.379\dots$
	Alternative Method 2		
	States or uses $m = -0.39$	B1	Allow ± 0.39
	Uses (19.2, 0) to get $0 = (19.2 \times "m") + c$ and (T, 5) to get $5 = (T \times "m") + c$	M1	
	$5 = (T \times "m") - 19.2 \times "m"$	M1	Or equivalent for their values
	$T = 6.4$ and $c = 7.5$	A2	

Q	Answer	Mark	Comments
5c	Alternative Method 1		
	Uses 0.39	B1	
	$0.39 \times 4.8 = 1.872$	M1	
	$11 + 1.872 = 12.872$	A1	AWRT 12.9 or 12.8
	Alternative Method 2		
	Uses same gradient to find new linear function $h_2 = -0.39t + c_2$	B1	
	Uses (24, 0) to find $c_2 = 9.36$ and subtracts "their c_1 " from "their c_2 "	M1	
	New height = $11 + 1.87 = 12.87$	A1	AWRT 12.9 or 12.8
	Alternative Method 3		
	Draws triangle joining (6.38, 0), (6.38, h) and (24, 0)	B1	May be implied by calculations. Allow use of 6.4
	$\frac{h}{24 - 6.38} = 0.39$ $h = 17.62 \times 0.39 = 6.872$	M1	
New height = $6 + 6.872 = 12.87$	A1	AWRT 12.9 or 12.8	

Q	Answer	Mark	Comments
6a	8103	B1	Accept 8100

Q	Answer	Mark	Comments
6b	$3000 = e^{0.6t}$	M1	
	$t = \frac{1}{0.6} \ln 3000$	A1	May be implied by final answer.
	13.34 Or 13hours and 20 or 21 minutes	A1	ARWT 13.3

Q	Answer	Mark	Comments
6c	Table completed correctly	M1	(0,1) (1,1.822) (2, 3.320) (3, 6.050) (4, 11.023) (5, 20.085) Allow 1 error.
	Accurate curve based on their points	A1	
	Uses a tangent to find gradient	M1	
	Gradient in the range 3.2 to 3.8	A1	

Q	Answer	Mark	Comments
6d	Alternative 1		
	Seeing $e^{0.6(t+T)}$	M1	
	Seeing $2e^{0.6t}$	M1	
	$2e^{0.6t} = e^{0.6(t+T)}$	A1	
	$2 = e^{0.6T}$	M1	
	$T = \frac{1}{0.6} \ln 2 = 1.16$ hours	A1	AWRT 1.2
	Alternative 2 (Example)		
	$100 = e^{0.6t_1}$	M1	Uses a specific value for N
	$200 = e^{0.6t_2}$	M1	Uses twice their specific value
	$t_1 = \frac{\ln 100}{0.6} = 7.675$ and $t_2 = \frac{\ln 200}{0.6} = 8.8305$	A1	
	$t_2 - t_1$	M1	
	$= 1.16$	A1	AWRT 1.2