

Please write clearly in	block capitals.		
Centre number		Candidate number	
Surname			
Forename(s)			
Candidate signature			

## GCSE COMBINED SCIENCE: TRILOGY



Higher Tier Biology Paper 2H

Monday 11 June 2018

Morning

Time allowed: 1 hour 15 minutes

## **Materials**

For this paper you must have:

- a ruler
- · a scientific calculator.

## Instructions

- Use black ink or black ball-point pen.
- Fill in the boxes at the top of this page.
- Answer all questions in the spaces provided.
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.

## Information

- The maximum mark for this paper is 70.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.

For Examiner's Use					
Question	Mark				
1					
2					
3					
4					
5					
6					
7					
TOTAL	l				

)	ers.con
	Do not write outside the box

0 1	Many biotic and abiotic factors can affect the growth of plants.						
0 1.1	Are the factors in <b>Table 1</b> biotic or abiotic?						
	Tick <b>one</b> box for e		[2 marks]				
			Table 1				
		Factor	Biotic	Abiotic			
		Diseases					
		Herbivores					
		Temperature					
		Water					
	Two students investigations small plants.	Two students investigated the effect of light intensity on the distribution of small plants.					
	The plants are gro	owing under a tree in	a park.				
	The students mad	de the following hypot	thesis:				
	'As you	move outwards from	a tree there wil	l be more plant g	rowth.'		
0 1.2	Explain why the s	tudents thought their	hypothesis wo	uld be correct.			
					[3 marks]		
	-						

box

0 | 1 |. | 3 | The students used two pieces of equipment. Give the scientific name of each piece of equipment. [2 marks] A square frame measuring 0.5 m × 0.5 m An electronic device to measure light intensity This is the method used. Fix one end of a tape measure at the base of the tree. 1. Fix the other end of the tape measure 11 metres from the tree. 3. At 0 metres put the square frame on the ground. Identify all the plant species growing inside the frame. Estimate and record the percentage cover of each plant species. Measure the light intensity inside the frame. 7. Put the square frame on the ground every 2 metres along the tape to 10 metres. Repeat steps 4 - 6 in every frame. 8. **Figure 1** shows the equipment in this investigation. Figure 1 Tree trunk Area under the tree Tape measure 0 m 5 m 10 m  $0.5 \text{ m} \times 0.5 \text{ m}$ frame 000 1 Calculate the total area sampled. [1 mark] Total area sampled =



0 1.5	The whole investigation was done as	quickly	as pos	sible on	the sai	me day.		
	Suggest <b>one</b> reason why.						[1 mark	<b>&lt;]</b>
0 1.6	Give <b>one</b> way the investigation could	be impr	oved.				[1 mark	- (]
	Table 2 shows the results.	Table	2					_
			Distanc	e from	tree in	metres	S	
		0	2	4	6	8	10	

	Distance from tree in metres					
	0	2	4	6	8	10
Percentage cover of grass	15	50	35	16	15	15
Percentage cover of plantain		5	10	40	25	30
Percentage cover of daisy	0	0	0	4	20	10
Percentage cover of clover  Total percentage cover of plants		10	25	40	40	45
		65	70	100	100	100
Light intensity in arbitrary units	37	59	150	175	>200	>200

0 1 . 7	Which plant species in <b>Table 2</b> will only grow at high light intensity?	
		[1 mark]



0 1.8	What conclusion can be made about the relationship between light intensity and the total percentage cover of plants?	Do not write outside the box
	Use data from <b>Table 2</b> in your answer. [2 mark	s]
		_
		_
0 1 . 9	Light intensity might <b>not</b> be the cause of this pattern of plant distribution.	
	Suggest <b>one</b> different factor that may cause these results.	
	Give <b>one</b> reason for your answer. [2 mark	s]
	Factor	_
	Reason	
		15

Turn over for the next question

Do not	write
outside	the
box	(

0 2	Pseudomonas bacteria cause infections in hospital patients.
	A new strain of <i>Pseudomonas</i> bacteria has evolved. This new strain can only be killed by one antibiotic called fluroquinolone.
	Scientists want to prevent the new strain of <i>Pseudomonas</i> from spreading in the human population.
	Explain the advice doctors should be given to prevent the spread of the new strain.  [6 marks]



0 3	Scientists have removed microorganisms from inside rocks in caves in M	lexico.	Do not write outside the box
	The microorganisms have been trapped there for between 10 000 and 50	0 000 years.	
	The caves are dark, very hot, humid and acidic.		
0 3.1	Why are these microorganisms called extremophiles?	[2 marks]	
	Tick <b>two</b> boxes.		
	They are thousands of years old		
	They survive in high humidity		
	They survive in high temperatures		
	They survive in the dark		
	They survive inside rocks		
	They survive where it is acidic		
	Question 3 continues on the next page		




The microorganisms have been inactive for thousands of years but the scientists have reactivated them.

Figure 2 shows the results of enzyme analysis on four enzymes, A, B, C and D.

Three of the enzymes were from microorganisms found in the soil near the caves.

One of the enzymes was from a reactivated microorganism from the caves.





0	3	2	Which enzyme comes from the microorganism from the caves?	
				[1 mark]
			Tick <b>one</b> box.	

Α		В		С		D	
---	--	---	--	---	--	---	--

0 3 . 3 Give the reasons for your answer to question 03.2

			[1 mark]



9	
Carl Woese developed the 'three-domain system' of classification.	Do no outsid
Describe the 'three-domain system' of classification.  [3 marks]	
Most of the microorganisms from the caves were classified as belonging to the Archaea domain of the 'three-domain system'.	
Suggest why. [1 mark]	
	8
	Carl Woese developed the 'three-domain system' of classification.  Describe the 'three-domain system' of classification.  [3 marks]  Most of the microorganisms from the caves were classified as belonging to the Archaea domain of the 'three-domain system'.  Suggest why.



box

Do not write outside the This question is about the nervous system. Figure 3 shows a reflex arc. Figure 3 Q Name parts P and Q shown on Figure 3 [2 marks] Q Compare how information is transferred along a neurone with how information is transferred across gap P. [2 marks] Why does a conscious action take longer than a reflex action? [1 mark]



0 4 .

3

0 4

4 . 4				
	Information trave	els at 120 metres p	per second in neurones.	
	Calculate the tin	ne it would take for	the information to travel 1.6 m alo	ong a neurone.
	Give your answe	er in milliseconds.		[2 marks]
				[3 marks]
			Time =	ms
5		people of different a e arm muscle cont	ages to time how long it took betwe	een touching a
	Table 3 shows t			
	Table 3			
			Tuble 0	
		Age in years	Time for muscle to contract in milliseconds	
		Age in years 30		
			in milliseconds	
		30	in milliseconds 18.9	
		30 40	in milliseconds 18.9 20.2	
		30 40 50	in milliseconds  18.9  20.2  23.1	

10






0 5	Read the following.
	In the 1950s farmers in India could not grow enough rice to feed the rapidly increasing population.
	At the International Rice Research Institute (IRRI) scientists began a selective breeding programme with 10 000 different varieties of rice plants.
	In 1966 the IRRI produced a new variety called IR8 which gave a yield of up to ten times the traditional varieties. IR8 has short stems and large rice grains.
	IR8 was grown by farmers all over India so people had enough to eat.
0 5.1	The IR8 variety of rice was produced by selective breeding.
	Describe the steps the scientists would have taken to produce IR8  [4 marks]



		_
0 5 . 2	The IRRI has now developed several new varieties of genetically modified (GM) rice plants.	Do not write outside the box
	Some people in India agree and some people disagree with GM varieties of rice being grown.	
	Explain why. [4 marks]	
		8
		1

Turn over for the next question








0 6 . 2	Describe the sequence of hormone interactions in the menstrual cycle.		Do not write outside the box
[-, [-], [-]	Name where each hormone is produced.	[5 marks]	
0 6 . 3	Progesterone is used in some contraceptives.		
	Suggest <b>one</b> advantage of using a progesterone patch rather than a progesterone oral contraceptive.		
	programme or an activities of the contract of	[1 mark]	
			8
	Turn over for the next question		







0 7	Many people eat shellfish called oysters.
	An oyster has 20 chromosomes in each body cell.
0 7.1	Which arrangement of chromosomes will a male oyster have in each body cell?  [1 mark]
	Tick <b>one</b> box.
	One X and one Y chromosome and 8 pairs of other chromosomes
	Two X and two Y chromosomes and 8 pairs of other chromosomes
	One X and one Y chromosome and 9 pairs of other chromosomes
	Two X chromosomes and 9 pairs of other chromosomes
0 7.2	Oyster gametes only contain half the amount of DNA compared to a normal oyster body cell.
	Describe the type of cell division that produces gametes.
	[3 marks]
	Question 7 continues on the next page

Biologists have discovered a way to produce oysters that have three sets of chromosomes (triploid) instead of the usual two sets (diploid).

The triploid oysters cannot reproduce and so they grow more quickly.

Diploid oysters do not taste good in the reproductive season. Triploid oysters taste good all year.


**Figure 5** shows the chromosomes in a diploid cell and in a triploid cell.

Diploid cell

Only two sets of chromosomes are shown.

Figure 5

Triploid cell





The population of diploid oysters growing in the wild has reduced by over 80% in the last 20 years.	Do no outsia bo
Suggest <b>two</b> environmental factors which may be causing this reduction.	
Give a reason why each factor may be causing the reduction in the population.  [2 marks]	
1	
2	
Oyster farmers grow the triploid oysters from young seed oysters.	
The production of seed oysters involves the use of a chemical called cytochalasin B. Cytochalasin B has been shown to cause cancer in mice.	
Evaluate the production of triploid oysters for supermarkets and restaurants.	
[6 marks]	
	last 20 years.  Suggest two environmental factors which may be causing this reduction.  Give a reason why each factor may be causing the reduction in the population.  [2 marks]  2  Oyster farmers grow the triploid oysters from young seed oysters.  The production of seed oysters involves the use of a chemical called cytochalasin B. Cytochalasin B has been shown to cause cancer in mice.

**END OF QUESTIONS** 

15

There are no questions printed on this page DO NOT WRITE ON THIS PAGE ANSWER IN THE SPACES PROVIDED Copyright information For confidentiality purposes, from the November 2015 examination series, acknowledgements of third party copyright material will be published in a separate booklet rather than including them on the examination paper or support materials. This booklet is published after each examination series and is available for free download from www.aqa.org.uk after the live examination series.

Do not write outside the box

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team, AQA, Stag Hill House, Guildford, GU2 7XJ.

Copyright © 2018 AQA and its licensors. All rights reserved.

