

Please write clearly in block capitals.		
Centre number Candidate number		
Surname		
Forename(s)		
Candidate signature		
GCSE PHYSICS		F
Foundation Tier Paper 1		
Wednesday 23 May 2018 Afternoon Time allowed: 1 H	nour 45	minutes
Materials	For Exami	
Materials For this paper you must have: • a ruler • a scientific calculator	For Exami	iner's Use
Materials For this paper you must have: • a ruler	For Exami	iner's Use
Materials For this paper you must have: • a ruler • a scientific calculator • the Physics Equations Sheet (enclosed). Instructions	For Exami Question 1 2 3	iner's Use
 Materials For this paper you must have: a ruler a scientific calculator the Physics Equations Sheet (enclosed). Instructions Use black ink or black ball-point pen. 	For Exami Question 1 2 3 4	iner's Use
 Materials For this paper you must have: a ruler a scientific calculator the Physics Equations Sheet (enclosed). Instructions Use black ink or black ball-point pen. Fill in the box at the top of this page. Answer all questions in the spaces provided. 	For Exami Question 1 2 3 4 5	iner's Use
 Materials For this paper you must have: a ruler a scientific calculator the Physics Equations Sheet (enclosed). Instructions Use black ink or black ball-point pen. Fill in the box at the top of this page. Answer all questions in the spaces provided. Do all rough work in this book. Cross through any work you do not want to 	For Exami Question 1 2 3 4 5 6	iner's Use
 Materials For this paper you must have: a ruler a scientific calculator the Physics Equations Sheet (enclosed). Instructions Use black ink or black ball-point pen. Fill in the box at the top of this page. Answer all questions in the spaces provided. 	For Exami Question 1 2 3 4 5	iner's Use
 Materials For this paper you must have: a ruler a scientific calculator the Physics Equations Sheet (enclosed). Instructions Use black ink or black ball-point pen. Fill in the box at the top of this page. Answer all questions in the spaces provided. Do all rough work in this book. Cross through any work you do not want to be marked. In all calculations, show clearly how you work out your answer. 	For Exami Question 1 2 3 4 5 6 6 7	iner's Use
 Materials For this paper you must have: a ruler a scientific calculator the Physics Equations Sheet (enclosed). Instructions Use black ink or black ball-point pen. Fill in the box at the top of this page. Answer all questions in the spaces provided. Do all rough work in this book. Cross through any work you do not want to be marked. In all calculations, show clearly how you work out your answer. Information 	For Exami Question 1 2 3 4 5 6 7 8	iner's Use
 Materials For this paper you must have: a ruler a scientific calculator the Physics Equations Sheet (enclosed). Instructions Use black ink or black ball-point pen. Fill in the box at the top of this page. Answer all questions in the spaces provided. Do all rough work in this book. Cross through any work you do not want to be marked. In all calculations, show clearly how you work out your answer. Information The maximum mark for this paper is 100. The marks for questions are shown in brackets. 	For Exami Question 1 2 3 4 5 6 7 8 9	iner's Use
 Materials For this paper you must have: a ruler a scientific calculator the Physics Equations Sheet (enclosed). Instructions Use black ink or black ball-point pen. Fill in the box at the top of this page. Answer all questions in the spaces provided. Do all rough work in this book. Cross through any work you do not want to be marked. In all calculations, show clearly how you work out your answer. Information The maximum mark for this paper is 100. 	For Exami Question 1 2 3 4 5 6 7 8 9 10	iner's Use



0 1	Figure 1 shows a cyclist riding along a flat road.	Do not write outside the box
	Figure 1	
0 1.1	Complete the sentence.	
	Choose answers from the box. [2 marks	s]
	chemical elastic potential gravitational potential kinetic	
	As the cyclist accelerates, the energy store in the cyclist's body decreases and the energy of the cyclist increases.	
01.2	The mass of the cyclist is 80 kg. The speed of the cyclist is 12 m/s. Calculate the kinetic energy of the cyclist. Use the equation: kinetic energy = $0.5 \times mass \times (speed)^2$ [2 marks	s]
		_
	Kinetic energy =	J




	This causes the temperature of the brake pads to increase by 50 °C. The mass of the brake pads is 0.040 kg. The specific heat capacity of the material of the brake pads is 480 J/kg °C.	
	Calculate the change in thermal energy of the brake pads.	
	Use the equation:	
	change in thermal energy = mass × specific heat capacity × temperature change [2 mai	rks]
	Change in thermal energy =	_ J
01.4	How is the internal energy of the particles in the brake pads affected by the increas in temperature?	e
	Tick one box. [1 ma	ark]
	Decreased	
	Increased	
	Not affected	



Turn over ►

7






02.2	Why might the filament inside a lamp melt when the lamp is first switched on? [1 mark]	Do not write outside the box
02.3	The lamp is connected to a 24 V power supply. The current through the lamp is 1.5 A. Calculate the power of the lamp. Use the equation: power = potential difference × current [2 marks]	
	 Power = W	
02.4	LED lamps are much more efficient than filament lamps.	
	What does this statement mean?	
	Tick one box. [1 mark]	
	LED lamps have a similar power output to filament lamps.	
	LED lamps waste a smaller proportion of the input energy than filament lamps.	
	LED lamps have a higher power input than filament lamps.	
	LED lamps waste a larger proportion of the input energy than filament lamps.	
		5



IB/G/Jun18/8463/1F

0 5





1	7	
	1	
	-	


03.3	The resistance of P is 3.5Ω .	Do not write outside the box
	Calculate the resistance of Q . [1 mark]	
	Resistance of \mathbf{Q} = Ω	
03.4	The student connects the two resistors in Figure 3 in parallel.	
	What happens to the total resistance of the circuit?	
	Tick one box. [1 mark]	
	It decreases	
	It increases	
	It does not change	
	Give a reason for your answer. [1 mark]	
		7
	Turn over for the next question	



	٦	
	-	
۰.	,	

0 4	A student wanted to determine the density of a small piece of rock.		Do not write outside the box
04.1	Describe how the student could measure the volume of the piece of rock.	[4 marks]	
04.2	The volume of the piece of rock was 18.0 cm ³ .		
	The student measured the mass of the piece of rock as 48.6 g.		
	Calculate the density of the rock in g/cm ³ . Use the equation:		
	density = $\frac{\text{mass}}{\text{volume}}$		
		[2 marks]	
	Density =	g/cm ³	









IB/G/Jun18/8463/1F

04.4	Give one source of error that may have occurred when the student measured the volume of the rock. [1 mark]	Do not write outside the box
04.5	How would the error you described in question 04.4 affect the measured volume of the rock? [1 mark]	
		9












0 6	Nuclear power can be used to generate electricity through nuclear fission.	Do not write outside the box
	Figure 6 shows the process of nuclear fission.	
	Figure 6	
	Uranium-235	
06.1	Complete the sentences.	
	Choose answers from the box. [3 marks]	
	gamma rays light rays proton neutron nucleus X-rays	
	During the process of nuclear fission a uranium absorbs a Electromagnetic radiation is released in the form of	
06.2	The UK needs at least 25 000 000 kW of electrical power at any time.	
	A nuclear power station has an electrical power output of 2 400 000 kW	
	Calculate how many nuclear power stations are needed to provide 25 000 000 kW of electrical power. [2 marks]	

Turn over ►



06.3	State two er	nvironmental issues caused by generating electricity using nuclear	o not write utside the box
	·	[2 marks]	
	1		
	2		
	_		
0 6 . 4		rently generates a lot of electricity by burning natural gas. This process rbon dioxide into the atmosphere.	
		nows how the concentration of carbon dioxide in the atmosphere has ere the past 115 years.	
		Figure 7	
		400	
		380	
		360	
	Carbon dioxide	340	
	n arbitrary units		
		320	
		300	
		280 1900 1925 1950 1975 2000	
		1900 1925 1950 1975 2000 Year	







Turn over ►







	Figure 0 shows the structure of a fuse	Do not write outside the
	Figure 9 shows the structure of a fuse.	box
	Figure 9	
	Glass case Fuse wire	
07.3	Write down the equation that links charge flow, current and time. [1 mark]	
07.4	The fuse wire melts when 1.52 coulombs of charge flows through the fuse in 0.40 seconds.	
	Calculate the current at which the fuse wire melts. [3 marks]	
	Current = A	
07.5	The mass of the fuse wire is 0.00175 kg. The specific latent heat of fusion of the fuse wire is 205 000 J/kg.	
	Calculate the energy needed to melt the fuse wire.	
	Use the Physics Equations Sheet. [2 marks]	
	Energy = J	9

Turn over ►






	19	
08.2	The tank is insulated. When the water is hot, the immersion heater switches off. Complete the sentences.	Do not write outside the box
	[2 marks]	
	Compared to a tank with no insulation, the rate of energy transfer from the	
	water in an insulated tank is	
	This means that the water in the insulated tank stays	
	for longer.	
	Question 8 continues on the next page	
		1



Turn over ►






08.3	Give one advantage and one disadvantage of heating the water using solar panels rather than an immersion heater.	Do not writ outside the box
	Use only information from Figure 11 and Figure 12.	
	[2 marks]	
	Advantage of solar panels	
	Disadvantage of solar panels	
08.4	During one morning, a total of 4 070 000 J of energy is transferred from the electric immersion heater.	
	4 030 000 J of energy are transferred to the water.	
	Calculate the proportion of the total energy transferred to the water.	
	[2 marks]	
	Proportion of total energy =	
	Question 8 continues on the next page	




Turn over ►

08.5	Write down the equation that links energy transferred, power and time. [1 mark]	Do not write outside the box
08.6	The power output of the immersion heater is 5000 W. Calculate the time taken for the immersion heater to transfer 4 070 000 J of energy. Give the unit. [4 marks]	
	Time = Unit	12











09.4	Write down the equation that links gravitational field strength, gravitational potential energy, height and mass. [1 mark]	Do not write outside the box
09.5	The lift goes up 14 m. The total mass of the people in the lift is 280 kg. gravitational field strength = 9.8 N/kg	
	Calculate the increase in gravitational potential energy of the people in the lift.	
	Give your answer to 2 significant figures. [3 marks]	
	Increase in gravitational potential energy = J	
		10
	Turn over for the next question	



Turn over ►










IB/G/Jun18/8463/1F









Turn over ►


		Do not write
1 1	A teacher used a Geiger-Muller tube and counter to measure the number of counts in 60 seconds for a radioactive rock.	outside the box
1 1.1	The counter recorded 819 counts in 60 seconds. The background radiation count rate was 0.30 counts per second.	
	Calculate the count rate for the rock.	
	[3 marks]	
	Count rate = per second	
1 1 2	A householder is worried about the radiation emitted by the granite worktop in	
	his kitchen.	
	1 kg of granite has an activity of 1250 Bq. The kitchen worktop has a mass of 180 kg.	
	Calculate the activity of the kitchen worktop in Bq. [2 marks]	
	Activity = Bq	



1 1.3	The average total radiation dose pe	r year in the UK is 2.0 millisieverts.	Do not wi outside t box	
	Table 2 shows the effects of radiation	on dose on the human body.		
		Table 2		
	Radiation dose in millisieverts	Effects		
	10 000	Immediate illness; death within a few weeks		
	1000	Radiation sickness; unlikely to cause death		
	100	Lowest dose with evidence of causing cancer		
	from the granite worktop. One year is 365 days.	d not be concerned about his yearly radiation dose [2 marks]		
1 1.4	 Bananas are a source of background radiation. Some people think that the unit of radiation dose should be changed from sieverts to Banana Equivalent Dose. Suggest one reason why the Banana Equivalent Dose may help the public be mor aware of radiation risks. 			
		[1 mark]	8	



Turn over ►






12.2	Describe how the student would obtain the data needed for the investigation.	Do not write outside the box
	Your answer should include a risk assessment for one hazard in the investigation. [6 marks]	
12.3	Why would switching off the circuit between readings have improved the accuracy of the student's investigation?	
	Tick one box. [1 mark]	
	The charge flow through the wire would not change.	
	The potential difference of the battery would not increase.	
	The power output of the battery would not increase.	
	The temperature of the wire would not change.	







IB/G/Jun18/8463/1F











Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team, AQA, Stag Hill House, Guildford, GU2 7XJ.

Copyright © 2018 AQA and its licensors. All rights reserved.

