


1. Nov/2020/Paper_13/No.18

Expand and simplify.

$$4(2m + 3) - 5(m - 2)$$

..... [2]



2. Nov/2020/Paper_13/No.23

Solve the system of linear equations.


You must show all your working.

$$3x - 8y = 22$$

$$x + 4y = 4$$

$x = \dots\dots\dots$

$y = \dots\dots\dots$ [3]




3. Nov/2020/Paper_23/No.4

Simplify.

$$a^2 \div a^6$$

..... [1]




4. Nov/2020/Paper_23/No.9

Work out $1\frac{1}{7} \times 2\frac{1}{10}$.

Give your answer as a mixed number in its simplest form.

..... [3]



5. Nov/2020/Paper_23/No.10

Solve the system of linear equations.


You must show all your working.

$$3x - 8y = 22$$

$$x + 4y = 4$$

$x = \dots\dots\dots$

$y = \dots\dots\dots$ [3]




6. Nov/2020/Paper_23/No.15

$$m = 2p + \sqrt{\frac{x}{y}}$$

Solve for x .

$x = \dots\dots\dots$ [3]



7. Nov/2020/Paper_23/No.18


(a) Simplify. $(4xy^2)^3$

..... [2]

(b) $25 = 125^k$

Find the value of k .

$k =$ [1]



8. Nov/2020/Paper_23/No.19

Robert makes model cars.

The cost, $C(n)$, in dollars, of making n cars is given by the function $C(n) = 20 + 15n$.

(a) In one week, he makes at least 1 car and at most 5 cars.

Write down the domain and range of $C(n)$.


Domain =

Range = [2]

(b) By selling n cars, Robert receives $\$22n$.

Find the smallest number of cars he must sell to make a profit.

..... [3]




9. Nov/2020/Paper_23/No.20

Factor.

$$3x + 8y - 6ax - 16ay$$


..... [2]



10. Nov/2020/Paper_23/No.24

Simplify.

$$\frac{x^2 - 25}{x^2 - 17x + 60}$$




..... [4]

(a) Complete the table of values for $y = 1 + 5x - x^2$.

x	-1	0	1	2	3	4	5
y		1	5		7		1

[2]

(b) On the grid, draw the graph of $y = 1 + 5x - x^2$ for $-1 \leq x \leq 5$.




[4]

(c) (i) On the grid, draw the line $y = 3$. [1]

(ii) Use your line to solve the equation $1 + 5x - x^2 = 3$.

$x = \dots\dots\dots$ or $x = \dots\dots\dots$ [2]



12. Nov/2020/Paper_33/No.7

(a) $W = 3a + 5c$

Find the value of W when $a = 6$ and $c = 2$.

$W = \dots\dots\dots$ [2]

(b) Factor completely.

$12b + 8b^2$

$\dots\dots\dots$ [2]


(c) Solve for m .

$y = 4m - p$

$m = \dots\dots\dots$ [2]

(d) Find the value of x when $5^x \times 5^3 = 5^{12}$.

$x = \dots\dots\dots$ [1]



(e) Find the value of


(i) 3^0 ,

..... [1]

(ii) 5^{-2} .

..... [1]

(f) In this part, all measurements are in centimeters.




NOT TO SCALE

The diagram shows a kite with sides $(2x + 5)$ and $(3x - 1)$.
The perimeter of the kite is 33 cm.

Work out the length of a shorter side.

..... cm [5]

A sequence of patterns is made using black counters and white counters.



(a) Draw Pattern 4. [1]

(b) Complete the table.

Pattern	1	2	3	4	5
Number of black counters	4	6	8		
Number of white counters	1	4	9		

[2]


(c) Write an expression, in terms of n , for

(i) the number of black counters in Pattern n ,

..... [2]

(ii) the number of white counters in Pattern n .

..... [1]



(d) Elena has 30 black counters and 140 white counters.

Can she make Pattern 12 using her counters?
Explain your answer.

..... because

..... [2]

14. Nov/2020/Paper_43/No.6

(a) Find the integer values that satisfy the inequality $2 < 2x \leq 10$.

..... [2]

(b) Factor.

(i) $6y^2 - 15xy$

..... [2]


(ii) $y^2 - 9x^2$

..... [2]

(c) Simplify.

$$\frac{3}{x-1} - \frac{2}{2x+1}$$


..... [3]



(a) (i) Factor $24 + 5x - x^2$.

..... [2]

(ii) The diagram shows a sketch of $y = 24 + 5x - x^2$.



Work out the values of a , b , and c .

$a =$

$b =$


$c =$ [3]

(iii) The line $y = 18$ intersects the graph of $y = 24 + 5x - x^2$ at P and Q .

Find the length of PQ .

$PQ =$ [4]


(b)



NOT TO
SCALE

The diagram shows a sketch of the graph of a cubic function $f(x)$.
The graph passes through the points $(-5, 0)$, $(-2, 0)$, $(0, 0)$, and $(1, 36)$.

Find $f(x)$ in the form $ax^3 + bx^2 + cx$.




..... [6]

16. Nov/2020/Paper_43/No.11

The table shows the first four terms in sequences A , B , C and D .

Sequence	1st term	2nd term	3rd term	4th term	5th term		n th term
A	4	9	14	19			
B	3	10	29	66			
C	1	4	16	64			
D	$\frac{3}{17}$	$\frac{4}{26}$	$\frac{5}{37}$	$\frac{6}{50}$			

Complete the table.



[12]

17. June/2020/Paper_11/No.14

(a) The n th term of a sequence is $60 - 8n$.

Find the largest number in this sequence.


..... [1]

(b) Here are the first five terms of a different sequence.

12 19 26 33 40

Find an expression for the n th term of this sequence.

..... [2]




18. June/2020/Paper_11/No.15

Factor completely.

$$21a^2 + 28ab$$

..... [2]




19. June/2020/Paper_11/No.17

Simplify.

$$p^5q^3 \times p^2q^{-4}$$

..... [2]




20. June/2020/Paper_11/No.18

Solve for x .

$$y = 2x - 5$$

$x = \dots\dots\dots$ [2]



21. June/2020/Paper_21/No.5

(a) The n th term of a sequence is $60 - 8n$.

Find the largest number in this sequence.


..... [1]

(b) Here are the first five terms of a different sequence.

12 19 26 33 40

Find an expression for the n th term of this sequence.

..... [2]



22. June/2020/Paper_21/No.9


Factor completely.

(a) $21a^2 + 28ab$

..... [2]

(b) $20x^2 - 45y^2$


..... [3]



23. June/2020/Paper_21/No.20

Simplify.

$$\frac{x-8-ax+8a}{x^2-15x+56}$$



..... [5]


24. June/2020/Paper_31/No.4

(a) Complete the table of values for $y = 7 + 2x - x^2$.

x	-2	-1	0	1	2	3	4
y	-1			8	7		-1

[2]

(b) On the grid, draw the graph of $y = 7 + 2x - x^2$ for $-2 \leq x \leq 4$.






[4]

(c) Write down the equation of the line of symmetry of the graph.

..... [1]

(d) Use your graph to solve the equation $7 + 2x - x^2 = 0$.

$x = \dots\dots\dots$ or $x = \dots\dots\dots$ [2]



25. June/2020/Paper_31/No.8

(a) Simplify $3c - 5d - c + 2d$.

..... [2]

(b) Solve the equation $12x - 7 = 23$.

$x =$ [2]

(c) Expand.


$$9(3 - x)$$

..... [1]

(d) $A = \frac{(a+b)h}{2}$

Work out the value of h when $A = 38.64$, $a = 5.5$, and $b = 3.7$.

$h =$ [3]




- (e) Alphonse is x years old and Beatrice is y years old.
 Three times Alphonse's age is equal to 5 times Beatrice's age.
 Twice Beatrice's age is 4 years more than Alphonse's age.

(i) Use this information to write down two equations in x and y .

.....

..... [2]

(ii) Find the age of Alphonse and the age of Beatrice.



Alphonse years old

Beatrice years old [3]

26. June/2020/Paper_41/No.4

(a) $s = ut + \frac{1}{2}at^2$

Find the value of s when $u = 5.2$, $t = 7$ and $a = 1.6$.

$s = \dots\dots\dots$ [2]

(b) Simplify.

(i) $3a - 5b - a + 2b$

$\dots\dots\dots$ [2]

(ii) $\frac{5}{3x} \times \frac{9x}{20}$

$\dots\dots\dots$ [2]


(c) Solve.

(i) $\frac{15}{x} = -3$

$x = \dots\dots\dots$ [1]

(ii) $4(5 - 3x) = 23$

$x = \dots\dots\dots$ [3]




(d) Simplify.
 $(27x^9)^{\frac{2}{3}}$

..... [2]

(e) Expand and simplify.
 $(3x - 5y)(2x + y)$

..... [2]




(b) (i) Write $x^2 + 10x + 14$ in the form $(x+a)^2 + b$.

..... [2]


(ii) Write down the coordinates of the minimum point on the graph of $y = x^2 + 10x + 14$.

(.....,) [2]

(iii) On the axes, sketch the graph of $y = x^2 + 10x + 14$.



[1]



(a) On the grid, draw the lines $y = 4$, $y = 10$, $y = x$ and $3x + 2y = 30$. [5]

(b) Label the region R where $x \geq 0$, $y \geq 4$, $y \leq 10$, $y \geq x$ and $3x + 2y \leq 30$. [1]

(c) For points in the region R , find

(i) the smallest value of $x + y$,
 [1]

(ii) the largest value of $x + y$ when x and y are integers.
 [1]

(d) Label the region S where $y \geq 10$, $y \geq x$ and $3x + 2y \geq 30$. [1]