## UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS GCE Ordinary Level

## MARK SCHEME for the October/November 2008 question paper

## **5090 BIOLOGY**

5090/03

Paper 3 (Practical Test), maximum raw mark 40

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the October/November 2008 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



[3]

	Page 2		)		Syllabus	Paper
				GCE O LEVEL – October/November 2008	5090	03
1			alter	le 1.1 completed realistically to 10 min; rnating correctly; ting (of both) and final air temperatures recorded, with	units;	[3]
	(a)	(i)	1. a [I 2. o [a 3. p 4. b	ph marks:  ixes labelled 'time/min' & 'temp/°C'  N.B. correct origin for <i>y</i> -axis]  orientation ( <i>x</i> – horizontal), suitable size (> 6 × 6 cm) an at least 1 cm between curves]  olots <u>clear</u> and accurate  ooth curves well done (ruled or best fit curve)	d scale	[6]
		(ii)	still	curves distinguished and identified diverging; h) levelling out/constant/reduced gradient;		[5]
				h) decreasing; ways above <b>A</b> ;		[max 2]
	(b)	(i)	later	poration; nt heat; nt) from cup/water;		[max 2]
		(ii)	evap	eat) glands (secrete sweat); poration takes heat/causes cooling; ing skin/blood/body;		[max 2]
		(iii)	ref.	able sweating/receptor control AW; constant body temperature; vasodilation/ref. hair;		[max 2]
	(c)	repostir lid v 2 th qua equ qua	with h ermo ilified ial vo ilified			[3] <b>[Total: 19]</b>
2	(a)	(i)	1. a 2. tr	ving marks: it least 5 cm realistic, clear and clean ri-partite, (good proportions) rascular bundles shown in skin		[3]
		(ii)	2–5 inne	ving marks: rows of vascular bundles or bundles larger cation of vessels/staining		[3]

indication of vessels/staining

Page 3	Mark Scheme	Syllabus	Paper
	GCE O LEVEL – October/November 2008	5090	03

(iii) clearly shown where measured;

both dimensions clear, units once at least;

correct expression for calculation;

correctly expressed; up to 2 d.p. rounded up/down no more than 0.2 [4]

(b) (i) two from: fruit wall/pericarp/epicarp;

tripartite/other division/placentas;

vascular tissue/veins:

[2]

(ii) in Table 2.1 three from:

**W1** 

wide/thick thin/narrow;

closer/more/rows of vascular bundles

yellow/pale green angular/rough/ridged

OVP;

W2

single layer/few vascular bundles;

dark and light green etc.;

smooth; [3]

(iii) in Table 2.2 two from:

**W**1

no/small seeds firm/fleshy/dry brown seeds

OVP;

W2

seeds present/large; succulent/moist/jelly, etc.;

green/white seeds;

[2]

(c) bananas of different age/same banana ageing;

apply iodine test;

colour lessens AW; [R: blue]

apply Benedict's test;

more positive result/green – yellow – red, later/when riper;

verifies the hypothesis;

ref. uniform samples/test reagents;

replicates;

[max 4]

[Total: 21]