UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS GCE Ordinary Level

MARK SCHEME for the May/June 2009 question paper

for the guidance of teachers

5090 BIOLOGY

5090/02

Paper 2 (Theory), maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

• CIE will not enter into discussions or correspondence in connection with these mark schemes.

CIE is publishing the mark schemes for the May/June 2009 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.



UNIVERSITY of CAMBRIDGE International Examinations

	Pa	ge 2		Mark Scheme: Teachers' version	Syllabus	Paper
				GCE O LEVEL – May/June 2009	5090	02
				Section A		
1	(a)	wilti	ng/eo	d / flaccid (R plasmolysed)		; [1
	(b)	(i)	low l wind lack	k the first, one per line from: humidity / dry air AW (R 'humidity') l of (available) water / drought or <u>raised</u> temperature / hot / warm (R warmth, temp. ι	unqualified)	; [max 2
		(ii)	<u>evar</u> wate loss loss	ven if condition is inaccurate) <u>poration / (evapo) transpiration</u> er loss faster than rate of water uptake AW of water from <u>cells</u> (R plant) of turgor / flaccidity / ref. pressure AW (R plasmolysed of support (R droop / wilt)	1)	; ; [max 4
	(c)	(lab (dra	els – wing	n score stoma size and labels only) in either drawing) <u>guard cell(</u> s) + <u>stoma(</u> ta) s, must be 2) sausage shaped, touching at top and bo oma in left-hand drawing	ttom in both	; ; [3
2	(a)	D D + y	d D D 1 : 3 rellow	 Dd (R if wrong symbols used) D d (*) (* = A if correctly deduced from wrong crown of the dd (*) 2 : 1 (look for link with genotypes) : 1 : grey : grey : gametes (A even if qualifying incorrect cross) 	oss)	; ; ; [6
	(b)	ref. leav	Ì in 4 /es ra	c.f. for incorrect symbols) 4 would be DD atio 2 yellow : 1 grey nation on diagram – accept on (a) <u>so long as linked</u>)		; [3
3	(a)	(i)	bact	<i>ither order – one per line, mark the first.</i>) Any two from eria, fungi, protozoa / protoctists, algae amed examples from different groups. For one mark n		;; [2 hs etc.)
		(ii)		only on living material / host AW / are not living / do n ney do not live there / do not cause decomposition)	ot respire	; [2
	(b)			ed ion / breakdown product of protein / fat / carbohydra (A alcohol / breakdown / decomposition + original substrate (na (A conversion) (R compost) (A nitro	/ CO ₂) med)	; ; [2

 (R compost) 4 (a) (i) <u>ureter</u> (accurate spelling) ; [7] (ii) wave like / rhythmic AW contraction of muscles (if named must be circular) pushes urine (or description of) (R urea alone) ; to <u>bladder</u> ; [max 3] (b) <u>renal artery</u> C has thinner walls (or described) than D (o. r. a.) ; [3] (c) (water lost as) ref. sweat ; imore AW + <u>urea</u> (in urine) ; blood concentration has to be maintained ; more water (re)absorbed in kidneys / less water in urine / urine more concentrated ; [max 3] 5 (a) penicillin or any other named antibiotic ; [7] (c) antibiotic treatment too readily / over-prescribed ; imutation or described in kidneys / idd not finish the course ; imutation or described in kidneys / idd not finish the course ; imutation or described ; immune) ; reproduction (of resistant strain) / ref. passing on genes ; [max 3] (d) (i) Any two from: no longer cured the disease AW, expensive (at higher dosage), more effective treatment available, use different antibiotic ; [max 4] (ii) Any two from: different antibiotic, barrier nursing, antibacterials, general cleanliness, vaccination, isolation, one OVP ;; [2] 	Pag		ge 3		Mark Scheme: Teachers' version	Syllabus	Paper	
 (ii) releases energy / heat (A produces heat AW) (iii) different microoganisms (thrive at different temperatures) (ii) different microoganisms (thrive at different temperatures) (ii) different microoganisms (thrive at different temperatures) (iii) different microoganisms (thrive at different temperatures) (iii) different microoganisms (thrive at different temperatures) (ii) different microoganisms (thrive at different temperatures) (iii) ureter (accurate spelling) (iii) ureter (accurate spelling) (iii) wave like / rhythmic AW (contraction of muscles (ff named must be circular) pushes urine (or description of) (R urea alone) to bladder (b) renal artery C has thinner walls (or described) than D (o. r. a.) (c) (water lost as) ref. sweat more AW + <u>urea</u> (in urine) blood concentration has to be maintained more water (re)absorbed in kidneys / less water in urine / urine more concentrated (c) antibiotic treatment too readily / over-prescribed antibiotic treatment too readily / over-prescribed mutation or described resistant AW (A tolerant) (R immune) resistant AW (A tolerant) (R immune) reproduction (of resistant strain) / ref. passing on genes (d) (i) Any two from: no longer cured the disease AW, expensive (at higher dosage), more effective treatment available, use different antibiotic (ii) Any two from: different antibiotic, barrier nursing, antibacterials, general cleanliness, vaccination, isolation, one OVP 			(1)			5090	02	
 plenty of food / nutrients (or named) (R compost) (for microorganisms) : [max 2 (ii) different microoganisms (thrive at different temperatures) : ref. to link between temperature and enzyme action, <i>Any two from</i>: ref. effect of pH, lack of food, build-up of waste products, competition : [max 2 4 (a) (i) ureter (accurate spelling) : [max 2 (ii) wave like / rhythmic AW, (r comparison of muscles (ff named must be circular), pushes urine (or description of) (R urea alone), to bladder, [max 3 (b) fenal aftery, C has thinner walls (or described) than D (o. r. a.), C has wider (lumen AW) than D (o. r. a.), [3 (c) (water lost as) ref. sweat, and the mintained, and the more action that to be maintained, and the maintained	(0	C)	(1)	, , ,				
 ref. to link between temperature and enzyme action Any two from: ref. effect of pH, lack of food, build-up of waste products, competition ;; [max 2 (R compost) 4 (a) (i) <u>ureter (accurate spelling)</u> ; [' (ii) wave like / hythmic AW contraction of muscles (if named must be circular) pushes urine (or description of) (R urea alone) to <u>bladder</u> ; [max 3 (b) <u>renal artery</u> C has thinner walls (or described) than D (o. r. a.) C has wider (lumen AW) than D (o. r. a.) (c) (water lost as) ref. sweat more AW + <u>urea</u> (in urine) blood concentration has to be maintained more water (re)absorbed in kidneys / less water in urine / urine more concentrated ; [max 3 5 (a) penicillin or any other named antibiotic ; [' (c) antibiotic treatment too readily / over-prescribed antibiotic treatment too readily / over-prescribed in ev varieties of bacteria resistant AW (A tolerant) (R immune) reproduction (of resistant strain) / ref. passing on genes ; [max 4 (d) (i) Any two from: no longer cured the disease AW, expensive (at higher dosage), more effective treatment available, use different antibiotic ; [max 4 (ii) Any two from: no longer cured the disease AW, expensive (at higher dosage), more effective treatment available, use different antibiotic ; [max 4 								
 ref. effect of pH, lack of food, build-up of waste products, competition (R compost) (i) ureter (accurate spelling) : [max 2 (ii) wave like / rhythmic AW : contraction of muscles (if named must be circular) : pushes urine (or description of) (R urea alone) : [max 3 (b) renal artery : [max 4 (c) has thinner walls (or described) than D (o. r. a.) : [7 (c) has wider (lumen AW) than D (o. r. a.) : [7 (c) (water lost as) ref. sweat : more AW + urea (in urine) : blood concentration has to be maintained : more water (re)absorbed in kidneys / less water in urine / urine more concentrated : [7 (b) 1990 to 1994 (or any figure(s) within those dates) : [7 (c) antibiotic treatment too readily / over-prescribed : resistant AW (A tolerant) (R immune) : reproduction (of resistant strain) / ref. passing on genes : [7 (d) (i) Any two from: no longer cured the disease AW, expensive (at higher dosage), more effective treatment available, use different antibiotic : [7 (ii) Any two from: different antibiotic, barrier nursing, antibacterials, general cleanliness, vaccination, isolation, one OVP ; [7 			(ii)	ref. t	o link between temperature and enzyme action	; ;		
 (ii) wave like / rhythmic AW contraction of muscles (if named must be circular) pushes urine (or description of) (R urea alone) to bladder (b) renal artery C has thinner walls (or described) than D (o. r. a.) (c) (water lost as) ref. sweat more AW + <u>urea</u> (in urine) blood concentration has to be maintained more water (re)absorbed in kidneys / less water in urine / urine more concentrated (a) penicillin or any other named antibiotic (b) 1990 to 1994 (or any figure(s) within those dates) (c) antibiotic treatment too readily / over-prescribed antibiotic treatment too readily / over-prescribed new varieties of bacteria resistant AW (A tolerant) (R immune) reproduction (of resistant strain) / ref. passing on genes (c) (i) Any two from: no longer cured the disease AW, expensive (at higher dosage), more effective treatment available, use different antibiotic (ii) Any two from: different antibiotic, barrier nursing, antibacterials, general cleanliness, vaccination, isolation, one OVP (ii) Any two from: different antibiotic, barrier nursing, antibacterials, general cleanliness, vaccination, isolation, one OVP 					effect of pH, lack of food, build-up of waste products, co	ompetition ;;	[max 2]	
 contraction of muscles (if named must be circular) pushes urine (or description of) (R urea alone) to <u>bladder</u> [max 3 (b) renal artery C has thinner walls (or described) than D (o. r. a.) C has wider (lumen AW) than D (o. r. a.) (c) (water lost as) ref. sweat more AW + <u>urea</u> (in urine) blood concentration has to be maintained more water (re)absorbed in kidneys / less water in urine / urine more concentrated (a) penicillin or any other named antibiotic (b) 1990 to 1994 (or any figure(s) within those dates) (c) antibiotic treatment too readily / over-prescribed antibiotic treatment withdrawn too early / did not finish the course mutation or described new varieties of bacteria resistant AW (A tolerant) (R immune) reproduction (of resistant strain) / ref. passing on genes (d) (i) Any two from: no longer cured the disease AW, expensive (at higher dosage), more effective treatment available, use different antibiotic (ii) Any two from: different antibiotic, barrier nursing, antibacterials, general cleanliness, vaccination, isolation, one OVP (ii) Any two from: different antibiotic, barrier nursing, antibacterials, general cleanliness, vaccination, isolation, one OVP 	4 (a	a)	(i)	urete	er (accurate spelling)	;	[1]	
 contraction of muscles (if named must be circular) pushes urine (or description of) (R urea alone) to <u>bladder</u> [max 3 (b) renal artery C has thinner walls (or described) than D (o. r. a.) C has wider (lumen AW) than D (o. r. a.) (c) (water lost as) ref. sweat more AW + <u>urea</u> (in urine) blood concentration has to be maintained more water (re)absorbed in kidneys / less water in urine / urine more concentrated (a) penicillin or any other named antibiotic (b) 1990 to 1994 (or any figure(s) within those dates) (c) antibiotic treatment too readily / over-prescribed antibiotic treatment withdrawn too early / did not finish the course mutation or described new varieties of bacteria resistant AW (A tolerant) (R immune) reproduction (of resistant strain) / ref. passing on genes (d) (i) Any two from: no longer cured the disease AW, expensive (at higher dosage), more effective treatment available, use different antibiotic (ii) Any two from: different antibiotic, barrier nursing, antibacterials, general cleanliness, vaccination, isolation, one OVP (ii) Any two from: different antibiotic, barrier nursing, antibacterials, general cleanliness, vaccination, isolation, one OVP 			(ii)	wave	e like / rhythmic AW			
pushes urine (or description of) (R urea alone) ; to bladder ; (b) renal artery ; C has thinner walls (or described) than D (o. r. a.) ; C has wider (lumen AW) than D (o. r. a.) ; (c) (water lost as) ref. sweat ; more AW + <u>urea</u> (in urine) ; blood concentration has to be maintained ; more water (re)absorbed in kidneys / less water in urine / urine more ; concentrated ; f (a) penicillin or any other named antibiotic ; (b) 1990 to 1994 (or any figure(s) within those dates) ; [7] (c) antibiotic treatment too readily / over-prescribed ; ; new varieties of bacteria ; ; resistant AW (A tolerant) (R immune) ; ; reproduction (of resistant strain) / ref. passing on genes ; [max 2] (d) (i) Any two from: no longer cured the disease AW, expensive (at higher dosage), more effective treatment available, use different antibiotic ;; ; (ii) Any two from: different antibiotic, barrier nursing, antibacterials, general cleanliness, vaccination, isolation, one OVP ;; ; <td></td> <td></td> <td>(")</td> <td></td> <td></td> <td>,</td> <td></td>			(")			,		
 (b) renal artery C has thinner walls (or described) than D (o. r. a.) C has wider (lumen AW) than D (o. r. a.) (2) (c) (water lost as) ref. sweat more AW + <u>urea</u> (in urine) blood concentration has to be maintained more water (re)absorbed in kidneys / less water in urine / urine more concentrated (b) 1990 to 1994 (or any figure(s) within those dates) (c) antibiotic treatment too readily / over-prescribed antibiotic treatment too readily / over-prescribed new varieties of bacteria resistant AW (A tolerant) (R immune) reproduction (of resistant strain) / ref. passing on genes (d) (i) Any two from: no longer cured the disease AW, expensive (at higher dosage), more effective treatment available, use different antibiotic (ii) Any two from: different antibiotic, barrier nursing, antibacterials, general cleanliness, vaccination, isolation, one OVP ; (2) 				push	nes urine (or description of) (R urea alone)	;		
 C has thinner walls (or described) than D (o. r. a.) C has wider (lumen AW) than D (o. r. a.) (c) (water lost as) ref. sweat more AW + <u>urea</u> (in urine) blood concentration has to be maintained more water (re)absorbed in kidneys / less water in urine / urine more concentrated 5 (a) penicillin or any other named antibiotic [max 3 5 (a) penicillin or any other named antibiotic [c] antibiotic treatment too readily / over-prescribed antibiotic treatment too readily / over-prescribed new varieties of bacteria resistant AW (A tolerant) (R immune) reproduction (of resistant strain) / ref. passing on genes (d) (i) Any two from: no longer cured the disease AW, expensive (at higher dosage), more effective treatment available, use different antibiotic (ii) Any two from: different antibiotic, barrier nursing, antibacterials, general cleanliness, vaccination, isolation, one OVP (j) Any two from: different antibiotic, barrier nursing, antibacterials, (j) Any two from: different antibiotic, barrier nursing, antibacterials, 				to <u>bla</u>	<u>adder</u>	;	[max 3]	
 C has wider (lumen AW) than D (o. r. a.) (c) (water lost as) ref. sweat more AW + <u>urea</u> (in urine) blood concentration has to be maintained more water (re)absorbed in kidneys / less water in urine / urine more concentrated (max 3) (a) penicillin or any other named antibiotic (b) 1990 to 1994 (or any figure(s) within those dates) (c) antibiotic treatment too readily / over-prescribed antibiotic treatment withdrawn too early / did not finish the course mutation or described new varieties of bacteria resistant AW (A tolerant) (R immune) reproduction (of resistant strain) / ref. passing on genes (d) (i) Any two from: no longer cured the disease AW, expensive (at higher dosage), more effective treatment available, use different antibiotic (ii) Any two from: different antibiotic, barrier nursing, antibacterials, general cleanliness, vaccination, isolation, one OVP (z) (z) (z) (z) (z) (z) (z) (z) (z) (z)	(1	b)				.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
 (c) (water lost as) ref. sweat more AW + <u>urea</u> (in urine) blood concentration has to be maintained more water (re)absorbed in kidneys / less water in urine / urine more concentrated (max 3 5 (a) penicillin or any other named antibiotic (b) 1990 to 1994 (or any figure(s) within those dates) (c) antibiotic treatment too readily / over-prescribed antibiotic treatment withdrawn too early / did not finish the course mutation or described new varieties of bacteria resistant AW (A tolerant) (R immune) reproduction (of resistant strain) / ref. passing on genes (d) (i) Any two from: no longer cured the disease AW, expensive (at higher dosage), more effective treatment available, use different antibiotic (ii) Any two from: different antibiotic, barrier nursing, antibacterials, general cleanliness, vaccination, isolation, one OVP (iii) Any two from: different antibiotic, barrier nursing, antibacterials, general cleanliness, vaccination, isolation, one OVP 						;	[3]	
 more AW + <u>urea</u> (in urine) blood concentration has to be maintained more water (re)absorbed in kidneys / less water in urine / urine more concentrated [max 3 5 (a) penicillin or any other named antibiotic (a) penicillin or any other named antibiotic (b) 1990 to 1994 (or any figure(s) within those dates) (c) antibiotic treatment too readily / over-prescribed antibiotic treatment withdrawn too early / did not finish the course mutation or described new varieties of bacteria resistant AW (A tolerant) (R immune) reproduction (of resistant strain) / ref. passing on genes (d) (i) Any two from: no longer cured the disease AW, expensive (at higher dosage), more effective treatment available, use different antibiotic (ii) Any two from: different antibiotic, barrier nursing, antibacterials, general cleanliness, vaccination, isolation, one OVP 			CI	as wi		3	[3]	
 blood concentration has to be maintained more water (re)absorbed in kidneys / less water in urine / urine more concentrated ; [max 3 5 (a) penicillin or any other named antibiotic ; [7 (b) 1990 to 1994 (or any figure(s) within those dates) ; [7 (c) antibiotic treatment too readily / over-prescribed antibiotic treatment withdrawn too early / did not finish the course mutation or described new varieties of bacteria resistant AW (A tolerant) (R immune) reproduction (of resistant strain) / ref. passing on genes (d) (i) Any two from: no longer cured the disease AW, expensive (at higher dosage), more effective treatment available, use different antibiotic ;; [max 2 (ii) Any two from: different antibiotic, barrier nursing, antibacterials, general cleanliness, vaccination, isolation, one OVP ;; [2 	(0	c)	•			• • •		
 more water (re)absorbed in kidneys / less water in urine / urine more concentrated ; [max 3 5 (a) penicillin or any other named antibiotic ; [7 (b) 1990 to 1994 (or any figure(s) within those dates) ; [7 (c) antibiotic treatment too readily / over-prescribed antibiotic treatment withdrawn too early / did not finish the course mutation or described new varieties of bacteria resistant AW (A tolerant) (R immune) reproduction (of resistant strain) / ref. passing on genes ; [max 5 (d) (i) Any two from: no longer cured the disease AW, expensive (at higher dosage), more effective treatment available, use different antibiotic ;; [max 2 (ii) Any two from: different antibiotic, barrier nursing, antibacterials, general cleanliness, vaccination, isolation, one OVP ;; [2 						,		
 5 (a) penicillin or any other named antibiotic ; [7 (b) 1990 to 1994 (or any figure(s) within those dates) ; [7 (c) antibiotic treatment too readily / over-prescribed antibiotic treatment withdrawn too early / did not finish the course mutation or described new varieties of bacteria resistant AW (A tolerant) (R immune) reproduction (of resistant strain) / ref. passing on genes ; [max 5 (d) (i) Any two from: no longer cured the disease AW, expensive (at higher dosage), more effective treatment available, use different antibiotic ;; [max 2 (ii) Any two from: different antibiotic, barrier nursing, antibacterials, general cleanliness, vaccination, isolation, one OVP ;; [2 						more		
 (b) 1990 to 1994 (or any figure(s) within those dates) ; [7 (c) antibiotic treatment too readily / over-prescribed antibiotic treatment withdrawn too early / did not finish the course mutation or described new varieties of bacteria resistant AW (A tolerant) (R immune) reproduction (of resistant strain) / ref. passing on genes ; [max 5 (d) (i) Any two from: no longer cured the disease AW, expensive (at higher dosage), more effective treatment available, use different antibiotic ;; [max 2 (ii) Any two from: different antibiotic, barrier nursing, antibacterials, general cleanliness, vaccination, isolation, one OVP ;; [2 			con	centra	ated	;	[max 3]	
 (c) antibiotic treatment too readily / over-prescribed antibiotic treatment withdrawn too early / did not finish the course mutation or described new varieties of bacteria resistant AW (A tolerant) (R immune) reproduction (of resistant strain) / ref. passing on genes (d) (i) Any two from: no longer cured the disease AW, expensive (at higher dosage), more effective treatment available, use different antibiotic ;; [max 2 (ii) Any two from: different antibiotic, barrier nursing, antibacterials, general cleanliness, vaccination, isolation, one OVP ;; [2 	5 (a	a)	per	nicillin	or any other named antibiotic	;	[1]	
 antibiotic treatment withdrawn too early / did not finish the course ;; mutation or described ;; new varieties of bacteria ;; resistant AW (A tolerant) (R immune) ;; reproduction (of resistant strain) / ref. passing on genes ; [max 5] (d) (i) Any two from: no longer cured the disease AW, expensive (at higher dosage), more effective treatment available, use different antibiotic ;; [max 2] (ii) Any two from: different antibiotic, barrier nursing, antibacterials, general cleanliness, vaccination, isolation, one OVP ;; [2] 	(b)	199	90 to 1	1994 (or any figure(s) within those dates)	;	[1]	
 mutation or described new varieties of bacteria resistant AW (A tolerant) (R immune) reproduction (of resistant strain) / ref. passing on genes (d) (i) Any two from: no longer cured the disease AW, expensive (at higher dosage), more effective treatment available, use different antibiotic (ii) Any two from: different antibiotic, barrier nursing, antibacterials, general cleanliness, vaccination, isolation, one OVP (iii) Any two from: different antibiotic, barrier nursing, antibacterials, 	(0	c)	ant	ibiotic	treatment too readily / over-prescribed	;		
 new varieties of bacteria resistant AW (A tolerant) (R immune) reproduction (of resistant strain) / ref. passing on genes (d) (i) Any two from: no longer cured the disease AW, expensive (at higher dosage), more effective treatment available, use different antibiotic (ii) Any two from: different antibiotic, barrier nursing, antibacterials, general cleanliness, vaccination, isolation, one OVP (iii) (ii) Any two from: different antibiotic, barrier nursing, antibacterials, (iii) (iii) (ii						se ;		
 resistant AW (A tolerant) (R immune) reproduction (of resistant strain) / ref. passing on genes (d) (i) Any two from: no longer cured the disease AW, expensive (at higher dosage), more effective treatment available, use different antibiotic (ii) Any two from: different antibiotic, barrier nursing, antibacterials, general cleanliness, vaccination, isolation, one OVP ;; 						;		
 reproduction (of resistant strain) / ref. passing on genes ; [max 5] (d) (i) Any two from: no longer cured the disease AW, expensive (at higher dosage), more effective treatment available, use different antibiotic ;; [max 2] (ii) Any two from: different antibiotic, barrier nursing, antibacterials, general cleanliness, vaccination, isolation, one OVP ;; [2] 						;		
more effective treatment available, use different antibiotic;;[max 2(ii) Any two from: different antibiotic, barrier nursing, antibacterials, general cleanliness, vaccination, isolation, one OVP;;[2						•	[max 5]	
more effective treatment available, use different antibiotic;;[max 2(ii) Any two from: different antibiotic, barrier nursing, antibacterials, general cleanliness, vaccination, isolation, one OVP;;[2	(0	d)	(i)	Any	two from: no longer cured the disease AW, expensive	(at higher dosag	е),	
general cleanliness, vaccination, isolation, one OVP ;; [2	·	-		-	•		,	
[Total: 50			(ii)				[2]	
							[Total: 50]	

Page 4	ŀ		cheme: Teachers' ver		Syllabus		aper
		GCE C	D LEVEL – May/June 2	2009	5090		02
			Section B				
(a) (i)	(fats) carbon / (C) + ł	nydrogen / (H) + oxyger	n / (O)		•	
(ii)	(prot	eins) C + H + O (A na	+ N (ignore other possi mes)	bilities such as	s S)	,	[2]
(b) (i)	ener a na	gy + release(A med use of ener	iration (or process deso source of, R words tha gy within the body age / for gut peristalsis	t imply product	tion)	• • • • •	
(ii)	•	, 0	named vitamins symptom or disease linl	ked to correct	vitamin	 , , ,	
(iii)	med trans muc	sport medium h of (AW) cell / b	ochemical reactions / el	vater		- - - - - - - - -	[
	•	•	hat) lost in sweat / urine to temperature control			,	[max 8]
						[Т	otal: 10]
		I + 2CO ₂ / alcoh	se / monosaccharide / s ol or ethanol + carbon o y refs. to energy)		yeast)	- 7 7	[2]
(b) (i)	deep	athing) fast(er) o(er) rt beat) fast(er)	A 'breathe more' for o	<i>ne</i> mark A 'more'		, , ,	
	more (A re			for one mark		, ,	
	supp remo		oxygen* / compensatior	for lower O_2 o	concentration	, , ,	[max 4]
(ii)	incre faste more incre	eased + work-rate er + respiration (in e + energy eased supply of C eased removal of	D ₂ [* or in (i)] CO ₂ [* or in (i)]	(muscle)		• 7 • 7 • 7 • 7 • 7	
	dela	ys lactic acid pro	duction / removes laction	c acid		;	[max 4]
						[Т	otal: 10]

Page 5		Mark Scheme: Teachers' version	Paper	
		GCE O LEVEL – May/June 2009	Syllabus 5090	02
8E (a)	(nitrates) poor / stu (magnes less / no	[max 3]		
(b)	thin + ref flat / broa (with larg <u>chloropla</u> in mesop epidermi stomata air space by <u>diffusi</u> cell surfa	bhyll (or named) is / cuticle + transparent for light entry / pores + gas movement (I water vapour) es + gaseous movement (I water vapour)		; ; ; [max 7]
	-		-	
				[Total: 10]
8O(a)	large sur increase water / ic	croscopic or very small face area <u>s / maximum</u> + uptake ons / oxygen absorbed ct with soil water / between soil particles		; ; [max 4]
(b)	water lea water (fil evaporat increase concentr <u>diffusion</u>	contents more concentrated aves xylem by osmosis m) on (surfaces of mesophyll) cells tes + air spaces d / high humidity inside leaf ration gradient (or described)		[max 6]
				[Total: 10]