

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS
General Certificate of Education Ordinary Level

CHEMISTRY

5070/01

Paper 1 Multiple Choice

October/November 2006

1 hour

Additional Materials: Multiple Choice Answer Sheet
Soft clean eraser
Soft pencil (type B or HB is recommended)

READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

Do not use staples, paper clips, highlighters, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A, B, C** and **D**.

Choose the **one** you consider correct and record your choice in **soft pencil** on the separate Answer Sheet.

Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.

Any rough working should be done in this booklet.

A copy of the Periodic Table is printed on page 16.

This document consists of **16** printed pages.







1 At which temperature does a concentrated aqueous solution of sodium chloride begin to boil?

- A 96°C B 99°C C 100°C D 104°C

2 The symbols  and  represent atoms of different elements.

Which diagram shows a mixture of an element and a compound?




3 An aqueous solution of compound **X** reacts with aqueous sodium hydroxide to form a green precipitate and then aluminium powder is added. The mixture is heated and a gas that turns damp red litmus paper blue is given off.

What is **X**?

- A ammonium nitrate
B copper(II) chloride
C iron(II) nitrate
D iron(III) chloride

- 4 Which of the following reagents could be used to distinguish between dilute nitric acid and dilute hydrochloric acid?
- A aqueous barium chloride
B copper(II) carbonate
C aqueous silver nitrate
D aqueous sodium hydroxide
- 5 The scheme shows some reactions of a compound Y.







What could the compound Y be?

- A aluminium sulphate
B calcium carbonate
C copper(II) carbonate
D zinc carbonate

- 6 A beam of particles contains neutrons, n, protons, p, and electrons, e.

The beam is passed between charged plates.

Which diagram shows how the particles are affected by the plates?




- 7 The table shows the properties of some substances.

Which substance is a covalent compound?

	melting point /°C	electrical conductivity	
		of solid	of liquid
A	-38	conducts	conducts
B	-7	does not conduct	does not conduct
C	801	does not conduct	conducts
D	1540	conducts	conducts

- 8 The diagram shows the electrolysis of aqueous sodium chloride and of molten sodium chloride.



Which substance has both positive ions and mobile electrons?

- A aqueous sodium chloride
 - B copper wire
 - C graphite electrodes
 - D molten sodium chloride
- 9 Hydrogen can form both ionic and covalent compounds.
- With which element will hydrogen form an ionic compound?
- A carbon
 - B chlorine
 - C nitrogen
 - D sodium
- 10 Which quantity is the same for one mole of ethanol and one mole of ethane?
- A mass
 - B number of atoms
 - C number of molecules
 - D volume at r.t.p.

- 11 In an experiment 264 g of strontium reacts with 213 g of chlorine.

What is the formula of strontium chloride?


- A** SrCl **B** SrCl_2 **C** SrCl_3 **D** Sr_2Cl

- 12 Aqueous copper(II) sulphate is electrolysed using copper electrodes.

Which observations will be made?

	at anode (+ve)	at cathode (–ve)	electrolyte
A	anode dissolves	pink solid forms	blue colour fades
B	anode dissolves	pink solid forms	no change
C	colourless gas forms	colourless gas forms	no change
D	colourless gas forms	pink solid forms	blue colour fades

- 13 Which pair of metals **X** and **Y** will produce the highest voltage when used as electrodes in a simple cell?



	metal X	metal Y
A	copper	silver
B	magnesium	silver
C	magnesium	zinc
D	zinc	copper

- 14 On combustion, which fuel **never** produces pollutants?


- A** diesel
B hydrogen
C methane
D petrol

- 15 The reversible reaction below has reached dynamic equilibrium.




What does the term *dynamic equilibrium* mean?

- A** The reaction has stopped.
- B** The rate of the forward reaction is now zero.
- C** The concentrations of NO_2 and N_2O_4 are equal.
- D** The rates of the forward and backward reactions are equal.
- 16 The energy profile diagrams show how adding a substance **X** to a reaction mixture changes the reaction pathway.



Which change occurs when **X** is added to the reaction mixture?

- A** The rate of reaction decreases.
- B** The rate of reaction increases.
- C** The reaction becomes less exothermic.
- D** The reaction becomes more exothermic.
- 17 Which of the reactions X, Y and Z involve oxidation?



- A** X only **B** X and Y **C** Y only **D** Y and Z

22 Why is nickel used in the hydrogenation of alkenes?

- A It increases the yield of products.
- B It lowers the activation energy of the reaction.
- C It makes the reaction more exothermic.
- D It prevents a reverse reaction from occurring.

23 Three elements X, Y and Z have consecutive, increasing proton numbers.


If element X is a noble gas, what will be the symbol for the ions of element Z in its compounds?

- A Z^{2-} B Z^{+} C Z^{2+} D Z^{3+}

24 Which substance reacts with water to form a soluble compound and an insoluble gas?

- A ammonium sulphate
- B caesium
- C calcium carbonate
- D copper

25 Iron is extracted in the blast furnace using the raw materials haematite, coke and limestone.




Which substance undergoes thermal decomposition?

- A limestone
- B carbon dioxide
- C haematite
- D slag

26 Which gas is **not** formed during the manufacture of aluminium?

- A carbon dioxide
- B carbon monoxide
- C oxygen
- D sulphur dioxide

27 In which test-tube is the iron nail **most** likely to rust?



28 The carbonate of metal **X** is a white solid.

It decomposes when heated to form carbon dioxide and a yellow solid oxide.

What is metal **X**?

- A copper
- B iron
- C lead
- D sodium

29 Which metal will displace hydrogen from aqueous solutions of acids but not from cold water?

- A calcium
- B copper
- C sodium
- D zinc

30 The table shows the solubility of some salts of metal **Y** in cold water.

salt	solubility in cold water
carbonate	insoluble
chloride	soluble
sulphate	insoluble

What is metal **Y**?


- A barium
- B lead
- C magnesium
- D sodium

31 Which method would **not** produce ammonia gas?

- A heating concentrated aqueous ammonia
- B heating ammonium chloride with calcium hydroxide
- C heating ammonium sulphate with sodium hydroxide
- D heating ammonium sulphate with dilute hydrochloric acid

32 The following scheme shows four stages in the conversion of sulphur to sulphuric acid.

In which stage is a catalyst used?



- 33 Vegetable matter is biodegradable.

Which gas is released into the atmosphere when vegetable matter biodegrades?

- A carbon monoxide
- B methane
- C nitrogen dioxide
- D sulphur dioxide

- 34 To reduce atmospheric pollution, the waste gases from a coal-burning power station are passed through powdered calcium carbonate.

Which waste gas will **not** be removed by the powdered calcium carbonate?

- A carbon monoxide, CO
- B nitrogen dioxide, NO₂
- C phosphorus(V) oxide, P₂O₅
- D sulphur dioxide, SO₂

- 35 A compound, **X**, has a molecular formula C₄H₈O₂ and can be prepared by the reactions shown.







What is the structural formula of **X**?

- A HCO₂CH₂CH₂CH₃
- B CH₃CO₂CH₂CH₃
- C CH₃CH₂CO₂CH₃
- D CH₃CH₂CH₂CO₂H


36 The results of tests on compound **Z** are shown.

test	result
add bromine water	turns colourless
add aqueous sodium carbonate	carbon dioxide formed





What is compound **Z**?



- 37 A compound known in industry as 'MTBE' is used as an additive in 'lead-free' petrol. The structural formula of MTBE is shown.



Which compound is an isomer of MTBE?




- 38 A liquid reacts with each of sodium carbonate, potassium hydroxide and ethanol.

What is the liquid?


- A** aqueous ammonia
- B** ethanoic acid
- C** ethyl ethanoate
- D** hydrochloric acid

39 The structural formula of a polymer is shown below.




Which one of the following will form this polymer?


A




B




C




D



40 A polymer **X** was hydrolysed and the two products were



and



What can be deduced about **X**?

- A** It was a condensation polymer.
- B** It was starch.
- C** It was made by addition polymerisation.
- D** It was *Terylene*.

DATA SHEET
The Periodic Table of the Elements

Group																		
I	II											III	IV	V	VI	VII	0	
												1 H Hydrogen 1						
7 Li Lithium 3	9 Be Beryllium 4											11 B Boron 5	12 C Carbon 6	14 N Nitrogen 7	16 O Oxygen 8	19 F Fluorine 9	20 Ne Neon 10	
23 Na Sodium 11	24 Mg Magnesium 12											27 Al Aluminium 13	28 Si Silicon 14	31 P Phosphorus 15	32 S Sulphur 16	35.5 Cl Chlorine 17	40 Ar Argon 18	
39 K Potassium 19	40 Ca Calcium 20	45 Sc Scandium 21	48 Ti Titanium 22	51 V Vanadium 23	52 Cr Chromium 24	55 Mn Manganese 25	56 Fe Iron 26	59 Co Cobalt 27	59 Ni Nickel 28	64 Cu Copper 29	65 Zn Zinc 30	70 Ga Gallium 31	73 Ge Germanium 32	75 As Arsenic 33	79 Se Selenium 34	80 Br Bromine 35	84 Kr Krypton 36	
85 Rb Rubidium 37	88 Sr Strontium 38	89 Y Yttrium 39	91 Zr Zirconium 40	93 Nb Niobium 41	96 Mo Molybdenum 42	96 Tc Technetium 43	101 Ru Ruthenium 44	103 Rh Rhodium 45	106 Pd Palladium 46	108 Ag Silver 47	112 Cd Cadmium 48	115 In Indium 49	119 Sn Tin 50	122 Sb Antimony 51	128 Te Tellurium 52	127 I Iodine 53	131 Xe Xenon 54	
133 Cs Caesium 55	137 Ba Barium 56	139 La Lanthanum 57	178 Hf Hafnium 72	181 Ta Tantalum 73	184 W Tungsten 74	186 Re Rhenium 75	190 Os Osmium 76	192 Ir Iridium 77	195 Pt Platinum 78	197 Au Gold 79	201 Hg Mercury 80	204 Tl Thallium 81	207 Pb Lead 82	209 Bi Bismuth 83	210 Po Polonium 84	210 At Astatine 85	210 Rn Radon 86	
87 Fr Francium	226 Ra Radium 88	227 Ac Actinium 89																
*58-71 Lanthanoid series †90-103 Actinoid series																		
140 Ce Cerium 58																		
141 Pr Praseodymium 59																		
144 Nd Neodymium 60																		
144 Nd Neodymium 60																		
150 Sm Samarium 62																		
152 Eu Europium 63																		
157 Gd Gadolinium 64																		
159 Tb Terbium 65																		
162 Dy Dysprosium 66																		
165 Ho Holmium 67																		
167 Er Erbium 68																		
169 Tm Thulium 69																		
173 Yb Ytterbium 70																		
175 Lu Lutetium 71																		
101 Md Mendelevium 101																		
102 No Nobelium 102																		
100 Fm Fermium 100																		
99 Es Einsteinium 99																		
98 Cf Californium 98																		
97 Bk Berkelium 97																		
96 Cm Curium 96																		
95 Am Americium 95																		
94 Pu Plutonium 94																		
93 Np Neptunium 93																		
92 U Uranium 92																		
91 Pa Protactinium 91																		
90 Th Thorium 90																		
140 Ce Cerium 58																		
141 Pr Praseodymium 59																		
144 Nd Neodymium 60																		
144 Nd Neodymium 60																		
150 Sm Samarium 62																		
152 Eu Europium 63																		
157 Gd Gadolinium 64																		
159 Tb Terbium 65																		
162 Dy Dysprosium 66																		
165 Ho Holmium 67																		
167 Er Erbium 68																		
169 Tm Thulium 69																		
173 Yb Ytterbium 70																		
175 Lu Lutetium 71																		
101 Md Mendelevium 101																		
102 No Nobelium 102																		
100 Fm Fermium 100																		
99 Es Einsteinium 99																		
98 Cf Californium 98																		
97 Bk Berkelium 97																		
96 Cm Curium 96																		
95 Am Americium 95																		
94 Pu Plutonium 94																		
93 Np Neptunium 93																		
92 U Uranium 92																		
91 Pa Protactinium 91																		
90 Th Thorium 90																		
140 Ce Cerium 58																		
141 Pr Praseodymium 59																		
144 Nd Neodymium 60																		
144 Nd Neodymium 60																		
150 Sm Samarium 62																		
152 Eu Europium 63																		
157 Gd Gadolinium 64																		
159 Tb Terbium 65																		
162 Dy Dysprosium 66																		
165 Ho Holmium 67																		
167 Er Erbium 68																		
169 Tm Thulium 69																		
173 Yb Ytterbium 70																		
175 Lu Lutetium 71																		
101 Md Mendelevium 101																		
102 No Nobelium 102																		
100 Fm Fermium 100																		
99 Es Einsteinium 99																		
98 Cf Californium 98																		
97 Bk Berkelium 97																		
96 Cm Curium 96																		
95 Am Americium 95																		
94 Pu Plutonium 94																		
93 Np Neptunium 93																		
92 U Uranium 92																		
91 Pa Protactinium 91																		
90 Th Thorium 90																		
140 Ce Cerium 58																		
141 Pr Praseodymium 59																		
144 Nd Neodymium 60																		
144 Nd Neodymium 60																		
150 Sm Samarium 62																		
152 Eu Europium 63																		
157 Gd Gadolinium 64																		
159 Tb Terbium 65																		
162 Dy Dysprosium 66																		
165 Ho Holmium 67																		
167 Er Erbium 68																		
169 Tm Thulium 69																		
173 Yb Ytterbium 70																		
175 Lu Lutetium 71																		
101 Md Mendelevium 101																		
102 No Nobelium 102																		
100 Fm Fermium 100																		
99 Es Einsteinium 99																		
98 Cf Californium 98																		
97 Bk Berkelium 97																		
96 Cm Curium 96																		
95 Am Americium 95																		
94 Pu Plutonium 94																		
93 Np Neptunium 93																		
92 U Uranium 92																		
91 Pa Protactinium 91																		
90 Th Thorium 90																		
140 Ce Cerium 58																		
141 Pr Praseodymium 59																		
144 Nd Neodymium 60																		
144 Nd Neodymium 60																		
150 Sm Samarium 62																		
152 Eu Europium 63																		
157 Gd Gadolinium 64																		
159 Tb Terbium 65																		
162 Dy Dysprosium 66																		
165 Ho Holmium 67																		
167 Er Erbium 68																		
169 Tm Thulium 69																		
173 Yb Ytterbium 70																		
175 Lu Lutetium 71																		
101 Md Mendelevium 101																		
102 No Nobelium 102																		
100 Fm Fermium 100																		
99 Es Einsteinium 99																		
98 Cf Californium 98																		
97 Bk Berkelium 97																		
96 Cm Curium 96																		
95 Am Americium 95																		
94 Pu Plutonium 94																		
93 Np Neptunium 93																		
92 U Uranium 92																		
91 Pa Protactinium 91																		
90 Th Thorium 90																		
140 Ce Cerium 58																		
141 Pr Praseodymium 59																		
144 Nd Neodymium 60																		
144 Nd Neodymium 60																		
150 Sm Samarium 62																		
152 Eu Europium 63																		
157 Gd Gadolinium 64																		
159 Tb Terbium 65																		
162 Dy Dysprosium 66																		
165 Ho Holmium 67																		
167 Er Erbium 68																		
169 Tm Thulium 69																		
173 Yb Ytterbium 70																		
175 Lu Lutetium 71																		
101 Md Mendelevium 101																		
102 No Nobelium 102																		
100 Fm Fermium 100																		
99 Es Einsteinium 99																		
98 Cf Californium 98																		
97 Bk Berkelium 97																		
96 Cm Curium 96																		
95 Am Americium 95																		
94 Pu Plutonium 94																		
93 Np Neptunium 93																		
92 U Uranium 92																		
91 Pa Protactinium 91																		
90 Th Thorium 90																		
140 Ce Cerium 58																		
141 Pr Praseodymium 59																		
144 Nd Neodymium 60																		
144 Nd Neodymium 60																		
150 Sm Samarium 62																		
152 Eu Europium 63																		
157 Gd Gadolinium 64																		
159 Tb Terbium 65																		
162 Dy Dysprosium 66																		
165 Ho Holmium 67																		
167 Er Erbium 68																		
169 Tm Thulium 69																		
173 Yb Ytterbium 70																		
175 Lu Lutetium 71																		
101 Md Mendelevium 101																		
102 No Nobelium 102																		
100 Fm Fermium 100																		
99 Es Einsteinium 99																		
98 Cf Californium 98																		
97 Bk Berkelium 97																		
96 Cm Curium 96																		
95 Am Americium 95																		
94 Pu Plutonium 94																		
93 Np Neptunium 93																		
92 U Uranium 92																		
91 Pa Protactinium 91																		
90 Th Thorium 90																		
140 Ce Cerium 58																		
141 Pr Praseodymium 59																		
144 Nd Neodymium 60																		
144 Nd Neodymium 60																		
150 Sm Samarium 62																		
152 Eu Europium 63																		
157 Gd Gadolinium 64																		
159 Tb Terbium 65																		
162 Dy Dysprosium 66																		
165 Ho Holmium 67																		
167 Er Erbium 68																		
169 Tm Thulium 69																		
173 Yb Ytterbium 70																		
175 Lu Lutetium 71																		
101 Md Mendelevium 101																		
102 No Nobelium 102																		
100 Fm Fermium 100																		
99 Es Einsteinium 99																		
98 Cf Californium 98																		
97 Bk Berkelium 97																		
96 Cm Curium 96																		
95 Am Americium 95																		
94 Pu Plutonium 94																		
93 Np Neptunium 93																		
92 U Uranium 92																		
91 Pa Protactinium 91																		
90 Th Thorium 90																		
140 Ce Cerium 58																		
141 Pr Praseodymium 59																		
144 Nd Neodymium 60																		
144 Nd Neodymium 60																		
150 Sm Samarium 62																		
152 Eu Europium 63																		
157 Gd Gadolinium 64																		
159 Tb Terbium 65																		
162 Dy Dysprosium 66																		
165 Ho Holmium 67																		
167 Er Erbium 68																		
169 Tm Thulium 69																		
173 Yb Ytterbium 70																		
175 Lu Lutetium 71																		
101 Md Mendelevium 101																		
102 No Nobelium 102																		
100 Fm Fermium 100																		
99 Es Einsteinium 99																		
98 Cf Californium 98																		
97 Bk Berkelium 97																		
96 Cm Curium 96																		
95 Am Americium 95																		
94 Pu Plutonium 94																		
93 Np Neptunium 93																		
92 U Uranium 92																		
91 Pa Protactinium 91																		
90 Th Thorium 90																		
140 Ce Cerium 58																		
141 Pr Praseodymium 59																		
144 Nd Neodymium 60																		
144 Nd Neodymium 60																		
150 Sm Samarium 62																		
152 Eu Europium 63																		
157 Gd Gadolinium 64																		
159 Tb Terbium 65																		
162 Dy Dysprosium 66																		
165 Ho Holmium 67																		
167 Er Erbium 68																		
169 Tm Thulium 69																		
173 Yb Ytterbium 70																		
175 Lu Lutetium 71																		
101 Md Mendelevium 101																		
102 No Nobelium 102																		
100 Fm Fermium 100																		
99 Es Einsteinium 99																		
98 Cf Californium 98																		
97 Bk Berkelium 97																		
96 Cm Curium 96																		
95 Am Americium 95																		
94 Pu Plutonium 94																		
93 Np Neptunium 93																		
92 U Uranium 92																		
91 Pa Protactinium 91																		
90 Th Thorium 90																		
140 Ce Cerium 58																		
141 Pr Praseodymium 59																		
144 Nd Neodymium 60																		
144 Nd Neodymium 60																		
150 Sm Samarium 62																		
152 Eu Europium 63																		
157 Gd Gadolinium 64																		
159 Tb Terbium 65																		
162 Dy Dysprosium 66																		
165 Ho Holmium 67																		
167 Er Erbium 68																		
169 Tm Thulium 69																		
173 Yb Ytterbium 70																		
175 Lu Lutetium 71																		
101 Md Mendelevium 101																		
102 No Nobelium 102																		
100 Fm Fermium 100																		
99 Es Einsteinium 99																		
98 Cf Californium 98																		
97 Bk Berkelium 97																		
96 Cm Curium 96																		
95 Am Americium 95																		
94 Pu Plutonium 94																		
93 Np Neptunium 93																		
92 U Uranium 92																		
91 Pa Protactinium 91																		
90 Th Thorium 90																		
140 Ce Cerium 58																		
141 Pr Praseodymium 59																		
144 Nd Neodymium 60																		
144 Nd Neodymium 60																		
150 Sm Samarium 62																		
152 Eu Europium 63																		
157 Gd Gadolinium 64																		
159 Tb Terbium 65																		
162 Dy Dysprosium 66																		
165 Ho Holmium 67																		
167 Er Erbium 68																		
169 Tm Thulium 69																		
173 Yb Ytterbium 70																		
175 Lu Lutetium 71																		
101 Md Mendelevium 101																		
102 No Nobelium 102																		
100 Fm Fermium 100																		
99 Es Einsteinium 99																		
98 Cf Californium 98																		
97 Bk Berkelium 97																		
96 Cm Curium 96																		
95 Am Americium 95																		
94 Pu Plutonium 94																		
93 Np Neptunium 93																		
92 U Uranium 92																		
91 Pa Protactinium 91																		
90 Th Thorium 90																		
140 Ce Cerium 58																		
141 Pr Praseodymium 59																		
144 Nd Neodymium 60																		
144 Nd Neodymium 60																		
150 Sm Samarium 62																		
152 Eu Europium 63																		
157 Gd Gadolinium 64																		
159 Tb Terbium 65																		
162 Dy Dysprosium 66																		
165 Ho Holmium 67																		
167 Er Erbium 68																		
169 Tm Thulium 69																		
173 Yb Ytterbium 70																		
175 Lu Lutetium 71																		
101 Md Mendelevium 101																		
102 No Nobelium 102																		
100 Fm Fermium 100																		
99 Es Einsteinium 99																		
98 Cf Californium 98																		
97 Bk Berkelium 97																		
96 Cm Curium 96																		
95 Am Americium 95																		
94 Pu Plutonium 94																		
93 Np Neptunium 93																		
92 U Uranium 92																		
91 Pa Protactinium 91																		
90 Th Thorium 90																		
140 Ce Cerium 58																		
141 Pr Praseodymium 59																		
144 Nd Neodymium 60																		
144 Nd Neodymium 60																		
150 Sm Samarium 62																		
152 Eu Europium 63																		
157 Gd Gadolinium 64																		
159 Tb Terbium 65																		
162 Dy Dysprosium 66																		
165 Ho Holmium 67																		
167 Er Erbium 68																		
169 Tm Thulium 69																		
173 Yb Ytterbium 70																		
175 Lu Lutetium 71																		
101 Md Mendelevium 101																		
102 No Nobelium 102																		
100 Fm Fermium 100																		
99 Es Einsteinium 99																		
98 Cf Californium 98																		
97 Bk Berkelium 97																		
96 Cm Curium 96																		
95 Am Americium 95																		
94 Pu Plutonium 94																		
93 Np Neptunium 93																		
92 U Uranium 92																		
91 Pa Protactinium 91																		
90 Th Thorium 90																		
140 Ce Cerium 58																		
141 Pr Praseodymium 59																		
144 Nd Neodymium 60																		
144 Nd Neodymium 60																		
150 Sm Samarium 62																		

Key

a

X

b

a = relative atomic mass
X = atomic symbol
b = proton (atomic) number

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.