



Cambridge International Examinations
Cambridge Ordinary Level

CHEMISTRY

5070/12

Paper 1 Multiple Choice

October/November 2014

1 hour

Additional Materials: Multiple Choice Answer Sheet
Soft clean eraser
Soft pencil (type B or HB recommended)



READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

Do not use staples, paper clips, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

DO NOT WRITE IN ANY BARCODES.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A, B, C** and **D**.

Choose the **one** you consider correct and record your choice in **soft pencil** on the separate Answer Sheet.

Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.

Any rough working should be done in this booklet.

A copy of the Periodic Table is printed on page 16.

Electronic calculators may be used.

This document consists of **13** printed pages and **3** blank pages.




2

- 1 A student wants to carry out an experiment to follow the rate of the reaction between hydrochloric acid and marble chips.



Which diagrams show apparatus that is suitable for this experiment?



- A** 1 and 2 only **B** 1 and 3 only **C** 1 and 4 only **D** 1, 2 and 4
- 2 Solutions of lead(II) nitrate and potassium iodide are mixed together in the preparation of lead(II) iodide.

Which method can be used to separate the lead(II) iodide from the mixture?

- A** crystallisation
B distillation
C evaporation
D filtration

- 3 A small amount of aqueous copper(II) sulfate is put into a test-tube. A few drops of aqueous ammonia are added to the test-tube. Then an excess of aqueous ammonia is added to the same test-tube.

What are the two observations?

	few drops of aqueous ammonia	excess aqueous ammonia
A	light blue precipitate	dark blue solution
B	light blue precipitate	light blue precipitate
C	dark blue solution	dark blue solution
D	dark blue solution	light blue precipitate

- 4 An atom of element Z has 14 neutrons and 13 protons.

It forms a positive ion.

How many electrons does the ion of Z have?

- A** 10 **B** 13 **C** 14 **D** 27

- 5 Which gas is **neither** an element **nor** a compound?

- A** ammonia
B chlorine
C air
D carbon monoxide

- 6 Why does ammonia gas diffuse faster than hydrogen chloride gas?


- A** Ammonia has a higher boiling point than hydrogen chloride.
B Ammonia is a base, hydrogen chloride is an acid.
C The ammonia molecule contains more atoms than a hydrogen chloride molecule.
D The relative molecular mass of ammonia is smaller than that of hydrogen chloride.

- 7 The compound formed between elements X and Y is ionic.

Which statement about elements X and Y is correct?

- A** X and Y are both at the left-hand side of the Periodic Table.
B X and Y are both at the right-hand side of the Periodic Table.
C X and Y are both transition elements.
D X is at the opposite side of the Periodic Table from element Y.

- 8 The experiment shown is used to test potassium bromide crystals.



The lamp does not light.

Distilled water is then added to the beaker and the lamp lights.

Which statement explains these results?

- A** Electrons are free to move in the solution when potassium bromide dissolves.
B Metal ions are free to move when potassium bromide melts.
C Metal ions are free to move when potassium reacts with water.
D Oppositely charged ions are free to move in the solution when potassium bromide dissolves.
- 9 How many electrons are used in covalent bonding in the N_2 molecule?
- A** 2 **B** 4 **C** 6 **D** 10
- 10 Propene, $\text{CH}_3\text{CH}=\text{CH}_2$, has a very low boiling point because of the weakness of the
- A** C–C bond.
B C=C bond.
C C–H bond.
D intermolecular forces.
- 11 What is the empirical formula of a compound containing 12g of carbon, 2g of hydrogen and 16g of oxygen only?
- A** CHO **B** CHO_2 **C** CH_2O **D** C_2HO

12 What is the correct equation for the reaction taking place at the negative electrode when molten magnesium chloride is electrolysed using inert electrodes?

- A $\text{Cl}^- \rightarrow \text{Cl} + \text{e}^-$
- B $2\text{Cl}^- \rightarrow \text{Cl}_2 + 2\text{e}^-$
- C $\text{Mg}^+ + \text{e}^- \rightarrow \text{Mg}$
- D $\text{Mg}^{2+} + 2\text{e}^- \rightarrow \text{Mg}$

13 Which fertiliser contains the greatest percentage by mass of nitrogen?

- A $(\text{NH}_4)_2\text{HPO}_4$ $M_r = 132$
- B $(\text{NH}_4)_2\text{SO}_4$ $M_r = 132$
- C NH_4NO_3 $M_r = 80$
- D $\text{CO}(\text{NH}_2)_2$ $M_r = 60$

14 A volume of ethane, C_2H_6 , at r.t.p. has a mass of 20 g.

What is the mass of an equal volume of propene, C_3H_6 , at r.t.p.?

- A 20 g B 21 g C 28 g D 42 g

15 Which of these processes are both endothermic?

- A combustion, cracking
- B combustion, fermentation
- C cracking, photosynthesis
- D fermentation, photosynthesis

16 Ethanol is produced by the fermentation of glucose from sugar cane. In some countries ethanol is used as a fuel.

Which statements are correct?

- 1 Sugar cane is a non-renewable (finite) resource.
- 2 When sugar cane is growing it removes carbon dioxide from the atmosphere.

- A 1 only
- B 2 only
- C both 1 and 2
- D neither 1 nor 2

17 Which row correctly classifies the oxides in the table?

	carbon dioxide	copper(II) oxide	zinc oxide
A	acidic	amphoteric	basic
B	acidic	basic	amphoteric
C	acidic	neutral	amphoteric
D	basic	neutral	neutral

18 Sulfur is burnt in air.


Which statement about this reaction is correct?

- A** The gas formed turns aqueous potassium dichromate(VI) from green to orange.
- B** The product is used as a food preservative.
- C** The reaction is endothermic.
- D** The reaction is reversible.

19 Which method is used to obtain chlorine from aqueous sodium chloride?

- A** crystallisation
- B** distillation
- C** electrolysis
- D** filtration

20 The equation shows the reaction for the formation of sulfur trioxide using a catalyst.



Which change in reaction conditions would produce more sulfur trioxide?

- A** adding more catalyst
- B** decreasing the pressure
- C** increasing the temperature
- D** removing some sulfur trioxide

21 How many of these salts are soluble in water?

	AgCl	$\text{Ca}(\text{NO}_3)_2$	$(\text{NH}_4)_2\text{SO}_4$	PbCO_3			
A	1	B	2	C	3	D	4


27 A gas **G**

- 1 has no smell,
- 2 is not poisonous,
- 3 reacts with hydrogen at high temperature and pressure.

What is gas **G**?

- A** carbon monoxide
B helium
C nitrogen
D chlorine

28 Substance **P** reacts with dilute hydrochloric acid to produce a gas.
 This gas reduces substance **Q**.



What are substances **P** and **Q**?

	P	Q
A	copper	copper(II) oxide
B	lead	lead(II) oxide
C	magnesium	zinc oxide
D	zinc	copper(II) oxide

29 Iron rusts when exposed to oxygen in the presence of water.

Which method will **not** slow down the rate of rusting of an iron roof?

- A attaching strips of copper to it
- B coating it with plastic
- C galvanising it with zinc
- D painting it

30 The solid carbonates of three metals, *W*, *X* and *Y*, are heated.

	result
carbonate of <i>W</i>	carbon dioxide given off solid changes colour from green to black
carbonate of <i>X</i>	carbon dioxide given off solid does not change colour
carbonate of <i>Y</i>	carbon dioxide not given off solid does not change colour

Which statements are correct?

- 1 Metal *Y* is more reactive than metal *X*.
- 2 Metal *W* is a transition metal.
- 3 If dilute nitric acid is added to all three carbonates, carbon dioxide is given off from the carbonates of *W* and *X* but not from the carbonate of *Y*.

A 1 and 2 only B 1 and 3 only C 2 and 3 only D 1, 2 and 3

31 Bond breaking is an endothermic process and bond making is an exothermic process.

For which change is it **not** possible, from the equation, to deduce whether the reaction is endothermic or exothermic?

- A $\text{Cl}_2(\text{g}) \rightarrow 2\text{Cl}(\text{g})$
- B $\text{H}_2(\text{g}) + \text{Cl}_2(\text{g}) \rightarrow 2\text{HCl}(\text{g})$
- C $\text{H}_2\text{O}(\text{g}) \rightarrow 2\text{H}(\text{g}) + \text{O}(\text{g})$
- D $\text{H}(\text{g}) + \text{Cl}(\text{g}) \rightarrow \text{HCl}(\text{g})$

32 Which row is correct for the reaction of the alkene with steam and a catalyst?

	alkene	product
A	$\text{CH}_3\text{CH}=\text{CH}_2$	$\text{CH}_3\text{CH}(\text{OH})\text{CH}_3$ only
B	$\text{CH}_3\text{CH}_2\text{CH}=\text{CH}_2$	$\text{CH}_3\text{CH}_2\text{CH}_2\text{CH}_2\text{OH}$ only
C	$\text{CH}_3\text{CH}=\text{CHCH}_3$	$\text{CH}_3\text{CH}(\text{OH})\text{CH}_2\text{CH}_3$ only
D	$(\text{CH}_3)_2\text{C}=\text{CH}_2$	$(\text{CH}_3)_2\text{CHCH}_2\text{OH}$ only

33 Why is carbon used in water purification?


- A** It acts as a filter to remove insoluble solids.
- B** It desalinates the water.
- C** It disinfects the water.
- D** It removes tastes and odours.

34 Which of the statements about the preparation and properties of ammonia is correct?


- A** Ammonia is formed when ammonium chloride is heated with an acid.
- B** Ammonia reacts with sodium hydroxide solution to form a salt and water.
- C** Ammonia reacts with water to form hydrogen ions.
- D** A solution of ammonia in water has a pH greater than 7.

35 Which structure represents that of an alloy?


A




B



C



D



key

positive ions


negative ions

electrons

36 Which statement is **not** correct?

- A** Carbohydrates, proteins and fats are all natural macromolecules.
- B** *Terylene* contains the same linkages as a protein.
- C** When a carbohydrate is hydrolysed, sugars are formed.
- D** When a protein is hydrolysed, amino acids are formed.

37 Which statements would be true of the compound which has the formula shown?




- 1 It would react with excess aqueous sodium hydroxide in a 1 : 1 molar ratio.
- 2 In aqueous solution, it would have a pH of 9.5.
- 3 It would react with an alcohol to form an ester.


- A** 1 only **B** 1 and 2 **C** 2 and 3 **D** 3 only

38 When butene reacts with bromine, which compound could be made?


A




B



C



D




39 Methane is the first member of the alkane series of hydrocarbons. The second member is ethane.

Which statements about ethane are correct?

- 1 Ethane has the formula C_2H_4 .
- 2 Ethane has a higher boiling point than that of methane.
- 3 Ethane has the same molecular formula as methane.
- 4 Ethane has chemical properties very similar to those of methane.

A 1, 2 and 3 **B** 1 and 4 **C** 2 and 4 **D** 3 only

40 When ethanol reacts with ethanoic acid, the ester ethyl ethanoate is formed.



What is the formula of the ester formed when methanol reacts with butanoic acid, $\text{C}_3\text{H}_7\text{CO}_2\text{H}$?

- A** $\text{C}_2\text{H}_5\text{CO}_2\text{C}_2\text{H}_5$
B $\text{C}_3\text{H}_7\text{CO}_2\text{C}_2\text{H}_5$
C $\text{CH}_3\text{CO}_2\text{C}_3\text{H}_7$
D $\text{C}_3\text{H}_7\text{CO}_2\text{CH}_3$

BLANK PAGE

BLANK PAGE

BLANK PAGE

DATA SHEET
The Periodic Table of the Elements

Group																		
I	II											III	IV	V	VI	VII	0	
		1 H Hydrogen																4 He Helium 2
7 Li Lithium 3	9 Be Beryllium 4											11 B Boron 5	12 C Carbon 6	14 N Nitrogen 7	16 O Oxygen 8	19 F Fluorine 9	20 Ne Neon 10	
23 Na Sodium 11	24 Mg Magnesium 12											27 Al Aluminium 13	28 Si Silicon 14	31 P Phosphorus 15	32 S Sulfur 16	35.5 Cl Chlorine 17	40 Ar Argon 18	
39 K Potassium 19	40 Ca Calcium 20	45 Sc Scandium 21	48 Ti Titanium 22	51 V Vanadium 23	52 Cr Chromium 24	55 Mn Manganese 25	56 Fe Iron 26	59 Co Cobalt 27	59 Ni Nickel 28	64 Cu Copper 29	65 Zn Zinc 30	70 Ga Gallium 31	73 Ge Germanium 32	75 As Arsenic 33	79 Se Selenium 34	80 Br Bromine 35	84 Kr Krypton 36	
85 Rb Rubidium 37	88 Sr Strontium 38	89 Y Yttrium 39	91 Zr Zirconium 40	93 Nb Niobium 41	96 Mo Molybdenum 42	101 Ru Ruthenium 44	101 Ru Ruthenium 44	103 Rh Rhodium 45	106 Pd Palladium 46	108 Ag Silver 47	112 Cd Cadmium 48	115 In Indium 49	119 Sn Tin 50	122 Sb Antimony 51	128 Te Tellurium 52	127 I Iodine 53	131 Xe Xenon 54	
133 Cs Caesium 55	137 Ba Barium 56	139 La Lanthanum 57	178 Hf Hafnium 72	181 Ta Tantalum 73	184 W Tungsten 74	186 Re Rhenium 75	190 Os Osmium 76	192 Ir Iridium 77	195 Pt Platinum 78	197 Au Gold 79	201 Hg Mercury 80	204 Tl Thallium 81	207 Pb Lead 82	209 Bi Bismuth 83	210 Po Polonium 84	210 At Astatine 85	222 Rn Radon 86	
87 Fr Francium	88 Ra Radium	89 Ac Actinium																
58-71 Lanthanoid series																		
90-103 Actinoid series																		
a X b a = relative atomic mass X = atomic symbol b = proton (atomic) number																		
Key																		
		175 Lu Lutetium 71																
		173 Yb Ytterbium 70																
		167 Er Erbium 68																
		165 Ho Holmium 67																
		162 Dy Dysprosium 66																
		159 Tb Terbium 65																
		157 Gd Gadolinium 64																
		152 Eu Europium 63																
		150 Sm Samarium 62																
		144 Nd Neodymium 60																
		141 Pr Praseodymium 59																
		140 Ce Cerium 58																
		138 La Lanthanum 57																
		137 Ba Barium 56																
		136 Xe Xenon 54																
		135 I Iodine 53																
		134 Te Tellurium 52																
		132 Sb Antimony 51																
		131 Xe Xenon 54																
		129 Br Bromine 35																
		128 Se Selenium 34																
		127 I Iodine 53																
		126 As Arsenic 33																
		125 Ge Germanium 32																
		124 Ga Gallium 31																
		123 Zn Zinc 30																
		122 Cd Cadmium 48																
		121 In Indium 49																
		120 Sn Tin 50																
		119 Pb Lead 82																
		118 Bi Bismuth 83																
		117 Po Polonium 84																
		116 At Astatine 85																
		115 Rn Radon 86																
		114 Fr Francium 87																
		113 Ra Radium 88																
		112 Ac Actinium 89																
		111 La Lanthanum 57																
		110 Ce Cerium 58																
		109 Pr Praseodymium 59																
		108 Nd Neodymium 60																
		107 Pm Promethium 61																
		106 Sm Samarium 62																
		105 Eu Europium 63																
		104 Gd Gadolinium 64																
		103 Tb Terbium 65																
		102 Dy Dysprosium 66																
		101 Ho Holmium 67																
		100 Er Erbium 68																
		99 Tm Thulium 69																
		98 Yb Ytterbium 70																
		97 Lu Lutetium 71																
		96 La Lanthanum 57																
		95 Ce Cerium 58																
		94 Pr Praseodymium 59																
		93 Nd Neodymium 60																
		92 Pm Promethium 61																
		91 Sm Samarium 62																
		90 Eu Europium 63																
		89 Gd Gadolinium 64																
		88 Tb Terbium 65																
		87 Dy Dysprosium 66																
		86 Ho Holmium 67																
		85 Er Erbium 68																
		84 Tm Thulium 69																
		83 Yb Ytterbium 70																
		82 Lu Lutetium 71																
		81 La Lanthanum 57																
		80 Ce Cerium 58																
		79 Pr Praseodymium 59																
		78 Nd Neodymium 60																
		77 Pm Promethium 61																
		76 Sm Samarium 62																
		75 Eu Europium 63																
		74 Gd Gadolinium 64																
		73 Tb Terbium 65																
		72 Dy Dysprosium 66																
		71 Ho Holmium 67																
		70 Er Erbium 68																
		69 Tm Thulium 69																
		68 Yb Ytterbium 70																
		67 Lu Lutetium 71																
		66 La Lanthanum 57																
		65 Ce Cerium 58																
		64 Pr Praseodymium 59																
		63 Nd Neodymium 60																
		62 Pm Promethium 61																
		61 Sm Samarium 62																
		60 Eu Europium 63																
		59 Gd Gadolinium 64																
		58 Tb Terbium 65																
		57 Dy Dysprosium 66																
		56 Ho Holmium 67																
		55 Er Erbium 68																
		54 Tm Thulium 69																
		53 Yb Ytterbium 70																
		52 Lu Lutetium 71																
		51 La Lanthanum 57																
		50 Ce Cerium 58																
		49 Pr Praseodymium 59																
		48 Nd Neodymium 60																
		47 Pm Promethium 61																
		46 Sm Samarium 62																
		45 Eu Europium 63																
		44 Gd Gadolinium 64																
		43 Tb Terbium 65																
		42 Dy Dysprosium 66																
		41 Ho Holmium 67																
		40 Er Erbium 68																
		39 Tm Thulium 69																
		38 Yb Ytterbium 70																
		37 Lu Lutetium 71																
		36 La Lanthanum 57																
		35 Ce Cerium 58																
		34 Pr Praseodymium 59																
		33 Nd Neodymium 60																
		32 Pm Promethium 61																
		31 Sm Samarium 62																
		30 Eu Europium 63																
		29 Gd Gadolinium 64																
		28 Tb Terbium 65																
		27 Dy Dysprosium 66																
		26 Ho Holmium 67																
		25 Er Erbium 68																
		24 Tm Thulium 69																
		23 Yb Ytterbium 70																
		22 Lu Lutetium 71																
		21 La Lanthanum 57																
		20 Ce Cerium 58																
		19 Pr Praseodymium 59																
		18 Nd Neodymium 60																
		17 Pm Promethium 61																
		16 Sm Samarium 62																
		15 Eu Europium 63																
		14 Gd Gadolinium 64																
		13 Tb Terbium 65																
		12 Dy Dysprosium 66																
		11 Ho Holmium 67																
		10 Er Erbium 68																
		9 Tm Thulium 69																
		8 Yb Ytterbium 70																
		7 Lu Lutetium 71																
		6 La Lanthanum 57																
		5 Ce Cerium 58																
		4 Pr Praseodymium 59																
		3 Nd Neodymium 60																
		2 Pm Promethium 61																
		1 Sm Samarium 62																
		0 Eu Europium 63																
		-1 Gd Gadolinium 64																
		-2 Tb Terbium 65																
		-3 Dy Dysprosium 66																
		-4 Ho Holmium 67																
		-5 Er Erbium 68																
		-6 Tm Thulium 69																
		-7 Yb Ytterbium 70																
		-8 Lu Lutetium 71																
		-9 La Lanthanum 57																
		-10 Ce Cerium 58																
		-11 Pr Praseodymium 59																
		-12 Nd Neodymium 60																
		-13 Pm Promethium 61																
		-14 Sm Samarium 62																
		-15 Eu Europium 63																
		-16 Gd Gadolinium 64																
		-17 Tb Terbium 65																
		-18 Dy Dysprosium 66																
		-19 Ho Holmium 67																
		-20 Er Erbium 68																
		-21 Tm Thulium 69																
		-22 Yb Ytterbium 70																
		-23 Lu Lutetium 71																
		-24 La Lanthanum 57																
		-25 Ce Cerium 58																
		-26 Pr Praseodymium 59																
		-27 Nd Neodymium 60																
		-28 Pm Promethium 61																
		-29 Sm Samarium 62																
		-30 Eu Europium 63																
		-31 Gd Gadolinium 64																
		-32 Tb Terbium 65																
		-33 Dy Dysprosium 66																
		-34 Ho Holmium 67																
		-35 Er Erbium 68																
		-36 Tm Thulium 69																
		-37 Yb Ytterbium 70																
		-38 Lu Lutetium 71																
		-39 La Lanthanum 57																
		-40 Ce Cerium 58																
		-41 Pr Praseodymium 59																
		-42 Nd Neodymium 60																
		-43 Pm Promethium 61																
		-44 Sm Samarium 62																
		-45 Eu Europium 63																
		-46 Gd Gadolinium 64																
		-47 Tb Terbium 65																
		-48 Dy Dysprosium 66																
		-49 Ho Holmium 67																
		-50 Er Erbium 68																
		-51 Tm Thulium 69																
		-52 Yb Ytterbium 70																
		-53 Lu Lutetium 71																
		-54 La Lanthanum 57																
		-55 Ce Cerium 58																
		-56 Pr Praseodymium 59																
		-57 Nd Neodymium 60																
		-58 Pm Promethium 61																
		-59 Sm Samarium 62																
		-60 Eu Europium 63																
		-61 Gd Gadolinium 64																
		-62 Tb Terbium 65																
		-63 Dy Dysprosium 66																
		-64 Ho Holmium 67																
		-65 Er Erbium 68																
		-66 Tm Thulium 69																
		-67 Yb Ytterbium 70																
		-68 Lu Lutetium 71																
		-69 La Lanthanum 57																
		-70 Ce Cerium 58																
		-71 Pr Praseodymium 59																
		-72 Nd Neodymium 60																
		-73 Pm Promethium 61																
		-74 Sm Samarium 62																
		-75 Eu Europium 63																
		-76 Gd Gadolinium 64																
		-77 Tb Terbium 65																
		-78 Dy Dysprosium 66																
		-79 Ho Holmium 67																
		-80 Er Erbium 68																
		-81 Tm Thulium 69																
		-82 Yb Ytterbium 70																
		-83 Lu Lutetium 71																
		-84 La Lanthanum 57																
		-85 Ce Cerium 58																
		-86 Pr Praseodymium 59																
		-87 Nd Neodymium 60																
		-88 Pm Promethium 61																
		-89 Sm Samarium 62																
		-90 Eu Europium 63																
		-91 Gd Gadolinium 64																
		-92 Tb Terbium 65																
		-93 Dy Dysprosium 66																
		-94 Ho Holmium 67																
		-95 Er Erbium 68																
		-96 Tm Thulium 69																
		-97 Yb Ytterbium 70																
		-98 Lu Lutetium 71																
		-99 La Lanthanum 57																
		-100 Ce Cerium 58																
		-101 Pr Praseodymium 59																
		-102 Nd Neodymium 60																
		-103 Pm Promethium 61																
		-104 Sm Samarium 62																
		-105 Eu Europium 63																
		-106 Gd Gadolinium 64																
		-107 Tb Terbium 65																
		-108 Dy Dysprosium 66																
		-109 Ho Holmium 67																
		-110 Er Erbium 68																
		-111 Tm Thulium 69																
		-112 																

*58-71 Lanthanoid series
†90-103 Actinoid series

a	X	a = relative atomic mass
b	X	X = atomic symbol
		b = proton (atomic) number

Key

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.