



Cambridge Assessment International Education
Cambridge Ordinary Level

CHEMISTRY

5070/22

Paper 2 Theory

May/June 2019

MARK SCHEME

Maximum Mark: 75

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the May/June 2019 series for most Cambridge IGCSE™, Cambridge International A and AS Level and Cambridge Pre-U components, and some Cambridge O Level components.

This document consists of **14** printed pages.



Cambridge Assessment
International Education

PUBLISHED**Generic Marking Principles**

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always **whole marks** (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.

GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

PUBLISHED

Question	Answer	Marks
1(a)	H ₂ S (1)	1
1(b)	MnO ₄ ⁻ (1)	1
1(c)	NH ₄ ⁺ (1)	1

Question	Answer	Marks
2(a)(i)	0.155 – 0.190 (nm) (1)	1
2(a)(ii)	the melting point goes up and down (1)	1
2(b)	has many strong bonds (that have to be broken or overcome) / needs lots of energy to break or overcome many bonds (1)	1
2(c)(i)	aluminium oxide (dissolved) in (molten) cryolite (1)	1
2(c)(ii)	carbon / graphite (1)	1
2(c)(iii)	negative electrode: $Al^{3+} + 3e^{-} \rightarrow Al$ (1) positive electrode: $2O^{2-} \rightarrow O_2 + 4e^{-}$ (1)	2
2(d)	Al because it loses electrons (1)	1
2(e)	has a layer of oxide / aluminium oxide layer (1) layer is impermeable (to water) / coating is impermeable (to water) (1)	2

PUBLISHED

Question	Answer	Marks
2(f)	use hydrochloric acid (1) use excess aluminium (1) filter (off aluminium) (1) leave filtrate in warm place / evaporate solution to point of crystallisation then leave / leave in the sun (1)	4

Question	Answer	Marks
3(a)	high melting point / high boiling point / high density / (good) conductor of electricity / (good) conductor of heat / malleable / ductile / hard / strong / sonorous (1)	1
3(b)(i)	simple covalent molecule / simple covalent molecular (1)	1
3(b)(ii)	$\text{TiCl}_4(\text{l}) + 2\text{H}_2\text{O}(\text{l}) \rightarrow \text{TiO}_2(\text{s}) + 4\text{HCl}(\text{aq})$ balanced equation (1) state symbols – dependent on correct formulae (1)	2

Question	Answer	Marks
3(c)	Process 1: $\text{mol TiCl}_4 = \frac{1000}{190}$ OR 5.263 (1) Process 2: $\text{mass Ti} = \frac{1000}{190} \times 48$ OR 252.63 (1) Process 3: $\% = \frac{1000}{190} \times 48 \times 0.9$ OR 227.36 / 230g OR Process 1: $\text{mol TiCl}_4 = \frac{1000}{90}$ OR 5.263 (1) Process 2: $\% = \frac{90}{100} \times 5.263$ OR 4.736 (1) Process 3: $\text{mass} = 4.736 \times 48$ OR 227.36 / 230 g	3



Question	Answer	Marks
4(a)	One mark each for any three of: - fractional distillation petroleum is heated / petroleum vaporised (into column) - idea of components / fractions with different boiling points (fractions with) low boiling point come off at the top / (fractions with) high boiling point come off at the bottom / fractions come off at different levels (in the column)	3
4(b)	(surfacing) roads / (water-proofing) roofs (1)	1
4(c)(i)	idea that the formula fits C_nH_{2n+2} e.g. for $C_{12}H_{26}$ $n=12$ and $2n+2$ is 26 (1)	1
4(c)(ii)	correct balanced equation e.g. $C_{12}H_{26} \rightarrow C_{12}H_{24} + H_2$ OR $C_{12}H_{26} \rightarrow H_2 + 3C_4H_8$ etc. (1)	1
4(d)	(hydrogen) does not form carbon dioxide (1) so does not lead to greenhouse effect / flooding / drought / climate change (1) OR water is the only product (1) so does not lead to greenhouse effect / flooding / drought / climate change (1) OR (hydrogen) renewable / sustainable (1) hydrogen is not finite (resource) / (the product water) can be split up (or electrolysed) to give hydrogen / hydrogen can be formed again from water (1)	2

Question	Answer				Marks
5(a)	element	C	H	O	3
	%	57.1	4.8	38.1	
	moles	4.76	4.8	2.38	
	simplest mole ratio	2	2	1	
	% of oxygen (1)				
	moles / mole ratio (1)				
	empirical formula C ₂ H ₂ O (1)				
5(b)	moles of KOH = 0.0185 × 0.250 OR 0.004625 (1)				3
	moles of W = moles of KOH ÷ 3 OR 0.004625 ÷ 3 OR 0.00154 (1)				
	M _r = (0.194 / 0.00154) = 125.97 / 126 (1)				
5(c)	C ₆ H ₆ O ₃ (1)				1

Question	Answer	Marks
6(a)	removal of salt(s) (from sea water) (1)	1
6(b)(i)	fertilisers (1)	1
6(b)(ii)	eutrophication (1)	1
6(c)(i)	filtration (1)	1
6(c)(ii)	carbon / charcoal (1)	1
6(c)(iii)	chlorine (1)	1

Question	Answer	Marks
7(a)	ammonium iodide disappears / solid disappears / sample disappears / nothing left in tube (1)	1
7(b)	moles of ammonium iodide $\frac{2.9}{145}$ OR 0.02(00) (1) moles of gas = 2×0.02 OR 0.04(0) (1) volume of gas = $(0.04 \times 24) = 0.96 \text{ dm}^3$ OR 960 cm ³ (1)	3
7(c)	(acidified aqueous) silver nitrate (1) (pale) yellow ppt (1)	2
7(d)	$2\text{I}^-(\text{aq}) + \text{Br}_2(\text{aq}) \rightarrow \text{I}_2(\text{aq}) + 2\text{Br}^-(\text{aq})$ correct formulae and balanced (1) correct state symbols – dependent on correct formulae (1)	2
7(e)	in solid ions cannot move (1) in aqueous / solution ions can move (1)	2

Question	Answer	Marks
8(a)	idea that no reactants or products can escape (1)	1
8(b)	Less NO ₂ / concentration of NO ₂ decreases / more NO / more O ₂ (1) fewer moles of gas on the right hand side of the equation / fewer gas molecules on the right hand side of the equation (1)	2
8(c)(i)	the (forward) reaction releases heat / the (forward) reaction is exothermic (1)	1
8(c)(ii)	particles have less kinetic energy / particles moving slower (1) less successful collisions / less energetic collisions / less effective collisions / less particles with equal or above activation energy (1)	2
8(d)	correct structure (1)	1
8(e)	$2\text{NO}_2 + \text{H}_2\text{O} \rightarrow \text{HNO}_3 + \text{HNO}_2$ (1)	1
8(f)	strong acid completely dissociates / strong acid completely ionises (1) weak acid partially dissociates / weak acid partially ionises / little dissociation (1)	2

Question	Answer	Marks
9(a)	 correct monomer (1) correct use of n in front of monomer to balance the equation (1)	2
9(b)(i)	$2\text{C}_2\text{H}_3\text{Cl} + 5\text{O}_2 \rightarrow 4\text{CO}_2 + 2\text{H}_2\text{O} + 2\text{HCl}$ (1)	1
9(b)(ii)	HCl is an acid(ic gas) (1)	1
9(c)(i)	clothing / sleeping bags / rope / parachutes / fishing line / curtain materials (1)	1
9(c)(ii)	 (1)	1
9(d)	liquid / it changes from moving to vibrating / particles sliding over each other (in liquid) to vibrating (in solid) (1) liquid / it changes from disordered to ordered (in solid) / (particles) changing from irregularly arranged (in liquid) to regularly arranged (in solid) (1)	2
9(e)	positive ions in a sea of electrons (1) strong attraction between electrons and (positive) ions (1)	2

Question	Answer	Marks
10(a)	contains oxygen (atom) (1)	1
10(b)	does not have any carbon-carbon double bonds / all the carbon-carbon bonds are single bonds / the carbon-carbon bonds are only single bonds (1)	1
10(c)	EITHER test: Universal indicator (1) cyclobutanol: goes green / does not change colour (1) butanoic acid: goes red / orange or yellow (1) OR test: heat with named alcohol (1) cyclobutanol: no reaction (1) butanoic acid: gives sweet smelling compound (1) OR test: heat with named carboxylic acid (1) cyclobutanol: gives sweet smelling compound (1) butanoic acid: no reaction (1)	3
10(d)	$M_r = 72$ (1) % = 66.7 / 67 (1)	2

Question	Answer	Marks
10(e)(i)	ethanoic acid / CH_3COOH (1)	1
10(e)(ii)	(acidified) potassium manganate(VII) (1)	1
10(e)(iii)	methanol (1)	1