



Cambridge International Examinations
Cambridge Ordinary Level

CANDIDATE
NAME

--

CENTRE
NUMBER

--	--	--	--	--

CANDIDATE
NUMBER

--	--	--	--

COMBINED SCIENCE

5129/22

Paper 2

May/June 2016

2 hours 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer **all** questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

A copy of the Periodic Table is printed on page 24.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

This document consists of **24** printed pages.

- 1 A plant cell is shown in Fig. 1.1.




Fig. 1.1

- (a) Name the structures **A**, **B** and **C**.

A

B

C

[3]

- (b) A root hair cell is shown in Fig. 1.2.




Fig. 1.2

3

State **two** ways in which the root hair cell is different in structure from the cell in Fig. 1.1.
Explain the reason for each difference.

Write your answers in Table 1.1.

Table 1.1

	difference	reason for difference
1		
2		

[4]

- 2 The speed-time graph of part of a journey is shown in Fig. 2.1.




Fig. 2.1

Using the letters **A** to **E**, identify the point on the speed-time graph at which the motion changes

- (a) from constant speed to constant deceleration, [1]
- (b) from rest to non-uniform acceleration. [1]

- 3 A boy kicks a football into the air, as shown in Fig. 3.1.



Fig. 3.1

- (a) Complete the sentences below.

As the ball is kicked, energy is transferred from the boy to the ball.

This energy has been stored as energy
in the muscles of the boy's legs.

As it rises after being kicked, the ball gains
energy and loses energy. [3]

- (b) The energy transferred to the ball is 72 J.

- (i) The boot is in contact with the ball for 0.09 s.

Calculate the power of the kick.

power = W [1]

- (ii) The weight of the ball is 4 N.

Calculate the vertical distance travelled by the ball into the air.

distance = m [1]

- 4 Fig. 4.1 shows a paper chromatogram obtained from three coloured dyes and three inks **R**, **S** and **T**.

The three coloured dyes are yellow, blue and red.




Fig. 4.1

- (a) Name the ink that contains all three coloured dyes.[1]
- (b) Explain how the chromatogram shows that ink **S** is a pure substance.

[1]
- (c) (i) Explain why a pencil is used to draw the origin line.

[1]
- (ii) Name the ink that contains a colour which is insoluble in the solvent used for this chromatography experiment.
[1]

5 Maize plants photosynthesise and produce maize cobs.

In an investigation, different quantities of nitrogen-containing fertiliser are added to six similar fields of maize plants.

The fields are the same size.

Fig. 5.1 shows the mass of maize cobs produced in each field.




Fig. 5.1

- (a) (i)** Calculate the difference in the mass of maize cobs produced per hectare between field 1 and field 2.

..... kg per hectare [1]

- (ii)** Describe **two** trends shown in Fig. 5.1.

1

.....

2

.....[2]

- (b)** State a factor which affects the rate of photosynthesis.

.....

.....[1]

- 6 Two steel cans, each containing 100cm^3 of water at 20°C , are heated by an infra-red lamp, as shown in Fig. 6.1.




Fig. 6.1

The cans have different surface coatings. Each can is heated for 10 minutes and the final temperature of the water in each can is recorded.

Three results are obtained for each can.

The results are shown in Table 6.1.

Table 6.1

surface coating of can	temperature of water after 10 minutes/ $^\circ\text{C}$			
	test 1	test 2	test 3	average
black	40	38	38	38.7
shiny	22	24	25	

- (a) Complete Table 6.1 to show the average temperature of the water in the can with the shiny surface after 10 minutes. [1]

- (b) Complete the sentences below.

Energy is transferred from the lamp to the steel can by

Energy is then transferred through the steel can by [2]

- (c) Explain why the water in the black can has a larger temperature rise than the water in the shiny can.

.....
[1]

- 7 Mercury(II) oxide decomposes when it is heated.

The equation for the reaction is shown.



[A_r : O, 16; Hg, 201]

The relative molecular mass of mercury(II) oxide is 217.

- (a) Complete the following sentences.

434 g of mercury(II) oxide produces g of mercury and
..... g of oxygen.

10.85 g of mercury(II) oxide produces g of mercury. [3]

- (b) A sample of the gas produced in this reaction is collected.

State a test, and the result, which shows that this gas is oxygen.

test

result

.....[2]

- (c) State one use of oxygen in industry.

.....[1]


- (d) Complete the equation by adding the state symbols.



8 Biological structures and their functions are shown in Fig. 8.1.

Draw a straight line to connect each structure with its function.

One line has been drawn for you.



[5]

Fig. 8.1

- 9 Light enters a glass block as shown in Fig. 9.1.




Fig. 9.1

- (a) On Fig. 9.1, draw a ray to show the direction of the light after it has left the glass block. [1]
- (b) Calculate the angle r when the angle i is 54° .

The refractive index of the glass is 1.5.

Show your working.

$$r = \dots\dots\dots^\circ [2]$$

10 The structure of an atom of fluorine is shown in Fig. 10.1.




Fig. 10.1

(a) For this atom, state

(i) the proton number,

(ii) the nucleon number. [2]

(b) Complete Fig. 10.1 to show the electronic structure of this atom of fluorine. [1]

(c) Fluorine is in Group VII of the Periodic Table.

(i) State the general name given to the elements in Group VII.

..... [1]

(ii) State how the reactivity of the elements changes as the group is descended.

..... [1]

11 Five test-tubes are set up as shown in Fig. 11.1.

Each test-tube contains 20 seeds.

The seeds in each tube are provided with different environmental conditions.




Fig. 11.1

(a) (i) State **three** environmental conditions that are investigated in this experiment.

- 1
- 2
- 3[3]

(ii) Predict which two test-tubes contain seeds that germinate.

tube and tube [2]

(b) Explain how the enzyme amylase helps the seeds to germinate.

.....

[3]

12 A circuit diagram containing three resistors **P**, **Q** and **R** is shown in Fig. 12.1.




Fig. 12.1

(a) Calculate the combined resistance of resistors **P**, **Q** and **R**.

resistance = Ω [1]

(b) The circuit is switched on for 40 seconds.

The current in resistor **P** is 0.5 A.

(i) Calculate the potential difference (p.d.) across resistor **P**. State the unit.

potential difference = unit [2]

(ii) Calculate the charge passing through resistor **P** in 40 seconds.

charge = C [1]

(c) Explain why resistor **R** is the resistor with the largest potential difference across it.

.....
 [2]

13 Some reactions of ethene are shown in Fig. 13.1.




Fig. 13.1

(a) Identify processes **A** and **B** and reagent **C**.

process **A**

process **B**

reagent **C**

[3]

(b) Explain why a catalyst is used in the reaction to make ethanol from ethene.

.....

.....[1]

(c) In the space below, draw the structure of poly(ethene).

[2]

- 14** A microphone contains a coil of wire positioned in a strong magnetic field.

Sound waves are incident on a metal plate.

The plate is attached to a coil of wire.

The sound waves incident on the metal plate make the coil vibrate in a magnetic field.

A diagram of the microphone is shown in Fig. 14.1.




Fig. 14.1

- (a)** An electromotive force (e.m.f.) is induced between points **A** and **B** when the sound waves vibrate the metal plate.

State **three** changes that increase the magnitude of the induced e.m.f.

1

2

3[3]

- (b) (i) Sound waves in air have a speed of 330 m/s.

The sound waves incident on the metal plate have a constant frequency of 60 Hz.

Calculate the wavelength of the sound waves.

wavelength = m [2]

- (ii) The sound waves incident on the metal plate are of constant amplitude as well as constant frequency.

On Fig. 14.2, sketch how the e.m.f. induced in the microphone by the sound waves varies with time for **two** complete periods of the sound wave.




Fig. 14.2

[2]

15 Choose words from the list to complete the sentences below.

Each word may be used once, more than once or not at all.

acid

alcohol

bacteria

enamel

plaque

saliva

viruses

Teeth are used to chew food.

Pieces of sugary food left between the teeth are acted on by


This produces which attacks

the of the teeth.

[3]

- 16 Magnesium reacts with dilute hydrochloric acid to form a solution of magnesium chloride and hydrogen.

(a) Complete the equation for the reaction.



(b) Hydrogen is used to make ammonia.

State two **other** uses of hydrogen.

1

2[2]

(c) Describe how magnesium chloride crystals may be obtained from the magnesium chloride solution.

.....

.....

.....[2]

(d) Magnesium is a metal.

State **two** general physical properties of magnesium which show that it is a metal.

1

2[2]

17 The male reproductive system is shown in Fig. 17.1.




Fig. 17.1

State which letter shows the

structure which holds the testes outside the body cavity,

gland which produces fluid to add to sperm,

tube which is cut during vasectomy.

[3]

- 18** A magnet is used to attract an unmagnetised steel bar, as shown in Fig. 18.1(a).

The steel bar is removed from the magnet and is then able to attract a small iron nail, as shown in Fig. 18.1(b).




Fig. 18.1(a)




Fig. 18.1(b)

- (a)** State one property of magnets other than attraction.

.....[1]

- (b)** Explain why the steel bar is able to attract the small iron nail.

.....
[1]

- (c)** The steel bar in Fig. 18.1(a) is replaced by a bar made from soft iron.

The soft iron bar is then placed near a small iron nail.

State how what is observed is different to the behaviour shown in Fig. 18.1(b).

.....
[1]

- 19** Ammonia is manufactured by reacting nitrogen and hydrogen together in the presence of a catalyst.

The equation for the reaction is



Ammonia is used to manufacture the fertiliser ammonium sulfate.

- (a)** State the source of the nitrogen and of the hydrogen for this process.

nitrogen

hydrogen [2]

- (b)** Name the catalyst used in this reaction. [1]

- (c)** Ammonia dissolves in water to produce an alkaline solution.

- (i)** State the name of the ion which causes the solution to be alkaline.

..... [1]

- (ii)** Name the acid which reacts with ammonia to make ammonium sulfate.

..... [1]

- 20 State **three** medical problems associated with the excessive consumption of alcohol for many years.

1

.....

2

.....


3

.....[3]

- 21 Sn-121 is a radioactive isotope of tin.

Sb-121, an isotope of antimony, is produced by the radioactive decay of Sn-121.

Part of the equation for this decay is shown.



- (a) Determine the number of neutrons in the nucleus of an atom of Sn-121.

.....[1]

- (b) (i) State the type of emission that occurs when Sn-121 decays to Sb-121.

.....[1]

- (ii) Describe the change that occurs in the nucleus of an atom of Sn-121 as it decays to Sb-121.

.....

.....[1]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The Periodic Table of Elements

Group											
I	II										
		1 H hydrogen 1									
		Key atomic number atomic symbol name relative atomic mass									
3 Li lithium 7	4 Be beryllium 9										
11 Na sodium 23	12 Mg magnesium 24										
19 K potassium 39	20 Ca calcium 40	21 Sc scandium 45	22 Ti titanium 48	23 V vanadium 51	24 Cr chromium 52	25 Mn manganese 55	26 Fe iron 56	27 Co cobalt 59	28 Ni nickel 59	29 Cu copper 64	30 Zn zinc 65
37 Rb rubidium 85	38 Sr strontium 88	39 Y yttrium 89	40 Zr zirconium 91	41 Nb niobium 93	42 Mo molybdenum 96	43 Tc technetium —	44 Ru ruthenium 101	45 Rh rhodium 103	46 Pd palladium 106	47 Ag silver 108	48 Cd cadmium 112
55 Cs caesium 133	56 Ba barium 137	57–71 lanthanoids		72 Hf hafnium 178	73 Ta tantalum 181	74 W tungsten 184	75 Re rhenium 186	76 Os osmium 190	77 Ir iridium 192	78 Pt platinum 195	79 Au gold 197
87 Fr francium —	88 Ra radium —	89–103 actinoids		104 Rf rutherfordium —	105 Db dubnium —	106 Sg seaborgium —	107 Bh bohrium —	108 Hs hassium —	109 Mt meitnerium —	110 Ds darmstadtium —	111 Rg roentgenium —
										112 Cn copernicium —	
										116 Lv livermorium —	
										118 Og oganeson —	
										119 Uue unbinilium —	
										120 Uuh untrium —	
										121 Uuq unquadium —	
										122 Uub unbium —	
										123 Uut untrium —	
										124 Uuq unquadrium —	
										125 Uuq unpentium —	
										126 Uuq unhexium —	
										127 Uuq unseptium —	
										128 Uuq unoctium —	
										129 Uuq unennium —	
										130 Uuq unthulium —	
										131 Uuq unvigintiium —	
										132 Uuq untriacontium —	
										133 Uuq untriacontium —	
										134 Uuq untriacontium —	
										135 Uuq untriacontium —	
										136 Uuq untriacontium —	
										137 Uuq untriacontium —	
										138 Uuq untriacontium —	
										139 Uuq untriacontium —	
										140 Uuq untriacontium —	
										141 Uuq untriacontium —	
										142 Uuq untriacontium —	
										143 Uuq untriacontium —	
										144 Uuq untriacontium —	
										145 Uuq untriacontium —	
										146 Uuq untriacontium —	
										147 Uuq untriacontium —	
										148 Uuq untriacontium —	
										149 Uuq untriacontium —	
										150 Uuq untriacontium —	
										151 Uuq untriacontium —	
										152 Uuq untriacontium —	
										153 Uuq untriacontium —	
										154 Uuq untriacontium —	
										155 Uuq untriacontium —	
										156 Uuq untriacontium —	
										157 Uuq untriacontium —	
										158 Uuq untriacontium —	
										159 Uuq untriacontium —	
										160 Uuq untriacontium —	
										161 Uuq untriacontium —	
										162 Uuq untriacontium —	
										163 Uuq untriacontium —	
										164 Uuq untriacontium —	
										165 Uuq untriacontium —	
										166 Uuq untriacontium —	
										167 Uuq untriacontium —	
										168 Uuq untriacontium —	
										169 Uuq untriacontium —	
										170 Uuq untriacontium —	
										171 Uuq untriacontium —	
										172 Uuq untriacontium —	
										173 Uuq untriacontium —	
										174 Uuq untriacontium —	
										175 Uuq untriacontium —	
										176 Uuq untriacontium —	
										177 Uuq untriacontium —	
										178 Uuq untriacontium —	
										179 Uuq untriacontium —	
										180 Uuq untriacontium —	
										181 Uuq untriacontium —	
										182 Uuq untriacontium —	
										183 Uuq untriacontium —	
										184 Uuq untriacontium —	
										185 Uuq untriacontium —	
										186 Uuq untriacontium —	
										187 Uuq untriacontium —	
										188 Uuq untriacontium —	
										189 Uuq untriacontium —	
										190 Uuq untriacontium —	
										191 Uuq untriacontium —	
										192 Uuq untriacontium —	
										193 Uuq untriacontium —	
										194 Uuq untriacontium —	
										195 Uuq untriacontium —	
										196 Uuq untriacontium —	
										197 Uuq untriacontium —	
										198 Uuq untriacontium —	
										199 Uuq untriacontium —	
										200 Uuq untriacontium —	
										201 Uuq untriacontium —	
										202 Uuq untriacontium —	
										203 Uuq untriacontium —	
										204 Uuq untriacontium —	
										205 Uuq untriacontium —	
										206 Uuq untriacontium —	
										207 Uuq untriacontium —	
										208 Uuq untriacontium —	
										209 Uuq untriacontium —	
										210 Uuq untriacontium —	
										211 Uuq untriacontium —	
										212 Uuq untriacontium —	
										213 Uuq untriacontium —	
										214 Uuq untriacontium —	
										215 Uuq untriacontium —	
										216 Uuq untriacontium —	
										217 Uuq untriacontium —	
										218 Uuq untriacontium —	
										219 Uuq untriacontium —	
										220 Uuq untriacontium —	
										221 Uuq untriacontium —	
										222 Uuq untriacontium —	
										223 Uuq untriacontium —	
										224 Uuq untriacontium —	
										225 Uuq untriacontium —	
										226 Uuq untriacontium —	
										227 Uuq untriacontium —	
										228 Uuq untriacontium —	
										229 Uuq untriacontium —	
										230 Uuq untriacontium —	
										231 Uuq untriacontium —	
										232 Uuq untriacontium —	
										233 Uuq untriacontium —	
										234 Uuq untriacontium —	
										235 Uuq untriacontium —	
										236 Uuq untriacontium —	
										237 Uuq untriacontium —	
										238 Uuq untriacontium —	
										239 Uuq untriacontium —	
										240 Uuq untriacontium —	
										241 Uuq untriacontium —	
										242 Uuq untriacontium —	
										243 Uuq untriacontium —	
										244 Uuq untriacontium —	
										245 Uuq untriacontium —	
										246 Uuq untriacontium —	
										247 Uuq untriacontium —	
										248 Uuq untriacontium —	
										249 Uuq untriacontium —	
										250 Uuq untriacontium —	
										251 Uuq untriacontium —	
										252 Uuq untriacontium —	
										253 Uuq untriacontium —	
										254 Uuq untriacontium —	
										255 Uuq untriacontium —	
										256 Uuq untriacontium —	
										257 Uuq untriacontium —	
										258 Uuq untriacontium —	
										259 Uuq untriacontium —	
										260 Uuq untriacontium —	
										261 Uuq untriacontium —	
										262 Uuq untriacontium —	
										263 Uuq untriacontium —	
										264 Uuq untriacontium —	
										265 Uuq untriacontium —	
										266 Uuq untriacontium —	
										267 Uuq untriacontium —	
										268 Uuq untriacontium —	
										269 Uuq untriacontium —	
										270 Uuq untriacontium —	
										271 Uuq untriacontium —	
										272 Uuq untriacontium —	
										273 Uuq untriacontium —	
										274 Uuq untriacontium —	
										275 Uuq untriacontium —	
										276 Uuq untriacontium —	
										277 Uuq untriacontium —	
										278 Uuq untriacontium —	
										279 Uuq untriacontium —	
										280 Uuq untriacontium —	
										281 Uuq untriacontium —	
										282 Uuq untriacontium —	
										283 Uuq untriacontium —	
										284 Uuq untriacontium —	
										285 Uuq untriacontium —	
										286 Uuq untriacontium —	
										287 Uuq untriacontium —	
										288 Uuq untriacontium —	
										289 Uuq untriacontium —	
										290 Uuq untriacontium —	
										291 Uuq untriacontium —	

lanthanoids	57 La lanthanum 139	58 Ce cerium 140	59 Pr praseodymium 141	60 Nd neodymium 144	61 Pm promethium —	62 Sm samarium 150	63 Eu europium 152	64 Gd gadolinium 157	65 Tb terbium 159	66 Dy dysprosium 163	67 Ho holmium 165	68 Er erbium 167	69 Tm thulium 169	70 Yb ytterbium 173	71 Lu lutetium 175
	89 Ac actinium —	90 Th thorium 232	91 Pa protactinium 231	92 U uranium 238	93 Np neptunium —	94 Pu plutonium —	95 Am americium —	96 Cm curium —	97 Bk berkelium —	98 Cf californium —	99 Es einsteinium —	100 Fm fermium —	101 Md mendelevium —	102 No nobelium —	103 Lr lawrencium —

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.)