



Cambridge International Examinations
Cambridge Ordinary Level

CANDIDATE
NAME

CENTRE
NUMBER

--	--	--	--	--

CANDIDATE
NUMBER

--	--	--	--



COMBINED SCIENCE

5129/22

Paper 2

May/June 2017

2 hours 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer **all** questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

A copy of the Periodic Table is printed on page 28.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

This document consists of **27** printed pages and **1** blank page.



- 1 The boxes on the left-hand side of Fig. 1.1 show some elements and the boxes on the right-hand side show some uses of elements.

Draw one line from each element to link it with its use.

[5]

element	use
copper	making food containers
aluminium	making electrical wiring
chlorine	making light bulbs
nitrogen	treating water
argon	making ammonia

Fig. 1.1

3

- 2 Use the words from the list to complete the sentences about blood.

Each word may be used once, more than once, or not at all.

amylase**antibodies****haemoglobin****hormones****kidneys****lungs****cytoplasm****plasma****platelets****urea**

The blood contains cells. These are transported by the liquid part of blood

called

The substance called is made in the liver. It is transported in the blood to the where it is excreted.

Red blood cells absorb oxygen because they contain

The white blood cells produce

[5]

3 A golfer hits a ball.

The ball moves along a track that curves upwards, as shown in Fig. 3.1.




Fig. 3.1

The speed of the ball is recorded between time $t = 0.2$ s and time $t = 1.2$ s, as shown in Table 3.1.

Table 3.1

time t /s	0.2	0.4	0.6	0.8	1.0	1.2
$\frac{\text{speed}}{\text{m/s}}$	8.0	6.8	5.4	4.4	2.4	0.1

- (a)** Use the information in Table 3.1 to suggest the changes in the future motion of the ball from time $t = 1.2$ s to time $t = 1.8$ s.

.....


[3]

- (b)** Describe how the potential energy and the kinetic energy of the ball change from time $t = 0.2$ s to time $t = 1.2$ s.

.....
[1]

- 4 Copper(II) carbonate decomposes to produce copper(II) oxide and carbon dioxide.

The equation for the reaction is



- (a) The relative molecular mass of copper(II) carbonate is 124.

[A_r : O, 16; C, 12; Cu, 64]

Complete the following sentences.

124 g of copper(II) carbonate produce g of copper(II) oxide and g of carbon dioxide.

3.1 g of copper(II) carbonate produce g of copper(II) oxide. [3]

- (b) Copper(II) oxide is an ionic compound. Carbon dioxide is a covalent compound.

State **two** ways in which the properties of a covalent compound differ from the properties of an ionic compound.

1

.....

2

..... [2]

- (c) State the test for carbon dioxide and the result of the test.

test

result

..... [2]

5 (a) Define *osmosis*.

.....

.....

.....

.....[3]

(b) Fig. 5.1 shows a plant cell.




Fig. 5.1

(i) Name structures **A**, **B** and **C**.

Write your answers on Fig. 5.1.

[3]

(ii) On Fig. 5.1, draw a line from the label to show the position of the nucleus.

[1]

- (c) A plant cell is placed in distilled water and left for 20 minutes.

Fig. 5.2 shows the cell before placing in distilled water and after 20 minutes in distilled water.




Fig. 5.2

- (i) Describe **one** difference in the plant cell after the 20 minutes.

.....
[1]

- (ii) Explain how, in terms of diffusion **and** osmosis, the plant cell changes.

.....

[3]

- 6 A beam rests on a pivot.

The weight of the beam is negligible.

Masses **W**, **X** and **Y** are placed on the beam, as shown in Fig. 6.1.




Fig. 6.1

The weight of mass **W** is 12 N and the weight of mass **X** is 4 N.

Calculate the weight of mass **Y** that balances the beam.

weight = N [3]

7 Lithium, sodium and potassium are elements in Group I of the Periodic Table.

(a) (i) State the name given to the elements in Group I.

.....[1]

(ii) State the trend in the melting point of the Group I elements down the group from lithium to potassium.

.....[1]

(b) An atom of potassium has the proton number 19 and the nucleon number 39.

(i) State the number of neutrons in the nucleus of this atom of potassium.

.....[1]

(ii) Complete Fig. 7.1 to show the electronic structure of a potassium atom. [1]




Fig. 7.1

(c) Potassium reacts violently with oxygen to produce potassium oxide.

Potassium oxide dissolves in water to produce a solution that turns Universal Indicator purple.

(i) State the formulae of the two ions present in potassium oxide.

..... and[1]

(ii) Suggest the pH of the solution.

.....[1]

8 Fig. 8.1 shows a food web.




Fig. 8.1

(a) State what the arrows in the food web represent.

.....
[1]

(b) Name a producer in this food web

.....[1]

- (c) State the number of herbivore species and the number of carnivore species shown in Fig. 8.1.

Number of herbivore species

Number of carnivore species [2]

- (d) Dead animals are not always eaten by other animals.

Name **one** other type of organism that acts on the bodies of dead animals.

.....[1]

- 9 A candle flame emits light in all directions.

Two rays from point **P** on the flame are incident on a mirror, as shown in Fig. 9.1.




Fig. 9.1

- (a) (i) On Fig. 9.1,
1. draw a normal at each point where a ray is incident on the mirror,
 2. draw the reflected rays from the mirror,
 3. complete the diagram to show how the virtual image of point **P** is formed. [3]
- (ii) Comment on the distance from point **P** to the mirror and the distance from the virtual image of point **P** to the mirror.
-[1]

- (b) A thermometer is placed near the candle flame, as shown in Fig. 9.2.




Fig. 9.2

- (i) State the method of heat transfer from the flame to the thermometer.

.....[1]

- (ii) State one method of decreasing the initial rate of temperature rise of the thermometer.

Explain how this method works.

method

.....

explanation

.....

[2]

- (iii) Suggest why a clinical thermometer may **not** be suitable for this experiment.

.....

.....[1]

10 The alkanes are a homologous series of compounds.

Fig. 10.1 shows the relationship between the boiling point and the number of carbon atoms in alkane molecules.




Fig. 10.1


(a) Use Fig. 10.1 to predict the boiling point of heptane, C_7H_{16} .

boiling point =°C [1]

(b) State the general formula of the alkane homologous series.

.....[1]

- (c) Balance the equation for the complete combustion of heptane.



- (d) Heptane forms two different hydrocarbons and hydrogen when it is heated in the presence of a catalyst.


The equation for the reaction is



- (i) Name the process that heptane undergoes in this reaction.

.....[1]

- (ii) Complete the diagram to show the bonds in a molecule that has the formula C_2H_4 .



[1]

- (iii) Hydrogen used to be used to fill balloons.

Explain why hydrogen is no longer used to fill balloons.

.....[1]

11 Some students investigate their breathing rates.

The students count the number of breaths per minute when at rest and immediately after running 400 m.

Their results are shown in Fig. 11.1.




Fig. 11.1

- (a) (i)** Identify the student who has the highest breathing rate when at rest.

student[1]

- (ii)** Identify the student who has the smallest increase in breathing rate immediately after running 400 m.

student[1]

- (b)** Exercise increases breathing rate.

Suggest **one** other way in which breathing changes as a result of exercise.

.....[1]

- (c) Explain why the breathing rate increases during exercise.

.....

.....

.....

.....[2]

- 12 A power station produces hot waste gases, as illustrated in Fig. 12.1.




Fig. 12.1

- (a) Suggest why the hot waste gases rise up the chimney.

.....

.....[2]

- (b) The hot waste gases contain smoke particles.

Fig. 12.2 shows how the smoke particles may be removed from the hot waste gases as they rise to the top of the chimney.




Fig. 12.2

The metal grid gives the smoke particles a negative charge as they pass through it.

Explain how this causes the smoke particles to separate from the waste gases.

.....

[2]

- (c) The potential difference between the grid and the collecting plates in Fig. 12.2 is 45 000 V.

The collecting plates receive a total charge of 1.5 C each second.

- (i) Draw a circle around one of the numbers below to show the current between the grid and the collecting plates.

0.15 A 1.5 A 15 A 150 A [1]

- (ii) Use your answer to **c(i)** to calculate the electrical resistance between the grid and the collecting plates. State the unit.

resistance = unit [3]

13 Fig. 13.1 shows the electronic structure of an atom of oxygen.




Fig. 13.1

(a) Complete Fig. 13.2 to show the arrangement of the outer electrons in an oxygen molecule. [2]




Fig. 13.2

(b) When a hydrocarbon fuel burns in air, oxygen in the air is used and energy is released.

(i) State the approximate percentage of oxygen in the air.

.....[1]

(ii) State the name given to reactions that produce energy.

.....[1]

(c) Name the gas that reacts with oxygen during welding.

.....[1]

(d) Iron rusts in the presence of oxygen and water.

One method of preventing iron from rusting is galvanising.

State the name of the metal used to galvanise iron.[1]

14 Fig. 14.1 shows a section through a leaf.




Fig. 14.1

- (a) State why the cells in the upper mesophyll layer contain more chloroplasts than the cells in the lower mesophyll layer.

.....
[1]

- (b) State why the cells in the lower mesophyll layer have large air spaces between them.

.....
[1]

- (c) Stomata are usually found on the lower surface of the leaf.

Suggest a reason for this.

.....
[1]

15 A cross-section of a coffee-maker is shown in Fig. 15.1.




Fig. 15.1

Water flows through a one-way valve in the direction shown by the arrows.

It flows through a tube close to a heating element and drips onto the ground coffee.

- (a) A mass of 55 g of coffee dissolves in 1000 g of water to produce a coffee solution. The volume of the coffee solution is 1000 cm^3 .

Calculate the density of the coffee solution. State the unit.

density unit[3]

- (b) The heating element is connected to a 230 V mains power supply.

The current through the heating element is 9.0 A.

Draw a circle around one of the numbers below to show the power used by the heating element.

2.1 W

2.6 W

2.1 kW

26 kW

[1]

16 Table 16.1 shows data about five substances **A–E**.

Table 16.1

substance	conducts electricity when solid	conducts electricity when molten	melting point /°C	boiling point /°C
A	no	no	–51	–45
B	yes	yes	1903	2642
C	no	no	–7	58
D	yes	yes	181	1331
E	no	yes	772	1407

(a) Choose letters from Table 16.1 to fill in the blanks below.

Each letter may be used once, more than once, or not at all.

(i) The substance that is a liquid at room temperature is [1]

(ii) A substance that is a metal is [1]

(iii) The substance that is an ionic compound is [1]

(b) A chemist makes a sample of substance **E** and finds that it melts between 755°C and 768°C.

Suggest why the melting point of this sample of substance **E** is lower than the melting point shown in Table 16.1.

.....

.....[1]

- 17** Electrical heating equipment frequently contains a device to prevent the heating element becoming too hot.

Two different metals **X** and **Y** are joined together and placed in the circuit near to the heating element.

Fig. 17.1. shows the device when the temperature is in the normal operating range for the equipment.




Fig. 17.1

When the temperature is too high, the two metals bend and the circuit breaks, as shown in Fig. 17.2.




Fig. 17.2

- (a) (i)** Suggest why the heating element must be prevented from getting too hot.

.....
[1]

- (ii) Put a tick (✓) in the box next to the difference between metals **X** and **Y** that explains why the circuit breaks when the temperature is too high.

They have different densities.

☐

They have different electrical conductivities.

☐

They have different resistances.

☐

They have different thermal expansions.

☐

[1]

- (b) The power supply to the heating element is controlled by a switch at the mains socket, as shown in Fig. 17.3.

The electrical equipment is protected by a fuse inside the plug.

The switch and the fuse are in the live lead to the heating element, as shown in Fig. 17.4.




Fig. 17.3




Fig. 17.4

(i) Explain why a fuse is needed.

.....
.....[2]

(ii) Explain why the switch is placed in the live lead.

.....
.....[1]

(c) Some electrical appliances have only a live wire and a neutral wire.

A label on these appliances has the symbol for double insulation, as shown in Fig. 17.5.



Fig. 17.5

State a reason why these appliances do **not** need an earth wire.

.....
.....[1]

18 Fig. 18.1 shows five birth-control methods and examples of these methods.




Fig. 18.1

Complete Fig. 18.1 by drawing one line from each birth control method to an example of that method.

One has been done for you.

[4]

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The Periodic Table of Elements

Group																		
I	II						III	IV	V	VI	VII	VIII						
		1Hhydrogen1																
		Key atomic number atomic symbol name relative atomic mass																
3Li lithium 7	4Be beryllium 9											5B boron 11	6C carbon 12	7N nitrogen 14	8O oxygen 16	9F fluorine 19	10Ne neon 20	He helium 4
11Na sodium 23	12Mg magnesium 24											13Al aluminium 27	14Si silicon 28	15P phosphorus 31	16S sulfur 32	17Cl chlorine 35.5	18Ar argon 40	
19K potassium 39	20Ca calcium 40	21Sc scandium 45	22Ti titanium 48	23V vanadium 51	24Cr chromium 52	25Mn manganese 55	26Fe iron 56	27Co cobalt 59	28Ni nickel 59	29Cu copper 64	30Zn zinc 65	31Ga gallium 70	32Ge germanium 73	33As arsenic 75	34Se selenium 79	35Br bromine 80	36Kr krypton 84	
37Rb rubidium 85	38Sr strontium 88	39Y yttrium 89	40Zr zirconium 91	41Nb niobium 93	42Mo molybdenum 96	43Tc technetium —	44Ru ruthenium 101	45Rh rhodium 103	46Pd palladium 106	47Ag silver 108	48Cd cadmium 112	49In indium 115	50Sn tin 119	51Sb antimony 122	52Te tellurium 128	53I iodine 127	54Xe xenon 131	
55Cs caesium 133	56Ba barium 137	57–71 lanthanoids		72Hf hafnium 178	73Ta tantalum 181	74W tungsten 184	75Re rhenium 186	76Os osmium 190	77Ir iridium 192	78Pt platinum 195	79Au gold 197	80Hg mercury 201	81Tl thallium 204	82Pb lead 207	83Bi bismuth 209	84Po polonium —	85At astatine —	86Rn radon —
87Fr francium —	88Ra radium —	89–103 actinoids		104Rf rutherfordium —	105Db dubnium —	106Sg seaborgium —	107Bh bohrium —	108Hs hassium —	109Mt meitnerium —	110Ds darmstadtium —	111Rg roentgenium —	112Cn copernicium —	114Fl flerovium —		116Lv livermorium —			

lanthanoids	57 La lanthanum 139	58 Ce cerium 140	59 Pr praseodymium 141	60 Nd neodymium 144	61 Pm promethium —	62 Sm samarium 150	63 Eu europium 152	64 Gd gadolinium 157	65 Tb terbium 159	66 Dy dysprosium 163	67 Ho holmium 165	68 Er erbium 167	69 Tm thulium 169	70 Yb ytterbium 173	71 Lu lutetium 175
actinoids	89 Ac actinium —	90 Th thorium 232	91 Pa protactinium 231	92 U uranium 238	93 Np neptunium —	94 Pu plutonium —	95 Am americium —	96 Cm curium —	97 Bk berkelium —	98 Cf californium —	99 Es einsteinium —	100 Fm fermium —	101 Md mendelevium —	102 No nobelium —	103 Lr lawrencium —

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.)