Name

IONS COMPANIES C

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

BIOLOGY 0610/03

Paper 3 Extended

May/June 2004

1 hour 15 minutes

Candidates answer on the Question Paper. There are no Additional Materials.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in. Write in dark blue or black pen in the spaces provided on the Question Paper. You may use a soft pencil for any diagrams, graphs or rough working. Do not use staples, paper clips, highlighters, glue or correction fluid.

Answer all questions.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

If you have been given a label, look at the details. If any details are incorrect or missing, please fill in your correct details in the space given at the top of this page.

Stick your personal label here, if provided.

For Exam	iner's Use
1	
2	
3	
4	
5	
6	
7	
Total	

1 In Africa, mammals called jackals are quite common. They feed on small herbivores young springboks and dik-diks, hunting in packs to catch their prey. They will also eat la herbivores such as kudu that have been killed by larger predators such as lions.

ivores also eat la is.

rassland, were heir necks. He is sheep have A farmer in South Africa found that a number of his sheep, while feeding on grassland, were being killed by jackals. He noted that jackals always kill sheep by attacking their necks. He designed a plastic collar for the sheep that covered their necks. None of his sheep have been killed since fitting these collars. Other farmers are now buying the collars to protect their sheep from jackal attack.

(a)	The prey species of the jackal are usually primary consumers.
	State the type of food that all primary consumers eat.
	[1]
(b)	Name the two carnivores identified in the text.
	1
	2[1]
(c)	Construct a food chain for the jackal to show its relationship with sheep.
	[2]
(d)	Suggest a reason why jackals survive better when they hunt in packs.
	[1]
(e)	When the farmer started to use collars on his sheep, although none of his sheep were being killed, the population of jackals did not decrease.
	Suggest why the number of jackals did not decrease.
	[1]
(f)	Name two structures, found in the neck of a sheep, that could be damaged when jackals attack it.
	1
	2[2]

www.xtrapapers.com

(g) Some of the protected sheep die of old age and their remains are eaten by animals.

Suggest and explain why the collars of the dead sheep could create an environmental problem.

[Total : 10]

- Experts predict that 75% of the British population will be obese in 8 years time. The 2 is blamed on the popularity of 'junk food'. This sort of diet is unbalanced.
 - (a) Define the term balanced diet.

ts predict that 75% of the British population will be obese in 8 years time. The	For Examiner's Use
[0]	

A human diet consists of:

carbohydrates fats fibre minerals proteins vitamins water.

- (b) Underline two foodstuffs from the list above that, when eaten in excess, would be most likely to lead to obesity. [2]
- (c) Fig. 2.1 shows a chart to find a person's ideal mass.




Fig. 2.1

www.xtrapapers.com
For Examiner's Use

The following data was collected for three students, $\boldsymbol{X},\,\boldsymbol{Y}$ and $\boldsymbol{Z}.$

student	mass/kg	height/m	
X	50.8	1.55	
Υ	63.8	1.85	
Z	114.3	1.65	

	(i)	Identify the studer	nt who is								
		1. obese;									
		2. of low mass;									
		3. of ideal mass				[3]					
	(ii)	Suggest two health	h problems that co	ould be caused	d by obesity.						
		1									
		2				[2]					
(d)		ge food molecules a d below.	are made up of s	smaller units. S	Some of these smaller	r units are					
		amino acids	fatty acids	glycerol	simple sugars						
	Nar	ne the units that ma	ike up								
	1. s	tarch;									
	2. fa	ıts;									
	3. p	rotein				[4]					
(e)	Larç syst		are broken dow	n to form sma	aller molecules in the	digestive					
	(i)	Name the type of o	chemical that spe	eds up digestic	on.						
						[1]					
	(ii)	Explain why large digestive system.	molecules need	to be broken d	lown into small molect	ules in the					
						[2]					

[Total : 16]

[1]

3 Table 3.1 shows a student's daily water gains and losses.

Table 3.1

water gain/cm ³	3	water loss/cm ³		
drink	1650	urine	1500	
food	800	faeces	100	
water released in		expired air	400	
chemical reactions	350	sweat		
total	2800	total	2800	

(a)	Complete the table by calculating the volume of sweat lost by the student.
	Show your working in the space below.

(b) Name the organ responsible for 1. excreting water in expired air; 2. releasing water by sweating; 3. forming urine; 4. reabsorbing water from undigested food to form faeces. [4] (c) On a hot day the student still took in 2800 cm³ of water. (i) Suggest and explain what would happen to the volume of sweat and urine produced. sweat[2] urine

(d)

www.xtrapa
7 The volume of water gained and lost by the student is balanced. (ii) Name the term used for the maintenance of a constant internal environment.
The volume of water gained and lost by the student is balanced.
(ii) Name the term used for the maintenance of a constant internal environment.
[1]
Use words from the list below to complete the paragraph.
excretion glucose glycogen insulin liver oestrogen
pancreas secretion starch stomach sucrose
The blood stream transports a sugar called
The blood sugar level has to be kept constant in the body.
If this level falls below normal, a hormone called glucagon is released into the blood by
an endocrine organ called the
The release of a substance from a gland is called
Glucagon promotes the breakdown of to increase the blood sugar level.
If the blood sugar level gets too high, the endocrine organ secretes another hormone
called into the blood.
This hormone promotes the removal of sugar from the blood and its conversion to
glycogen in the
[Total : 16]

Fig. 4.1 shows part of a root.




Fig. 4.1

(a)	•	lain how the presence of root hair cells on roots enables the efficient absorption of er and minerals.
		[2]
(b)	Roo	ot hair cells can absorb mineral ions by diffusion and active transport.
	(i)	Define the term active transport.
		[2]
	(ii)	Explain why respiration rates may increase in root hair cells during the uptake of mineral ions.
		[1]

(c) Fig. 4.1 shows the position of xylem in the root.

	www.xtra	papers.co
	9	For Examiner's
Fig.	4.1 shows the position of xylem in the root.	Use
(i)	9 4.1 shows the position of xylem in the root. Describe how the structure of xylem tissue is adapted to its functions.	Marida
		G.COL
	[3]	
(ii)	Describe the mechanism of water movement through the xylem.	
	[2]]
	[Total : 10]]

Fig. 5.1 shows vehicles driving past a power station in Namibia and women 5 firewood they have cut.



Fig. 5.1

(a)		cribe ironme		an	increas	e of	carbon	dioxide	in	the	atmosphere	can	affect	the
														[2]
(b)					rence to on the e			de, expla	in h	ow e	each of the foll	lowing	g may h	nave
	(i)	the p	ower	stati	on;									
		•••••			•••••		•••••							ı

For Examiner's Use

(ii)	cutting down trees and burning the wood;	Use
		Abhidge com
		COM
	[3]	
(iii)	running motor vehicles such as the van or car.	l l
	rol .	
	[3]	
	[Total : 11]	

For Examiner's

[Total: 7]

12 6 One variety of cat can have short hair or long hair. The allele for short hair (H) is dom the allele for long hair (h). A cat breeder has a short haired cat. Its genotype can be HH or Hh: there is no visible difference between these genotypes. This short haired cat is crossed with a long haired cat, **hh**. (a) Construct genetic crosses to predict the ratios produced if the short haired cat is: heterozygous, Hh; [3] (ii) homozygous, HH. [3]

(b) Suggest how the offspring from (a)(ii) would be different if the alleles were co-dominant.

iron. Hu The first nubreast milk 7 Breast milk contains all the nutrients a baby needs except for vitamin C and iron. A the baby has sufficient iron stored in its liver for the first months of its life. The first in breast-fed baby receives is called colostrum. After a few days, normal breast milk produced.

Table 7.1 compares the composition of colostrum and normal breast milk.

Table 7.1

	nutrient/g per 100 cm ³		
	fat	protein	sugar
colostrum	2.5	8.0	3.5
normal breast milk	4.0	2.0	8.0

(a)		e data from Table 7.1 to describe how the amounts of fat, protein and sugar are erent in colostrum and normal breast milk.
		[1]
(b)	Cal	aby feeding on normal breast milk drinks one litre of milk per day. culate how much protein the baby receives per day. ow your working.
		[2]
(c)	(i)	Suggest a suitable fruit juice a mother could give her baby to provide vitamin C.
		[1]
	(ii)	Young children enjoy drinking fruit drinks with a high sugar content, sucked from a bottle with a teat. Explain how this habit can result in high levels of tooth decay.
		[4]
(d)	Chil sho	dren sometimes develop an iron deficiency. Describe the symptoms they would w.
		[2]

14

BLANK PAGE

15

BLANK PAGE

16

BLANK PAGE

Www.xtrapapers.com

Copyright Acknowledgements:

Question 2 Fig. 2.1 Applin, D and Williams, G; Height and Weight Chart in Key Science Biology, Stanley Thomas.

Question 5 Fig. 5.1 Tarr, P; Namibia Environment; vol. 1, MacMillan Press.

Every reasonable effort has been made to trace all copyright holders where the publishers (i.e. UCLES) are aware that third-party material has been reproduced. The publishers would be pleased to hear from anyone whose rights they have unwittingly infringed.

University of Cambridge International Examinations is part of the University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.