1 hour 15 minutes





Cambridge International Examinations

Cambridge International General Certificate of Secondary Education

CANDIDATE NAME		
CENTRE NUMBER	CANDIDATE NUMBER	
CHEMISTRY		0620/33
Paper 3 (Extended)		May/June 2015

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

A copy of the Periodic Table is printed on page 12.

You may lose marks if you do not show your working or if you do not use appropriate units.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.



1

Use you	ur copy of the Periodic Table to help you answer these questions.	
(a) Pre	edict the formula of each of the following compounds.	
(i)	aluminium fluoride	[1]
(ii)	arsenic oxide	[1]
(iii)	silicon bromide	[1]
(b) De	educe the formula of each of the following ions.	
(i)	phosphide	[1]
(ii)	barium	[1]
(iii)	francium	[1]
(c) Draw a diagram showing the arrangement of the valency electrons in one molecule of the covalent compound carbon dioxide.Use x to represent an electron from a carbon atom.Use o to represent an electron from an oxygen atom.		

[3]

[Total: 9]

© UCLES 2015 0620/33/M/J/15 **2** This question is concerned with the following oxides.

aluminium oxide
carbon monoxide
copper(II) oxide
silicon(IV) oxide
sodium oxide
sulfur dioxide
zinc oxide

Choose **one** oxide from the above list to match each of the following descriptions. An oxide may be used once, more than once or not at all.

(a)	This oxide does not react with acid or alkali.	[1]
(b)	This oxide reacts with water to give a strong alkali solution.	[1]
(c)	This oxide is used as a bleach.	[1]
(d)	This oxide is amphoteric.	[1]
(e)	This oxide has a giant covalent structure.	[1]
(f)	This oxide is soluble in water and it is acidic.	[1]
	[Total	: 6

3 Quicklime, which is calcium oxide, is made by heating limestone in a furnace.

$$CaCO_3(s) \rightleftharpoons CaO(s) + CO_2(g)$$

The reaction does not come to equilibrium.

(a)	Sug	ggest why the conversion to calcium oxide is complete.
(b)		cium hydroxide, slaked lime, is made from calcium oxide. te an equation for this reaction.
		[2
(c)		culate the maximum mass of calcium oxide which could be made from 12.5 tonnes or cium carbonate. 1 tonne = 1×10^6 g.
		[2
(d)		estone is used in agriculture to reduce the acidity of soil and for the desulfurisation of flue
	(i)	Most crops thrive in soils whose pH is close to 7. Calcium carbonate, which is insoluble in water, and calcium oxide, which is slightly soluble in water, are both used to reduce the acidity of soils.
		Suggest two advantages of using calcium carbonate for this purpose.
		1
		2
	(ii)	Explain the chemistry of desulfurisation of flue gases.
		[3
	(iii)	Give one other use of calcium carbonate.
		[1

[Total: 11]

4	(a)	(i)	Coal is a solid fossil fuel.
			Name another fossil fuel.
			[1]
		(ii)	Explain what is meant by the term fossil fuel.
			[2]
	(b)		burning of fossil fuels is largely responsible for the formation of acid rain. Two of the acids cid rain are sulfuric acid and nitric acid.
		(i)	Explain how the combustion of coal can form sulfuric acid.
			[3]
		(ii)	High temperatures generated by the combustion of fossil fuels can lead to the formation of nitric acid. Explain.
			[3]
		(iii)	Nitric acid contains nitrate ions.
			Describe a test for nitrate ions.
			[2]
		(iv)	Explain how you could determine which one of two samples of acid rain had the higher concentration of hydrogen ions.
			[2]
			[Total: 13]

5 The law of constant composition states that all pure samples of a compound contain the same elements in the same proportion by weight.

A typical experiment to test this law is to prepare the same compound by different methods and then show that the samples have the same composition.

Methods of making copper(II) oxide include:

- heating copper carbonate,
- heating copper hydroxide,
- heating copper nitrate,
- heating copper foil in air.
- (a) Complete the following equations.

(i)
$$CuCO_3 \rightarrow +$$
 [1]

(ii)
$$Cu(OH)_2 \rightarrow \dots + \dots + \dots$$
 [1]

(iii)
$$2Cu(NO_3)_2 \rightarrow \dots + 4NO_2 + \dots$$
 [2]

- (b) Copper oxide can be reduced to copper by heating in hydrogen.
 - (i) What colour change would you observe during the reduction?

ŗ	4.5
	1 I
	- 1 1

(ii) Explain why the copper must be allowed to cool in hydrogen before it is exposed to air.

......[2]

(iii) Name another gas which can reduce copper(II) oxide to copper.

......[1]

(iv) Name a solid which can reduce copper(II) oxide to copper.

[1]

© UCLES 2015 0620/33/M/J/15

- (c) The table below shows the results obtained by reducing the copper($\rm II$) oxide produced by different methods to copper.
 - (i) Complete the table.

source of copper(II) oxide	mass of copper(II) oxide/g	mass of copper/g	percentage copper/%
CuCO ₃	2.37	1.89	79.7
Cu(OH) ₂	2.51	1.99	
Cu(NO ₃) ₂	2.11	1.68	
Cu and O ₂	2.29	1.94	

١	2	
	-	۱


(11)	One of the samples of copper(11) oxide is impure.	

Identify this sample and suggest an explanation why the per sample is bigger than in the other three samples.	centage of copper in this
	[2]
	[Total: 13]

6	Chemical	reactions	are alway	s accompanied b	y an energy change
_	Ollollioai	1000110110	are array	o accompanie	, all olloig, ollalige

(a)	Al_2	minium is extracted by the electrolysis of a molten mixture which contains aluminium oxi O_3 . This decomposes to form aluminium at the negative electrode and oxygen at the posictrode.	•
	(i)	Write an ionic equation for the reaction at the negative electrode.	
			[2]
	(ii)	Complete the ionic equation for the reaction at the positive electrode.	
		$20^{2-} \rightarrow \dots + \dots$	[2]
	(iii)	Is the reaction exothermic or endothermic? Explain your answer.	

(b) The cell shown below can be used to determine the order of reactivity of metals.



(i)	Is the reaction in the cell exothermic or endothermic? Explain your answer.
	[1

© UCLES 2015 0620/33/M/J/15

(ii)	Explain why the mass of the magnesium electrode decreases and the mass of the copper electrode increases.
(iii)	How could you use this cell to determine which is the more reactive metal, magnesium or manganese?
	[2]
-	te combustion of propane, C_3H_8 , is exothermic. The vector of propane is a second of propane is a second of propane.
	[2]
d) Ph	otosynthesis is an unusual endothermic reaction.
(i)	Where does the energy for photosynthesis come from?
	[1]
(ii)	Give the word equation for photosynthesis.
	[1]
	[Total: 14]

7 (a) Alkanes and alkenes are both hydrocarbons.

(i)	How does the structure of alkenes differ from the structure of alkanes?	
		[1]
(ii)	Is the straight-chain hydrocarbon $C_{22}H_{44}$ an alkane or an alkene? Explain your choice.	
		[2]
(iii)	Describe how you could distinguish between pentane and pentene.	
	test	
	result with pentane	
	result with pentene	
		[3]

- **(b)** Alkenes polymerise to form poly(alkenes).
 - (i) The alkene 1,1-dichloroethene has the structural formula given below.

Draw the structural formula of the polymer formed by the polymerisation of 1,1-dichloroethene.

[3]

(ii) The structural formula of a different polymer is given below.

Deduce the structural formula of the monomer used to form this polymer.

		[2]
(iii)	There are two types of polymerisation - addition and condensation.	
	Explain the difference between them.	
		[2]
(iv)	There are two types of condensation polymer.	
	Give the name of one type of condensation polymer.	
		[1]
	[Total:	14]

© UCLES 2015 0620/33/M/J/15

DATA SHEET
The Periodic Table of the Elements

								Gro	Group								
-	=											=	≥	>	5	=	0
							T Hydrogen										4 H
							1										2
7	6											#	12	14	16	19	20
=	Be											Ф	ပ	Z	0	ш	Ne
Lithium 3	Beryllium 4	E.										Boron 5	Carbon 6	Nitrogen 7	Oxygen 8	Fluorine 9	Neon 10
23	24											27	28	31	32	35.5	40
Na	Mg											ΝI	Si	۵	ဟ	10	Ā
Sodium 11	Magnesium 12	Ę										Aluminium 13	Silicon 14	Phosphorus 15	Sulfur 16	Chlorine 17	Argon 18
39	40	45	48	51	52	55	26	29	69	64	65	20	73	75	79	80	84
¥	Ca	လွ	F	>	င်	M	Fe	ပိ	Ż	Cn	Zu	Са	Ge	As	Se	B	궃
Potassium 19	Calcium 20	Scandium 21	Titanium 22	Vanadium 23	Chromium 24	Manganese 25	Iron 26	Cobalt 27	Nickel 28	Copper 29	Zinc 30	Gallium 31	Germanium 32	Arsenic 33	Selenium 34	Bromine 35	Krypton 36
85	88	88	91	93	96		101	103	106	108	112	115	119	122	128	127	131
Rb	S	>	Zr	Q Q	Mo	ဥ	Ru	Rh	Pd	Ag	ဦ	In	Sn	Sp	<u>е</u>	н	Xe
Rubidium 37	Strontium 38	m Yttrium 39	Zirconium 40	Niobium 41	Molybdenum 42	Technetium 43	Ruthenium 44	Rhodium 45	Palladium 46	Silver 47	Cadmium 48	Indium 49	Tin 50	Antimony 51	Tellurium 52	lodine 53	Xenon 54
133	137	139	178	181	184	186	190	192	195	197	201	204	207	209			
Cs	Ba	Га	Ŧ	Та	>	Re	Os	i	풉	Αn	Hg	1 L	Pb	Ξ	Ро	Ą	Ru
Caesium 55	Barium 56	Lanthanum 57 *	Hafnium 72	Tantalum 73	Tungsten 74	Rhenium 75	Osmium 76	Iridium 77	Platinum 78	Gold 79	Mercury 80	Thallium 81	Lead 82	Bismuth 83	Polonium 84	Astatine 85	Radon 86
	226																
Ļ																	
Francium 87	Radium 88	Actinium †															
*58_71	Juedthe	l anthanoid series		140	141	144		150	152	157	159	162	165	167	169	173	175
90-103	190-103 Actinoid series	J series		Ce		DZ :	Pm	Sm	Eu	gd Gd	Q	Dy	Ho	<u>й</u> ;	E ,	Υp	ר ר
	2			Cerium 58	Praseodymium 59	Neodymium 60	Promethium 61	Samarium 62	Europium 63	Gadolinium 64	Terbium 65	Dysprosium 66	Holmium 67	Erbium 68	Thulium 69	Ytterbium 70	Lutetium 71
	а	a = relative atomic mass	ic mass	232		238											
Key	×	X = atomic symbol	loc	Th	Pa	-	dN	Pu	Am	Cm	BK	ర	Es	Fm	Md	%	ځ
q		b = proton (atomic) number	iic) number	Thorium 90	Protactinium 91	Uranium 92	Neptunium 93	Plutonium 94	Americium 95	Curium 96	Berkelium 97	Califomium 98	Einsteinium 99	Fermium 100	Mendelevium 101	Nobelium 102	Lawrencium 103
			_														

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.