



Cambridge International Examinations

Cambridge International General Certificate of Secondary Education

CANDIDATE NAME		
CENTRE NUMBER	CANDIDATE NUMBER	
CHEMISTRY		0620/32

Paper 3 (Extended)

October/November 2015

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

A copy of the Periodic Table is printed on page 12.

You may lose marks if you do not show your working or if you do not use appropriate units.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.

This document consists of 12 printed pages.



1

Use you	ur copy of the Periodic Table to help you answer some of these questions.
(a) Pre	edict the formulae of the following compounds.
(i)	nitrogen fluoride
(ii)	phosphorus sulfide
	[2]
(b) De	duce the formulae of the following ions.
(i)	selenide
(ii)	gallium
	[2]
(c) Us	e the following ions to determine the formulae of the compounds.
ion	s OH- Cr ³⁺ Ba ²⁺ SO ₄ ²⁻
COI	mpounds
(i)	chromium(III) sulfate
(ii)	barium hydroxide
	[2]
	[Total: 6]

© UCLES 2015 0620/32/O/N/15

2	(a)		uted air contains two oxides of carbon and two oxides of nitrogen. A major source of these utants is motor vehicles.
		(i)	Describe how carbon dioxide and carbon monoxide are formed in motor vehicle engines.
		(ii)	State one adverse effect of each of these gases.
		` '	
	((iii)	Nitrogen monoxide, NO, is released by motor vehicle exhausts.
			Explain how nitrogen monoxide is formed in motor vehicle engines.
	((iv)	When nitrogen monoxide is released into the atmosphere, nitrogen dioxide, NO_2 , is formed. Suggest an explanation why this happens.
			[1]
	(b)		dict the possible adverse effect on the environment when this non-metal oxide, NO_2 , reacts water and oxygen.
			[2]
	(c)		v are the amounts of carbon monoxide and nitrogen monoxide emitted by modern motor icles reduced? Include an equation in your answer.
			[3]
			[7] [Total: 13]
			i idal. 137

3 Two of the main uses of zinc are for galvanising and for making alloys.

One of the main ores of zinc is zinc blende, ZnS. There are two stages in the extraction of zinc from this ore.

(a)	Stage 1 Zinc oxide is made from zinc blende.	
	Describe how this is done and write a word equation for the reaction.	
		[2]
(b)	Stage 2 Zinc oxide is reduced to zinc.	
	Write a word equation for the reduction of zinc oxide by coke.	
		[1]
(c)	The zinc produced by this process is impure. It can be purified by electrolysis using a number which is similar to the purification of copper. Under the conditions used in the process, he product at the negative electrode (cathode).	
	Complete the following description of this purification.	
	The electrolyte is aqueous	[1]
	The negative electrode (cathode) is made of	[1]
	The positive electrode (anode) is impure zinc.	
	The equation for the reaction at the cathode is	[1]
	The equation for the reaction at the anode is	[1]
	Explain why the concentration of the electrolyte does not change.	
		[2]

(d)	Bra	ss is an alloy which contains zinc.
	(i)	Name the other metal in brass.
		[1]
	(ii)	Suggest two reasons why an alloy such as brass is preferred to either of its constituent metals.
		[2]
(e)	pie	In experiment to investigate the rate of rusting of steel, three pieces of steel were used. One ce of steel was completely coated with copper, one piece completely coated with zinc and third piece was left uncoated. All three pieces were left exposed to the atmosphere.
	(i)	Explain why the uncoated piece started to rust.
		[1]
	(ii)	The coating on both of the other two pieces was scratched, exposing the steel.
		exposed steel thin layer does not rust of zinc
		steel
		The piece of steel coated with zinc still did not rust but the copper-coated piece of steel rusted very rapidly.
		Explain these observations in terms of the formation of ions and the transfer of electrons.
		[4]
		[Total: 17]

4	(a)	Propane reacts	with	chlorine	to	form	а	mixture	of	chloropropanes.	This i	s a	a photoche	mica
		reaction.												

(i) What is meant by the phrase photochemical reaction?

(ii) The products of this reaction include two isomers, one of which has the following structural formula.

Draw the structural formula of the other isomer.

		[1]
(iii)	Explain why these two different compounds are isomers.	
		. [2]

© UCLES 2015 0620/32/O/N/15

(b) Bond breaking is an endothermic change and bond forming is an exothermic change.

Bond energy is the amount of energy in kJ/mol needed to break one mole of the specified bond.

Use the following bond energies to determine whether this reaction is exothermic or endothermic. You must show your reasoning.

bond	bond energies in kJ/mol
C-C1	338
C–H	412
Cl-Cl	242
H–C1	431
C–C	348

 	•												
 	•												
												[3	۲
 🧸	,												

(c)	(i)	Chloropropane can be hydrolysed to propanol, CH ₃ CH ₂ CH ₂ OH, by sodium hydroxide.	
		Write the equation for this reaction.	
			[2]
((ii)	Propanol can be dehydrated. It loses a water molecule to form a hydrocarbon.	
		Give the name and structural formula of this hydrocarbon.	
		name	
		structural formula	
			[2]
(iii)	Propanol is oxidised to a carboxylic acid by acidified potassium manganate(VII).	
		Deduce the name of this acid.	
			[1]
(al \	Dua	named we get a with weath angle gold to form the cotor properly mothers at	
(a)	Pro	panol reacts with methanoic acid to form the ester propyl methanoate.	
		CH ₃ CH ₂ CH ₂ OH + HCOOH → HCOOCH ₂ CH ₂ CH ₃ + H ₂ O	
	4.0	g of methanoic acid was reacted with 6.0 g of propanol.	
	(i)	Calculate the M_r of methanoic acid =	[1]
((ii)	Calculate the M_r of propanol =	[1]
(iii)	Determine which one is the limiting reagent. Show your reasoning.	
			[2]
(iv)	Calculate the maximum yield in grams of propyl methanoate, M_r = 88.	
			[1]
		[Total:	17]

© UCLES 2015 0620/32/O/N/15

5 Iron is extracted from its ore, hematite, in a blast furnace.

Substances added to the furnace are:

- iron ore, hematite, containing impurities such as silica, SiO₂
- air
- coke, C
- limestone, CaCO₃

Substances formed in the blast furnace are:

- molten iron
- molten slag
- waste gases such as carbon dioxide

(a)	State the two functions of the coke used in the blast furnace.	
(b)	Write an equation for the conversion of hematite, Fe ₂ O ₃ , to iron.	[2]
(c)	Explain how the silica impurity is removed and separated from the molten iron.	
		[3]
(d)	The molten iron from the furnace is impure. It contains impurities which include the element carbon.	
	Explain how the carbon is removed. Include an equation in your answer.	
		[3]

[Total: 10]

6 The table below shows the elements in the third period of the Periodic Table, the number of electrons in their outer energy level, their oxidation state in their common compounds and their melting points.

element	Na	Mg	Αl	Si	Р	S	Cl	Ar
number of outer electrons	1	2	3	4	5	6	7	8
oxidation state	+1	+2	+3	+4/-4	-3	– 2	- 1	0
melting point/°C	98	650	660	1414	317	115	-101	-189

(a)	Describe and explain the variation in oxidation state across the period.	
		[3]
(b)	The first three elements, Na, Mg and A <i>l</i> , are metals.	
	Describe the structure of a typical metal.	
		[3]
(c)	Explain why Na, Mg and A <i>l</i> are good conductors of electricity.	
		[1]
(d)	Which element exists as diatomic molecules of the type X ₂ ?	
		[1]
(e)	Silicon has a similar structure to diamond.	
	Explain why silicon has the highest melting point in the period.	
		[2]

(f)	f) Sodium chloride is a crystalline solid with a high melting point. It dissolves in water to give neutral solution. Phosphorus trichloride is a liquid at room temperature. It reacts with water form an acidic solution.							
	Suggest an explanation for these differences in properties.							
	[2]							
(g)	Describe how you could show that magnesium oxide is a basic oxide and not an amphoteric							
(9)	oxide.							
	[2]							
41.								
(n)	Draw a dot-and-cross diagram showing the bonding in magnesium oxide. Show outer electrons only.							

[3]

[Total: 17]

DATA SHEET
The Periodic Table of the Elements

	0	4 He Helium	20 Neon 10 Neon 40 Ar Argon	84 Kr Krypton 36	131 Xe Xenon	Radon 86	Luetium Lutetium 71 Lawrencium 103
Group	II/		19 Fluorine 9 35.5 C1 Chlorine	80 Br Bromine 35	127 II lodine	At Astatine 85	Yb Yterbium 70 Nobelium
	N		16 Oxygen 32 32 Sulfur 16	79 Se Selenium 34	128 Te Tellurium 52	Po Polonium 84	Tm Thulium 69 Mandelevium 101
	^		14 Nitrogen 7 31 Phosphorus 15	75 AS Arsenic 33	122 Sb Antimony 51	209 Bismuth 83	Er Erbium 68 Fm Fermium
	2		Carbon 6 Carbon 8 Silicon 14	73 Ge Germanium	Sn Tin 50	207 Pb Lead 82	Ho Holmium 67 Einsteinium 99
			11 Boron 5 27 A1 Aluminium 13	70 Ga Gallium	115 In Indium	204 T t Thallium 81	Dysprosium 66 Californium 98
				65 Zn Zinc 30	112 Cd Cadmium 48	201 Hg Mercury 80	Tb Terbium 65 Berkelium 97
				64 Cu Copper	108 Ag Silver 47	Au Gold 7:9	Gd Gadolinium 64 Cm Curium 96
				59 X Nickel	106 Pd Palladium 46	195 Pt Platinum 78	Europium 63 Am Americium 95
			1	59 Co Cobalt	103 Rh Rhodium 45	192 II r Iridium 77	Sm Samarium 62 Pu Plutonium 94
		1 Hydrogen		56 Fe Iron	Ruthenium 44	190 Os Osmium 76	Pm Promethium 61 Np Neptunium 93
				Mn Manganese	Tc Technetium 43	186 Re Rhenium 75	144 Neodymium 60 238 Uranium 92
				52 Cr Chromium 24	96 Mo Molybdenum 42	184 W Tungsten 74	Praseodymium 59 Pa Praseodymium 59 Pa Protactinium 91
				51 Vanadium 23	Niobium 41	181 Ta Tantalum 73	140 Ce Cerium 58 232 Th
				48 Ti Titanium	2r Zr Zirconium 40	178 #f Hafnium 72	nic mass bol nic) number
				Scandium 21	89 Yttrium 39	Lanthanum 57 ** 227 ** Actinium +*	5 % S
	=		Beryllium 4 84 Mg Magnesium 12	40 Cal Calcium	Strontium	137 Ba Barium 56 226 Ra Radium	noid
	_		Lithium 3 Lithium 3 Ra Na Sodium 11	39 K Potassium 19	Rb Rubidium 37	Caesium 55	*58-71 L 190-103 Key

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).