



Cambridge Assessment International Education
Cambridge International General Certificate of Secondary Education

CHEMISTRY

0620/51

Paper 5 Practical

October/November 2017

MARK SCHEME

Maximum Mark: 40

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the October/November 2017 series for most Cambridge IGCSE[®], Cambridge International A and AS Level components and some Cambridge O Level components.

© IGCSE is a registered trademark.

This syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.

This document consists of **5** printed pages.



Question	Answer	Marks
1(a)	temperature boxes completed correctly with decreasing trend shown	1
	results comparable to the supervisor's	1
1(b)	temperature boxes completed correctly with increasing trend shown	1
	results comparable to the supervisor's	1
1(c)	all points plotted	2
	two smooth line graphs	1
	both graphs appropriately labelled	1
1(d)(i)	value from graph	1
	shown clearly	1
1(d)(ii)	value from graph	1
	shown clearly	1
1(e)	exothermic	1
1(f)	room temperature / initial temperature from table AND reaction has finished / all the solid has dissolved	1

Question	Answer	Marks														
1(g)	<table border="1"> <thead> <tr> <th data-bbox="412 218 1057 268">source of error</th> <th data-bbox="1057 218 1861 268">improvement</th> </tr> </thead> <tbody> <tr> <td data-bbox="412 268 1057 319">heat losses</td> <td data-bbox="1057 268 1861 319">use a lid / lag the apparatus</td> </tr> <tr> <td data-bbox="412 319 1057 368">use of a measuring cylinder</td> <td data-bbox="1057 319 1861 368">use a pipette/burette</td> </tr> <tr> <td data-bbox="412 368 1057 419">wet cup in the second experiment</td> <td data-bbox="1057 368 1861 419">use new/another cup OR dry the cup</td> </tr> <tr> <td data-bbox="412 419 1057 470">the solid absorbs water from the air</td> <td data-bbox="1057 419 1861 470">store in a sealed container / airtight container / desiccator</td> </tr> <tr> <td data-bbox="412 470 1057 521">only done once</td> <td data-bbox="1057 470 1861 521">repeat and average</td> </tr> <tr> <td data-bbox="412 521 1057 604">different masses of solids used / masses of solids not measured</td> <td data-bbox="1057 521 1861 604">use same mass of solid / weigh the solids</td> </tr> </tbody> </table>	source of error	improvement	heat losses	use a lid / lag the apparatus	use of a measuring cylinder	use a pipette/burette	wet cup in the second experiment	use new/another cup OR dry the cup	the solid absorbs water from the air	store in a sealed container / airtight container / desiccator	only done once	repeat and average	different masses of solids used / masses of solids not measured	use same mass of solid / weigh the solids	4
source of error	improvement															
heat losses	use a lid / lag the apparatus															
use of a measuring cylinder	use a pipette/burette															
wet cup in the second experiment	use new/another cup OR dry the cup															
the solid absorbs water from the air	store in a sealed container / airtight container / desiccator															
only done once	repeat and average															
different masses of solids used / masses of solids not measured	use same mass of solid / weigh the solids															
1(h)	fewer data / less detail / fewer readings / graph not as good / not enough readings taken whilst the solid is reacting	1														

Question	Answer	Marks
2(a)	blue (liquid)	1
2(b)(i)	green	1
	precipitate	1
2(b)(ii)	green solution / precipitate dissolves	1
2(b)(iii)	(red) litmus paper / Universal Indicator paper	1
	(red litmus paper) turns blue / (Universal Indicator paper) turns purple	1
2(c)	pH 8–11	1
2(d)(i)	dark / deep blue (solution)	1
2(d)(ii)	blue	1
	precipitate	1
2(e)	grey-green	1
	precipitate	1
2(f)	chromium	1
	nitrate	1
2(g)	ammonia / NH ₃	1

Question	Answer	Marks
3	<p><i>heating to dryness method</i></p> <p>max [6]: M1 weigh (any) sample of washing soda M2 heat (to remove water of crystallisation) M3 in named container M4 cool M5 reweigh M6 repeat heating M7 to constant mass M8 appropriate calculation suggested for the percentage of water</p> <p><i>mass of water method</i></p> <p>max [6]: M1 weigh (any) sample of washing soda M2 heat to remove water of crystallisation M3 in named container M4 using apparatus capable of collecting water (vapour) M5 cool / condense (water vapour) M6 continue until no more collects M7 weigh water M8 appropriate calculation suggested for the percentage of water</p>	6