

Centre Number	Candidate Number	Name
---------------	------------------	------

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS
International General Certificate of Secondary Education

PHYSICAL SCIENCE

0652/03

Paper 3

October/November 2004

1 hour 15 minutes

Candidates answer on the Question Paper.
No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.
Write in dark blue or black pen in the spaces provided on the Question Paper.
You may use a pencil for any diagrams, graphs, tables or rough working.
Do not use staples, paper clips, highlighters, glue or correction fluid.

Answer **all** questions.
The number of marks is given in brackets [] at the end of each question or part question.
A copy of the Periodic Table is printed on page 16.

For Examiner's Use	
1	
2	
3	
4	
5	
6	
7	
8	
9	
Total	

If you have been given a label, look at the details. If any details are incorrect or missing, please fill in your correct details in the space given at the top of this page.



Stick your personal label here, if provided.

2

Answer **all** the questions.

Write your answers in the spaces provided.

- 1 Element X burns in excess air to form the oxide XO_2 . This oxide dissolves in water to form an acid H_2XO_3 .
The two reactions are represented by the following equations.



- (a) (i) The relative atomic mass, A_r , of element X is 32. Calculate the number of moles in 4.8 g of X.

number of moles =[2]

- (ii) How many moles of oxygen gas are required to react completely with 4.8 g of X?

number of moles of oxygen =[1]

- (iii) How many moles of H_2XO_3 would be formed if all the XO_2 formed was dissolved in water?


number of moles H_2XO_3 =[1]

- (iv) Calculate the mass of H_2XO_3 formed.

mass of H_2XO_3 formed =[2]

3

- (b) The acid H_2XO_3 reacts with aqueous sodium hydroxide to form a salt and water. Complete the following equation which represents this reaction:



- (c) Suggest the identity of element X, stating your reason.

X is because [1]

2 Fig. 2.1 shows three situations in which forces act on a book.




Fig. 2.1

A shows the book resting on a bench.

B shows the book being dragged horizontally for a distance of 0.3 m by a net pulling force of 11 N.

C shows the book being lifted through a vertical distance of 0.5 m.

In **B** and **C** the movement takes place over a period of 0.7 s.

Calculate the work done and the power used in each case. Show any working that you do and write down any equations that you use.

Case **A**

work done =

power used =

[2]

Case **B**

work done =

power used =

[3]

Case **C**

work done =

power used =

[2]

3 Use the Periodic Table on page 16 to help you answer the following questions.

(a) Use your knowledge of the trends across Period 3 (sodium to argon) to deduce which these elements

(i) is the metal with the lowest melting point,[1]

(ii) is a covalent macromolecule,[1]

(iii) has four electrons in the outer shell of one atom,[1]

(iv) forms an ion with a charge of -2 ,[1]

(v) is a reactive gas at room temperature.[1]

(b) The boiling point of argon is 87 K. Explain what this very low boiling point suggests about the forces between argon atoms.

.....
.....
.....
.....[2]

(c) Suggest why sodium is a more reactive metal than aluminium.

.....
.....
.....
.....[2]

- 4 Fig. 4.1 shows a block of a thermal conductor that is being heated at the left edge. The block is painted silver.




Fig. 4.1

- (a) With the aid of a diagram explain how heat is transferred along the block.

.....

.....

.....

.....

.....

.....

.....

.....

.....

[4]

(b) When the two thermometers show constant temperatures the block is said to be in thermal equilibrium. The block is still being heated. Explain why the block reaches thermal equilibrium.

.....
.....
.....
.....
.....
.....
.....[3]

(c) Suggest and explain what difference painting the block a dull black colour would make.

.....
.....
.....
.....
.....
.....[3]

- 5 (a) (i) Draw the arrangements of the electrons in shells for an atom of carbon and an atom of oxygen. You may wish to refer to the Periodic Table on page 16.

electron arrangement of carbon

electron arrangement of oxygen

[2]

- (ii) Draw a dot-cross diagram to show how bonds are formed between carbon and oxygen in carbon dioxide.

[2]

- (iii) By referring to your diagram, explain why carbon dioxide is relatively unreactive.

.....
.....
.....
.....[2]

(b) Magnesium oxide has a similar relative formula mass to carbon dioxide, but magnesium oxide is a very high melting point solid. Explain this difference in terms of the structure of the two oxides.

.....

.....

.....

.....[2]

6 Fig. 6.1 shows how the ripples in a pond spread out as they pass through a gap between concrete pillars.





Fig. 6.1

- (a) Name the process by which the waves spread out after passing through the gap between the pillars. [1]
[1]
- (b) Mark on the diagram the wavelength of the waves. [1]
- (c) The diagram is drawn $\frac{1}{20}$ th full size. The frequency of the waves is 3 Hz.

Calculate the speed of the waves. Show all your working and write down any equation that you use.

wave speed = [3]



(d) Explain how you would use the pond and any other necessary apparatus to demonstrate (i) reflection and (ii) refraction of waves. In each case draw a diagram to help your explanation.

reflection

.....

.....

.....

.....

.....

.....

.....

.....[3]

refraction

.....

.....

.....


.....


.....

.....

.....

.....[3]





- 7 (a) A number of pollutants may be found in car exhaust gases. Explain how the following pollutants are formed:
- (i) oxides of nitrogen[2]
.....
 - (ii) carbon monoxide[1]
.....
- (b) Name **one** other pollutant formed in car exhaust gases.
.....[1]
- (c) Explain how nitrogen oxides in the atmosphere can cause damage to limestone buildings.
.....
.....
.....
.....[2]
- (d) Both nitrogen monoxide, NO, and carbon monoxide, CO, can be removed from exhaust fumes by using a catalyst to make them react together. The products are carbon dioxide and nitrogen. Write a balanced equation for this reaction.
.....[2]

8 Fig. 8.1 shows a transformer. The output is connected to a lamp rated at 6 V, 1.8 W and the input is connected to a 220 V supply.




Fig. 8.1

- (a) (i) Name the type of transformer used.
.....[1]

9 The salt lead(II) chloride is insoluble in cold water, whereas the salt lead(II) nitrate is soluble.

(a) Lead(II) chloride is to be prepared from a solution of lead(II) nitrate.

(i) What other solution should be added to the solution of lead(II) nitrate?
.....[1]

(ii) How would you decide when to stop adding this solution?
.....[1]

(iii) How would you separate a sample of lead(II) chloride from the mixture?
.....
.....
.....[2]

(b) Draw a labelled diagram of the apparatus to carry out the separation described in (a)(iii).

DATA SHEET
The Periodic Table of the Elements

		Group																																																																																																												
I	II	III	IV	V	VI	VII	0					0																																																																																																		
7 Li Lithium 4	9 Be Beryllium 4	1 H Hydrogen 1	11 B Boron 5	12 C Carbon 6	13 Al Aluminium 13	14 N Nitrogen 7	15 O Oxygen 8	16 F Fluorine 9	17 Ne Neon 10	18 Ar Argon 18	19 K Potassium 19	20 Ca Calcium 20	21 Sc Scandium 21	22 Ti Titanium 22	23 V Vanadium 23	24 Cr Chromium 24	25 Mn Manganese 25	26 Fe Iron 26	27 Co Cobalt 27	28 Ni Nickel 28	29 Cu Copper 29	30 Zn Zinc 30	31 Ga Gallium 31	32 Ge Germanium 32	33 As Arsenic 33	34 Se Selenium 34	35 Br Bromine 35	36 Kr Krypton 36	37 Rb Rubidium 37	38 Sr Strontium 38	39 Y Yttrium 39	40 Zr Zirconium 40	41 Nb Niobium 41	42 Mo Molybdenum 42	43 Tc Technetium 43	44 Ru Ruthenium 44	45 Rh Rhodium 45	46 Pd Palladium 46	47 Ag Silver 47	48 Cd Cadmium 48	49 In Indium 49	50 Sn Tin 50	51 Sb Antimony 51	52 Te Tellurium 52	53 I Iodine 53	54 Xe Xenon 54	55 Cs Caesium 55	56 Ba Barium 56	57 La Lanthanum 57	58 Ce Cerium 58	59 Pr Praseodymium 59	60 Nd Neodymium 60	61 Pm Promethium 61	62 Sm Samarium 62	63 Eu Europium 63	64 Gd Gadolinium 64	65 Tb Terbium 65	66 Dy Dysprosium 66	67 Ho Holmium 67	68 Er Erbium 68	69 Tm Thulium 69	70 Yb Ytterbium 70	71 Lu Lutetium 71	72 Hf Hafnium 72	73 Ta Tantalum 73	74 W Tungsten 74	75 Re Rhenium 75	76 Os Osmium 76	77 Ir Iridium 77	78 Pt Platinum 78	79 Au Gold 79	80 Hg Mercury 80	81 Tl Thallium 81	82 Pb Lead 82	83 Bi Bismuth 83	84 Po Polonium 84	85 At Astatine 85	86 Rn Radon 86	87 Fr Francium 87	88 Ra Radium 88	89 Ac Actinium 89	90 Th Thorium 90	91 Pa Protactinium 91	92 U Uranium 92	93 Np Neptunium 93	94 Pu Plutonium 94	95 Am Americium 95	96 Cm Curium 96	97 Bk Berkelium 97	98 Cf Californium 98	99 Es Einsteinium 99	100 Fm Fermium 100	101 Md Mendelevium 101	102 No Nobelium 102	103 Lr Lawrencium 103	104 Rf Rutherfordium 104	105 Db Dubnium 105	106 Sg Seaborgium 106	107 Bh Bohrium 107	108 Hs Hassium 108	109 Mt Meitnerium 109	110 Ds Darmstadtium 110	111 Rg Roentgenium 111	112 Cn Copernicium 112	113 Nh Nihonium 113	114 Fl Flerovium 114	115 Mc Moscovium 115	116 Lv Livermorium 116	117 Ts Tennessine 117	118 Og Oganesson 118

3-71 Lanthanoid series
0-103 Actinoid series

a = relative atomic mass
X = atomic symbol
b = proton (atomic) number

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).