Cambridge IGCSE[™]

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		



COMBINED SCIENCE

0653/32

Paper 3 Theory (Core)

May/June 2022

1 hour 15 minutes

You must answer on the question paper.

No additional materials are needed.

INSTRUCTIONS

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do not use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

INFORMATION

- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [].
- The Periodic Table is printed in the question paper.

This document has 24 pages. Any blank pages are indicated.

1 (a) Fig. 1.1 is a diagram of the human gas exchange system.




Fig. 1.1

the position of the larynx

the position of the alveoli.

[2]

(b) The composition of inspired air is different from expired air.

Complete these sentences.

Expired air contains carbon dioxide than inspired air.

Expired air also contains vapour.

Both of these substances are products of, the process used to release energy from nutrients.

[3]

(c) A student investigates the relationship between height and lung volume in five different people.

Fig. 1.2 shows the apparatus the student uses.




Fig. 1.2

Each person blows into the rubber tube.

The student records the volume of expired air that is blown into the glass jar by each person.

This volume of expired air is used as an estimate of their lung volume.

The student also records the height of each person.

Table 1.1 shows the results.

Table 1.1

person	height /cm	estimated lung volume /dm ³
Α	155	3.2
В	122	1.8
С	145	2.9
D	136	2.3
E	140	2.5

(i)	Identify the person with the largest estimated lung volume in Table 1.1 [1]
(ii)	Describe the relationship between height and estimated lung volume in Table 1.1.
	[1]

(d) Fig. 1.3 is a diagram of the human circulatory system.

The arrows show the direction of blood flow.




Fig. 1.3

	(i)	Draw a label line and the letter P to show the position of the pulmonary vein on Fig. 1.3. [1]
	(ii)	State the name of the structures inside the circulatory system that ensure one-way flow of blood.
		[1]
(e)	Blo	od contains red blood cells.
	Des	scribe the function of red blood cells.
		[2]
		[Total: 11]

2

(a) Z	nc is extracted from zinc oxide by heating with carbon.
T	ne equation for this reaction is shown.
	zinc oxide + carbon \rightarrow zinc + carbon dioxide
(i	State the type of chemical change that occurs when compounds lose oxygen.
	[1]
(ii	State the name given to any chemical reaction that absorbs (takes in) heat energy.
	[1]
(iii	Explain why zinc can be extracted from zinc oxide by heating with carbon but magnesium cannot be extracted from magnesium oxide by heating with carbon.
(b) E	xcess zinc oxide is added to dilute sulfuric acid.
` ,	
	zinc salt and one other compound are formed.
(i	Complete the word equation for this reaction.
	zinc oxide
	[2]
(ii	Describe what happens to the pH value of the reaction mixture during this reaction.
	[1]
(c) A	n atom of zinc is represented as shown.
	$_{_{30}}^{^{65}}$ Zn
	educe the number of electrons and the number of neutrons in this atom of zinc.
el	ectrons
ne	eutrons[2]
	[Total: 9]

3 Fig. 3.1 shows the forces acting as a student rides on a moving scooter.

The scooter has an electric motor.




Fig. 3.1

(a)	(i)	Force R is the result of the Earth's gravitational field acting on the total mass of t	he
		student and the scooter.	

Name force **R**. [1]

(ii) The total mass of the student and the scooter is 35 kg.

Calculate the magnitude of force **R**.

The gravitational force on unit mass is 10 N/kg.

force **R** = N [2]

(b) Fig. 3.2 shows a speed-time graph for the motion of the scooter.




Fig. 3.2

(i) State the maximum speed of the scooter in Fig. 3.2.

maximum speed = m/s [1]

(ii) Calculate the distance travelled by the scooter while at maximum speed.

distance = m [2]

(iii) The scooter has a speedometer that shows the speed in km/h.

At one point the speedometer reads 3.6 km/h.

Show that $3.6 \, \text{km/h}$ is the same as $1.0 \, \text{m/s}$.

[2]

[Total: 8]

9

BLANK PAGE

4 (a) Fig. 4.1 is a diagram of the male reproductive system in humans.




Fig. 4.1

	(i)	State the name	e of the pa	rt labelle	d X in Fig	g. 4.1.				
	(ii)	Name the glar	nd that seci	retes flui	ds for spe	erm to s	wim in.			
(b)	Con	nplete these se	ntences at	oout repr	oduction.					
	Cho	ose words fron	n the list.							
	Eac	h word may be	used once	e, more t	nan once	or not a	it all.			
		embryo	ı	gamete		ovary		oviduct		
			uterus		vagina		zygote			
	The	male releases	sperm fror	m the pe	nis into th	ne			of the fema	ıle.
	The	sperm swim to	the			wł	nere fertil	isation takes	place.	
	The	fertilised egg is	s called a .							[3]

(c) The menstrual cycle in females is controlled by hormones.






Fig. 4.2

	(i)	Use Fig. 4.2 to identify the day when the blood contains the highest level of the hormone.
		[1]
	(ii)	Describe how the thickness of the uterus lining changes during the menstrual cycle.
		Include data from Fig. 4.2 in your answer.
		[2]
(d)	Dur	ing pregnancy a female is advised to increase the amount of protein in her diet.
	Stat	te the importance of protein in the diet.
		[1]
		[Total: 9]

5 (a) An electric current is passed through an aqueous solution of compound **X** using inert electrodes. Compound **X** is broken down by this process.

The apparatus used is shown in Fig. 5.1.




Fig. 5.1

(i)	Name this process.	
		[1]
(ii)	State the name of the negative electrode.	
		[1]
(iii)	Suggest the name of the element from which the electrodes are made.	
		[1]
(iv)	Deduce the type of bonding present in compound X .	
		[1]
(v)	During this process a gas is formed at the positive electrode.	
	This gas bleaches damp litmus paper.	
	Identify this gas.	
		[1]

	(vi)	State whether the type of change occurring when an electric current is passed through the aqueous solution of compound X is a chemical change or a physical change.	ıgh
		Explain your answer.	
		type of change	
		explanation	
			 [1]
(b)	An	aqueous solution of compound X is a mixture.	
	(i)	Describe the difference between a compound and an element.	
			[1]
	(ii)	Describe the difference between a compound and a mixture.	
(c)	An	aqueous solution of compound X contains compound X dissolved in water.	
	(i)	Describe one chemical test that shows the presence of water.	
		State the observation for a positive result.	
		test	
		observation	
			[2]
	(ii)	State one method of separation that can be used to collect pure water from an aqueo solution of compound X .	วนร
			[1]
		[Total:	11]

6 (a) Fig. 6.1 shows a heat lamp used to keep newborn chicks warm.




Fig. 6.1

The heat lamp emits radiation in the visible light and infrared regions of the electromagnetic spectrum.

Fig. 6.2 shows an incomplete electromagnetic spectrum.

On Fig. 6.2, write visible light and infrared radiation in the correct places.

	incre	easing freque	ency —	
gamma radiation				radio waves

Fig. 6.2

[2]

(b)	The	heat lamp is connected to a 230 V electricity supply.
	The	current in the lamp when it is switched on is 1.1A.
	(i)	Calculate the resistance of the lamp.
		Give the unit of your answer.
		resistance = unit [3]
	(ii)	A farmer connects two identical heat lamps in parallel.
		State two advantages of connecting the heat lamps in parallel.
		1
		2[2]
(c)	A ne	ewborn chick emits a sound with a frequency of 3.5 kHz.
` ,		the chick grows, the frequency of the sound changes.
	Afte	er 36 weeks, the sound emitted is 1.5 kHz.
	(i)	Describe how the pitch of the sound emitted by the chick changes over 36 weeks.
		[1]
	(ii)	State whether all the sounds made by the chick as it grows over 36 weeks can be heard by a healthy human ear.
		Give a reason for your answer.
		[1]
		[Total: 9]

- 7 (a) Fig. 7.1 shows information about four organisms living in an ocean habitat.
 - Krill eat microscopic producers called phytoplankton.
 - Fish eat krill.
 - Penguins eat fish.

Fig. 7.1

	(i)	Construct a food chain using the information in Fig. 7.1.	
			[2
	(ii)	Identify the herbivore in Fig. 7.1.	
			[1
(b)	Fig.	7.2 shows a photomicrograph of phytoplankton.	




Fig. 7.2

Explain why phytoplankton need chlorophyll.	
	[2]

(c) Food is digested in the alimentary canal.

Fig. 7.3 shows some of the pathway taken by food in the human alimentary canal.

Complete Fig. 7.3.




Fig. 7.3

[2]

[Total: 7]

8 The molecular structures and names of three compounds are shown in Fig. 8.1.

$$\begin{pmatrix}
H & H \\
C & C
\end{pmatrix}_{n}$$

poly(ethene)

Fig. 8.1

(a) Complete Table 8.1 using the information in Fig. 8.1.

Explain how the molecular structures in Fig. 8.1 help you to identify each type of compound.

Table 8.1

type of compound	name of compound	explanation
alkane		
alkene		
not a hydrocarbon		

[3]

(b)	The complete combustion of each of the three compounds shown in Fig. 8.1 produces the greenhouse gas carbon dioxide.
	Identify the gas in the air that reacts with these compounds during combustion.
	[1
(c)	Propene and poly(ethene) are made from compounds obtained from petroleum.
	State the processes in which propene and poly(ethene) are made.
	propene
	poly(ethene)
	[2
	[Total: 6

9 (a) Some water is heated in a beaker using an electric heater.

Fig. 9.1 shows the circuit for the electric heater.





Fig. 9.1

(i) Use words from the list to complete the boxes to show the sequence of useful energy transfers taking place in Fig. 9.1.

Each word may be used once or not at all.

One has been completed for you.



(ii) On Fig. 9.2, complete the circuit diagram for the circuit shown in Fig. 9.1.




Fig. 9.2

[3]

(b) Fig. 9.3 shows a liquid-in-glass thermometer without a scale.




Fig. 9.3

(i) The thermometer is placed in a beaker of water. The beaker of water is heated.

State what happens to the level of liquid inside the thermometer while the water is being heated.

Give a reason for your answer.

level	
reason	
	[2]

[Total: 10]

(ii) The thermometer in Fig. 9.3 measures temperatures between $-10\,^{\circ}\text{C}$ and $+110\,^{\circ}\text{C}$.

Table 9.1 gives some information about four liquids, **A**, **B**, **C** and **D**.

Table 9.1

liquid	melting point/°C	boiling point/°C
Α	-86	+80
В	-117	+79
С	-39	+367
D	+17	+118

	Identify the liquid used in this thermometer.	
	liquid	[1]
(iii)	Explain why the liquid you identified in (ii) is suitable for use in this thermometer.	
		[2]

23

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The Periodic Table of Elements

		2	e T	elium 4	10	Je Ve	neon 20	18	Ā	argon 40	36	궃	rypton 84	54	Xe	tenon	86	Rn Rn	adon –]
		_			6	ш	fluorir 19	17	Ö	chlorine 35.5	35	ā	bromii 80	53	Ι	iodin 127	85	¥	astatir				
	<u></u>				80	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	<u>L</u>	tellurium 128	84	Ро	polonium —	116	_	livermorium	
	>				7	z	nitrogen 14	15	₾	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	<u>.</u>	bismuth 209				
	2				9	ပ	carbon 12	41	Si	silicon 28	32	Ge	germanium 73	20	Sn	tin 119	82	В	lead 207	114	Εl	flerovium	
	≡				2	Ω	boron 11	13	Αl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	11	thallium 204				
											30	Zu	zinc 65	48	р	cadmium 112	80	Нg	mercury 201	112	S	copernicium	-
											29	Cn	copper 64	47	Ag	silver 108	62	Au	gold 197	111	Rg	roentgenium –	_
dr											28	ï	nickel 59	46	Pd	palladium 106	78	പ	platinum 195	110	Ds	Ē	-
Group											27	ဝိ	cobalt 59	45	몬	rhodium 103	77	ŗ	iridium 192	109	¥	meitnerium -	+
		- :	I	hydrogen 1							26	Fe	iron 56	44	Ru	ruthenium 101	92	SO	osmium 190	108			1
					J						25	Mn	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	Bh	bohrium	-
											24	ပ်	chromium 52	42	Mo	molybdenum 96	74	>	tungsten 184	106	Sg	seaborgium -	
				Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	q	niobium 93	73	<u>а</u>	tantalum 181	105	Op	dubnium	-
					atc	aton	relativ				22	ï	titanium 48	40	Zr	zirconium 91	72	Ξ	hafnium 178	104	¥	rutherfordium -	
								J			21	Sc	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids		
	=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	Š	strontium 88	99	Ba	barium 137	88	Ra	radium	_
	_									sodium r		×	ootassium 39	37	Rb	rubidium 85	55	Cs	caesium 133	87	ъ́	francium -	
													4										

57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 La Ce Pr Nd Pm Sm Eu Gd Tb Dy HO Er Tm Yb Lu lanthanum prosectormium prosectormium promedium promedium
Ce Pr Nd Pm Sm Eu Gd Tb Dy HO Er Tm cerlum praseodymium reodymium smmarium europium gadolinium terbium dysposium holmium erbium thullium 140 141 144 - 150 152 157 159 169 167 169 167 169 101
Ce Pr Nd Pm Sm Eu Gd TD Dy HO Er cerlum praseodymium promethium samarium europium gadolinium terbium dysposium HO Er 140 141 144 - 150 152 157 159 163 165 167 90 91 92 93 94 95 96 97 98 99 100 Th Pa U Np Pu Am Cm Bk Cf Es Fm thorum protectinum unanium neptunium pulvionium curium berkelium caritomium perkelium fermium
58 59 60 61 62 63 64 65 66 67 Ce Pr Nd Pm Sm Eu Gd Tb Dy HO certum prasecodymium neodymium promethium semarium europium gadolinium terpium dysposium hominum 140 pt pt <t< td=""></t<>
SB 59 60 61 62 63 64 65 66 66 Ce Pr Nd Pm Sm Eu Gd Tb Dy certum prasecodymium neodymium promethium samarium europium gadolinium terbium drysprosium 140 pt pt pt pt pt pt pt 140 pt pt pt pt pt pt pt pt 140 pt p
58 59 60 61 62 63 64 65 Ce Pr Nd Pm Sm Eu Gd Tb certum prasecodymium neodymum promethium samarium europium gadolinium terbium derbium 140 pt 92 93 94 95 96 97 150 pt Np Pu Am Cm Bk 97 thorium protectinium uranium neptunium plutonium americium curium berkelium cr
58 59 60 61 62 63 64 Ce Pr Nd Pm Sm Eu Gd certum ptraseodymium neodymium promethium samarium europium gddolinium 140 ptr 141 144 - 150 157 157 90 91 92 93 94 95 96 Th Pa U Np Pu Am Cm thorium protectinium uranium neptunium putonium americium curium
58 59 60 61 62 63 Ce Pr Nd Pm Sm Eu certum prasecodymium neodymium promethium samarium europium 140 141 144 - 150 152 90 91 92 93 94 95 Th Pa U Np Pu Am thorium protectinium uranium neptunium plutorium americium 232 231 238 - - -
58 59 60 61 62 Ce Pr Nd Pm Sm cerlum praseodymium neodymium promethium samarium 140 141 144 - 150 90 91 92 93 94 Th Pa U Np Pu thorium protactinium uranium neptunium putuonium a
Ce Pr Nd Pm certum præseodymium nreodymium promethium s 90 91 92 93 Th Pa U Np Np Rhonium protectinium protectinium protectinium protectinium grass 232 231 238 60 61 61 61 61 61 61 61 61 61 61 61 61 61
Ce Pr Nd certum presecodymium neodymium pu 140 90 91 92 Th Pa U thontum protectinium 232 231 238
58 59 Ce Pr certum praseodymium 140 141 90 91 Th Pa thorium protectinium 232 231
58 Ce certium 140 90 Th thorium 232
La lanthanum 139 89 Ac actinium

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).