Name

WANN. P. BP. C. COMP. COMP. COMP.

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

## **CO-ORDINATED SCIENCES**

0654/03

Paper 3

October/November 2004

2 hours

Candidates answer on the Question Paper. No Additional Materials are required.

## **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in. Write in dark blue or black pen in the spaces provided on the Question Paper. You may use a soft pencil for any diagrams, graphs, tables or rough working. Do not use staples, paper clips, highlighters, glue or correction fluid.

Answer all questions.

The number of marks is given in brackets [ ] at the end of each question or part question. A copy of the Periodic Table is printed on page 24.

If you have been given a label, look at the details. If any details are incorrect or missing, please fill in your correct details in the space given at the top of this page.

Stick your personal label here, if provided.

For Examiner's Use	
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
Total	

For Examiner's

1 (a) Fig. 1.1 shows how the radiation detected from a sample of carbon-14 would chantime.




Fig. 1.1

Use the graph to calculate the half life of carbon-14. Show your working on the graph.

..... years [2]

**(b)** When a carbon-14 atom  $\binom{14}{6}$ C) emits radiation it changes into a nitrogen atom  $\binom{14}{7}$ N).

Using this information, suggest the type of radiation emitted by carbon-14. Explain your answer.

.....[2]

ww.xtrapapers.com

2 Popcorn is a popular food. It is made by heating grains of the maize plant. Fig. 2.1 s cross section through a typical maize grain.




Fig. 2.1

When the grain is heated, water in the endosperm vaporises and turns to steam. As the temperature increases, the pressure of the steam increases, and the starch in the endosperm softens and becomes fluid (more like a liquid than a solid). When the pressure inside the grain is high enough, the steam and fluid starch break through the seed coat. Fig. 2.2 shows the popped maize grain.



Fig. 2.2

(a)	Starch and glucose are carbohydrates. Starch is made of polymer molecules which can
	be broken down into glucose molecules.

(i)	Name the <b>three</b> elements in all carbohydrates.
	[1]
(ii)	Using starch and glucose as examples, explain briefly the meanings of the terms <i>monomer</i> and <i>polymer</i> .
	[2]
(iii)	Proteins are another very important group of substances made of polymer molecules. Name the element found in all proteins but not in carbohydrates.
	[1]

- (b) Explain in terms of the motion of molecules why the steam pressure inside the grain increases when the temperature increases.

  [2]
- (c) The starch, which bursts through the seed coat when the maize grain pops, cools quickly to form a solid foam. Fig. 2.3 shows a magnified view of the inside of the solid foam.




Fig. 2.3

(i) What general name is given to a mixture in which one substance is dispersed in another?

.....[1]

(ii) An emulsion, such as milk, is an example of a mixture in which one substance is dispersed in another.

Explain why it is not possible to see through emulsions like milk. Draw some light rays on the diagram in Fig. 2.4 to help you to answer this question.




Fig. 2.4

(d) Popcorn is often made by heating the maize grains in a cooking pot made a luminium alloy.

In the boxes below, draw labelled sketches to show how the atoms are arranged in a piece of pure aluminium and in a piece of an aluminium alloy. One aluminium atom has been drawn in each box.

O	0
pure aluminium	aluminium alloy

[4]

3 Fig. 3.1 is a photograph of part of a leaf, taken using a light microscope.



palisade layer

> spongy layer

chloroplasts

Fig. 3.1

- (a) The presence of chloroplasts shows that these are plant cells, and not animal cells.
  - (i) On the photograph, label **one** feature, other than chloroplasts, which is present in plant cells but not in animal cells. [1]

	(ii)	Describe the function of the feature you have labelled.
		[2]
(b)		lain how the <b>structure</b> of these cells enables photosynthesis to be carried out ctively.

WWW. Papa Cambridge.com (c) Explain how the **position** of these cells in the leaf enables them to obtain each following requirements for photosynthesis. light ..... ..... .....[2] carbon dioxide ..... .....[2] (d) What name is given to a group of similar cells such as the palisade layer in a leaf?

.....[1]

4 (a) Fig. 4.1 shows an athlete running a race.



Fig. 4.1

Some forces acting on the athlete are

- a support force, A, from the ground pushing on the athlete,
- a friction force, **B**, from the ground helping the athlete to move,
- the weight, **C**, of the athlete,
- the force of air resistance, **D**, which slows the athlete.

Draw arrows on Fig. 4.1 to show the direction of each of these forces. Label each force clearly using the letters  ${\bf B} - {\bf D}$ . The direction of force  ${\bf A}$  has been drawn for you. [2]

(b)	Good sprinters are said to need strong leg muscles and small body mass. Explain these characteristics may be useful to a sprinter as he accelerates from the star blocks.	
		[3]

For Examiner's Use

I, the sporting gun. running before false start. (c) A spectator is sitting 85 m from the starting gun. When the race is started, the sp sees the athletes run off and a little later hears the bang from the starting gun. spectator thinks that there was a false start, when the athletes started running before the starting gun was fired.

	[2]
The speed of sound is $340\mathrm{m/s}$ . Explain why the athletes did n	ioi nave a laise start.
The encod of cound is 210 m /s. Evaloin why the athletes did n	not have a false start

A student investigated the reaction of four metals, P, Q, R and S, with dilute hydro 5 acid. Fig. 5.1 shows what the student observed during the experiment.




			Fig. 5.1	
(a)	Nan	ne the gas given off in th	nese reactions.	
				[1]
(b)	The	student thought that the	e results clearly showed the reactivity order of the me	tals.
	(i)	List the metals in reacti	vity order suggested by the observations.	
			(most reactive)	
			(least reactive)	[1]
	(ii)		that would need to be kept the same for each reactio a reliable indication of the reactivity of the metals.	n if the
		1		
		2		
		3		[3]

(c) The student then investigated the electrolysis of seven aqueous solutions, us apparatus shown in Fig. 5.2.




Fig. 5.2

His results are shown in Table 5.1.

Table 5.1

solution	product at electrode A	product at electrode B
potassium sulphate	hydrogen gas	oxygen gas
magnesium nitrate	hydrogen gas	oxygen gas
copper sulphate	copper metal	oxygen gas
silver nitrate	silver metal	oxygen gas
potassium chloride	hydrogen gas	chlorine gas
magnesium chloride	hydrogen gas	chlorine gas
copper chloride	copper metal	chlorine gas

Part of the reactivity series is shown below.

potassium (most reactive)

magnesium (hydrogen) copper

silver (least reactive)

(i) Use the patterns in the results shown in Table 5.1 to predict the electrode products in the examples below.

solution	product at electrode A	product at electrode B
copper nitrate		
magnesium sulphate		

[2]

		12
	(ii)	Suggest a general rule for predicting the product at electrode A from the reserves.
		[2]
Fig	. 6.1	is a transverse section through a human eye.
		ciliary muscle
		Fig. 6.1
(a)	On	the diagram, draw label lines to
	(i)	the area where an image is focused, and label it <b>F</b> , [1]
	(ii)	a part of the eye that prevents too much light from reaching the retina, and label it <b>P</b> . [1]

**(b)** Describe how information from the eye is transmitted to the brain.

6

		www.xtra	papers.com
		13	For Fxaminer's
(c)	Exp obje	lain how the contraction of the ciliary muscle helps the eye to focus on a ect.	For Examiner's Use
			Tage
			Oth
		[i	<b>\</b>
(d)	The	eyes of snakes contain only cones, with no rods.	
	Use	this information to make two statements about the vision of snakes.	
	1		
	2		
		[	2]
(e)	thei loca	ny snakes hunt for prey, such as small mammals, at night. They have structures in heads called pit organs, which can sense infra-red radiation. This helps them to the their prey even when it is completely dark, because small mammals emit much infra-red radiation than their surroundings.	to
	(i)	State <b>one</b> way in which infra-red radiation differs from light.	
		[	1]
	(ii)	Suggest why mammals emit much more infra-red radiation than their surrounding	s.
		[i	2]

7 Fig. 7.1 shows the motion of a bus from one stop to the next.




Fig. 7.1

(a)	Describe the motion of the bus during <b>BC</b> and during <b>CD</b> .	
	BC	
	CD	
		[∠]

(b) Calculate the distance covered by the bus from A to D. Show your working.

.....[3]

(c) Fig. 7.2 shows two toy buses. Bus **A** has a mass of 0.5 kg and bus **B** has a n 0.3 kg. Both buses are moving in the same direction.




Fig. 7.2

Bus  $\bf A$  is travelling at 1.0 m/s and bus  $\bf B$  is travelling at 0.5 m/s. When they collide, bus  $\bf A$  and bus  $\bf B$  join together and move in the same direction.

Calculate the speed at which they continue to move.

Show your working and state the formula that you use.

formula used

working

.....[3]

(d) The headlamps on a bus are connected in parallel as shown in Fig. 7.3.




Fig. 7.3

Each headlamp has a resistance of 4 ohms. Calculate the combined resistance of the two headlamps.

Show your working and state the formula that you use.

formula used

working

.....[2

For Examiner's Use

8 The manufacture of ammonia and of sulphuric acid are two important industrial process.

Fig. 8.1 is a simplified diagram of the type of reaction vessel which is used in both processe




Fig. 8.1

(a)		manufacture of ammonia and of sulphuric acid both involve reversible, redox ctions which require a catalyst.
	(i)	State the purpose of a catalyst.
		[1]
	(ii)	The reactant gases required to make ammonia are nitrogen and hydrogen.
		Explain why the exit gas stream contains all three of these gases.
		[2]
	(iii)	The equation below shows one of the reactions involved in the manufacture of sulphuric acid. The equation is not balanced.

$$SO_2 + O_2 \iff SO_3$$
 [1]

(iv) Name the substance that is oxidised in this reaction.

Balance the equation.

**(b)** Draw a diagram of an ammonia molecule, NH<sub>3</sub>, showing how the outer electroarranged.

[2]

(c) Ammonia reacts with dilute nitric acid to make the salt ammonium nitrate.

$$\mathrm{NH_3}$$
 +  $\mathrm{HNO_3}$   $\longrightarrow$   $\mathrm{NH_4NO_3}$ 

A student makes a solution of ammonium nitrate by mixing the solutions shown in Fig. 8.2.




Fig. 8.2

(i) Show that the number of moles of ammonia and the number of moles of nitric acid that the student uses are both 0.01.

For Examiner's Use

(ii) The student leaves the mixture to evaporate. Calculate the mass of ammonium nitrate crystals that she will obtain. (relative atomic masses N = 14; O = 16; H = 1.)

.....[3]

www.xtrapapers.com

**9** Hog deer (Fig. 9.1) are herbivores which live in regions of Pakistan and India. They grass. Hog deer are killed and eaten by tigers.

20






Fig. 9.1

(a) (i) Construct a food chain using the information above.

(ii) What do the arrows in your food chain represent?

(iii) Sketch a pyramid of biomass representing this food chain. Label each part of the pyramid using the correct terms for the feeding levels.

[1]

www.xtrapapers.com
For Examiner's Use (b) Hog deer are normally brown, but occasionally an albino (pure white) hog deer (i) Suggest how this might occur.

Explain how natural selection is likely to ensure that very few albinos are present in a population of hog deer.

10	(a)	Mic wav	rowaves travel at 300 000 000 m/s. Calculate the frequency of a microw elength 6 cm.
		Sho	rowaves travel at 300 000 000 m/s. Calculate the frequency of a microw relength 6 cm.
		forn	nula used
		wor	king
	(b)	tem whe	nicrowave oven was used to heat 0.5 kg of milk contained in a plastic cup. The perature of the milk was 15 °C when it was placed in the microwave oven and 95 °C en it was taken out.  specific heating capacity for milk is 4500 J/kg °C.
		(i)	Calculate the amount of energy transferred from the microwave oven to the milk.
			Show your working and state the formula that you use.
			formula used
			working
			[3]

To heat the milk, 240 000 J of electrical energy was transferred to the microwave

(ii) Use your answer to part (i) to calculate the efficiency of the energy transfer.

	[1]
(iii)	Suggest why the energy transfer is not 100% efficient.
	[1]

(c) Fig. 10.1 shows a reed switch used as a safety device in a microwave oven.




Fig. 10.1

 •		contains a oor is shu	this ens	sures tha	t the mi	crowave	oven

					www.xtrapapers.com
				24	A. Day
	0	4 <b>He</b> lium	Neon 10 Neon 40 Argon 18 Argon 18	Krypton 36 Krypton 36 Xe Xenon 54 Medon 86 Medon 86	Luteitum 71 Lawren 103
	IIA		19 Fluorine 9 35.5 <b>C1</b> Chlorine	80 Bromine 35 I 127 I 127 A Astatine 85	Www.xtrabapers.com  A Yb Lu Lutetium  Yobelium  No Lr  102  103  103
	I		Oxygen 8 32 32 Sulphur 16	Selenium 34 128 128	Tmulium 69 Md Mendelevium 101
	>		Nitrogen 7 31 9 Phosphorus 15	AS Arsenic 33 122 Sb Antimony 51 Bismuth 83	167 <b>Er F F F F F F F F F F</b>
	<u>&gt;</u>		Carbon 6 Carbon 8 Silicon 14	Ge Germanium 32 119 Sn Tin 50 Pb Pb Lead	Homium 67  Homium 67  Es Einsteinium 99 (f.t.p.).
	≡		111 BB Boron 5 27 AI Aluminium 13	Gallium 31 115 In Indium 49 204 Theilium 81	Dy Dysprosium 66 Cd Californium 98 PDPessure
				2nc 2nc 30 Znc 412 Cd Cadmium 48 Mercury 80	Tarbium 65 Bk Berkelum 97 tture and
				Cu Copper 29 Ag Silver 47 Au Bau Sold	Gd Gadolinium 84 Cm Curium 96 Curium 96 Curium 1 tempera
dno				Nickel 28 106 Palladium 46 Palladium 46 Palladium 78 Pall	Europium 63 Am Americium 95 An 3 at room
Group				Cobalt 27 Cobalt 103 Rhodum 45 Iridium 77	Samarium 62 Pu Plutonium 94 S is 24 dn
		1 <b>T</b> Hydrogen		56 Fe Iron 28 Ru Huthenium 44 190 Os Osmium 76	Ce         Pr         Nd         Pm         Samaruum         Samaruum         Europium         Gadolinum         Gadolinum         Februarium         Phonium         Phonium         Phonium         Propadinium         Phonium         Phon
				Mn Manganese 25 Technetium 43 186 Re Rhenium 75	Naodymium 60 238 Unanium 92 Unanium 92 One mole
				52 Chromium 24 Molybdenum 42 184 W Tungsten 74	Praseodymium 59 Pa Protactinum 91 Polume of c
				Vanadium 23 Nb Nb Nb Nbbium 41 Ta1 Tan Tantalum 73	140 <b>Ce</b> Centum 58 232 Thorium 90 The W
				48 Titanium 22 Zroonium 40 178 H#	nic mass bol nic) number
				*   *   E	Actinium  89 Actinium  91d Series  d Series  a = relative atomic mass  X = atomic symbol  b = proton (atomic) number
	=		Beryllium 4 24 Nig Magnesium 12	40 Cakium 20 88 Strontium 38 137 Ba Barium 56	Fr
	_		Lithium 23 Na Sodium	39  KA  Obassium  Ubidium  Ubidium  Ubidium  Saesium  Assesium	### sandtum 3-71 Le 0-103 / y

The volume of one mole of any gas is  $24\,\mathrm{dm}^3$  at room temperature and pressure (r.t.p.).