

NUMBER

UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

State Com



CANDIDATE NAME												
CENTRE]			С	ΑΝΓ	OIDA	TE			

CO-ORDINATED SCIENCES

0654/32

Paper 3 (Extended)

October/November 2010

NUMBER

2 hours

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

A copy of the Periodic Table is printed on page 28.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

For Exam	iner's Use
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
Total	

This document consists of 25 printed pages and 3 blank pages.



1 (a) Fig. 1.1 shows apparatus used in the electrolysis of copper chloride solution.




Fig. 1.1

(i)	Describe what is observed at the cathode.	
		[1]
(ii)	Chloride ions have a single negative electrical charge, Cl ⁻ .	
	For every copper ion in the solution, two chloride ions are present.	
	Deduce the electrical charge of a copper ion.	
	Show how you obtained your answer.	

[2]

(iii) Fig. 1.2 shows diagrams of two particles **L** and **M**. Each of these particle 17 protons in their nucleus. Only the outer shell of each particle is shown.





Fig. 1.2

State and explain which one of these particles, ${\bf L}$ or ${\bf M}$, would move towards the anode during electrolysis.

particle	
	[2]

(iv) The bubbles of gas which rise from the anode contain diatomic molecules of chlorine.

Complete the bonding diagram below to show how the outer electrons are arranged in a chlorine molecule.



[2]

(b) The apparatus shown in Fig. 1.3 can be used to investigate the reaction betwee oxide, PbO, and carbon.




Fig. 1.3

When the mixture is heated, a redox reaction occurs in which lead oxide is reduced.

The drop of limewater suspended on the glass rod turns cloudy.


(i) Name the gas which is produced in this redox reaction.

	[1]
(ii)	Suggest the balanced symbolic equation for the redox reaction between lead oxide and carbon.
	[2]
(iii)	A student suggested carrying out a similar redox reaction to that shown in Fig. 1.3, using potassium oxide instead of lead oxide.
	Potassium is an alkali metal in Group 1 of the Periodic Table.
	Predict and explain whether or not there would be a redox reaction between potassium oxide and carbon.

5 BLANK PAGE Please turn over for Question 2.

(a) Fig. 2.1 shows an electric circuit.

2



6

Fig. 2.1

Complete Table 2.1 to show the reading on each ammeter.

Table 2.1

ammeter	current/amps
A ₁	0.7
A ₂	
A ₃	
A ₄	0.3

(b) Fig. 2.2 shows how the current in a circuit varies with voltage.




Fig. 2.2

(i) Is Ohm's Law obeyed in this circuit?

Explain your answer.

.....

[1]

[2]

(ii) Predict the current in the circuit when the voltage is 13 V.

Explain your answer.

[2

(c) Fig. 2.3 shows a transformer.




Fig. 2.3

(i) Explain why the core of the transformer is made of iron.

			[2]

(ii) The transformer has 10 000 turns on the primary coil and 1000 turns on the secondary coil.

The voltage across the primary coil is 200 V.

Use the formula

$$V_p / V_s = N_p / N_s$$

to calculate the voltage across the secondary coil.

Show your working.

[1]
 L'.

A healthy plant growing in a pot was watered and placed in a sunny window. A transplastic bag was placed over the plant, as shown in Fig. 3.1.




Fig. 3.1

(a) The temperature near the window fell overnight. The next morning, small droplets of water were visible on the inside of the plastic bag.

Explain why the droplets of water appeared on the inside of the plastic bag.	
	•••
[-	4

(b) The plastic bag was then removed from the plant. The next day was warm and and by the end of the day the plant had wilted. Fig. 3.2 shows the wilted plant.



Fig. 3.2

(i)	Explain why the plant wilted.
	[2]
(ii)	Explain why the main stem of the plant remained upright, even when the rest of the plant wilted.
	[1]

(iii) Fig. 3.3 shows a cell from the plant leaf before it wilted.




Fig. 3.3

In the space below, draw the same cell to show its appearance after the plant had wilted.

11

BLANK PAGE

Please turn over for Question 4.

[3]

(a) Below is a list of some types of waves.

			_	sound	rapa
		12		· Og	
a) Be	low is a list of some ty	pes of waves.			Can
ga	ımma i	nfra-red	microwave	sound	
	ultrasound	ultraviolet	vi	sible light	
Sta	ate one wave from the	list that is			
(i)	a longitudinal wave.				[1]
(ii)		ts but cannot be seen			r.,
()					[1]
(iii)	the transverse wave				
					[1]
-	sound wave has a freq	•			
(i)	Explain the meaning	of the term frequency	' .		
					[1]
(ii)	Explain whether a pe	erson would be able to	hear this sound.		
					[1]
(iii)	Sound waves travel	through the air at 330	m/s.		
	Calculate the wavele	ength of the sound wav	ve.		
	State the formula that	at you use and show y	our working.		
	formula used				
	working				
	working				

- 5 In many countries, river water is collected and treated to make it safe for humans to a
 - (a) Explain which one of the treatments shown below might not remove all the harm bacteria from water which is to be used for drinking.

treatment	
	[1]

distillation

filtration

- (b) Sometimes large numbers of tiny pieces of insoluble solid material become dispersed in river water, forming a colloid.
 - Fig. 5.1 shows a simplified diagram of a colloid.

chlorination




Fig. 5.1

Explain in terms of light rays, why colloids are **not** transparent.

You may draw some light rays on Fig. 5.1 to help you to answer this question. [2]

(c) A chemist wanted to find the concentration in mol / dm³ of sulfuric acid in a sall acidic lake water.

14

Fig. 5.2 shows the apparatus and materials that he used.




Fig. 5.2

The chemist slowly added 0.05 mol/dm³ sodium hydroxide solution to 1.0 dm³ of acidic lake water contained in a beaker until the acid had just been neutralised.

The chemist found that it required 12.5 cm³ of 0.05 mol/dm³ sodium hydroxide solution to neutralise the acid.

(i)	State the number of moles of sodium hydroxide which are dissolved in 1.0 dm ³ of	f
	the sodium hydroxide solution.	

[1]

(ii) Calculate the number of moles of sodium hydroxide which are dissolved in 12.5 cm³ of the sodium hydroxide solution.

Show your working.

[2]	

	To Bush
_	For iner's
J	Tage

trapapers.com

(iii) The balanced equation for the neutralisation reaction is

 $2NaOH + H_2SO_4 \rightarrow Na_2SO_4 + 2H_2C$

Calculate the number of moles of sulfuric acid which were contained in $1.0\,\mathrm{dm^3}$ of acidic lake water.

Show your working.

[2]

Fig. 6.1 shows the speed-time graph for a car for the first 24 seconds of a journey. 6

m/s




Fig. 6.1

- (a) On the graph, label with an A a section when the car is accelerating. [1]
- **(b)** Calculate the distance covered in the first 8 seconds. Show your working.

[2]

[2]

	www.xtrapa	pers.com
	17 AM. D.	
(c)	The mass of the car is 800 kg.	For
	The mass of the car is 800 kg. Calculate the kinetic energy of the car when travelling at its maximum speed on the journey. State the formula that you use and show your working.	Tidde ners
	State the formula that you use and show your working.	COM
	formula used	
		1
	working	_
	[3]	
(d)	When the speed of a car doubles, its momentum also doubles but its kinetic energy is four times greater.	
	Explain why.	

7	(a)	Mammals are vertebrates. State two characteristic visible features of mamma distinguish them from all other classes of vertebrates.
		1
		2 [2]
	(b)	Mammals are able to maintain a constant internal body temperature.
		Describe how vasodilation helps to cool the body when it gets too hot.
		[3]
	(c)	The maintenance of a constant internal body temperature is part of homeostasis.
		Homeostasis also includes the regulation of blood glucose concentration and the removal of toxic waste products, such as urea, from the body.
		(i) Describe how blood glucose concentration is brought back to normal if it rises too high.
		[3]

Fig. 7. he remove (ii) Urea is removed from the body dissolved in water, forming urine. Fig. 7. incomplete diagram of the kidneys and other organs involved in the removal urea from the body.




Fig. 7.1

Complete Fig. 7.1 by drawing and labelling:

- the renal arteries
- the renal veins
- the ureters

the urethra [4] 8




Fig. 8.1

Calculate the half-life of the radioactive source.

Show your working.

 [2]

		www.xtrap
		21
(b)	Alp	ha radiation is a form of ionising radiation.
	(i)	21 ha radiation is a form of ionising radiation. Explain the meaning of the term ionising radiation. [1]
		[1]
	(ii)	An alpha radiation source is less harmful to humans than a gamma radiation source if it is outside the body.
		An alpha radiation source is more harmful than to humans than a gamma radiation source if it is inside the body.
		Explain why.
		[2]
c)	Nuc	clear fission and nuclear fusion are both sources of energy.
	(i)	Describe how these two processes differ.
		[2]
	(ii)	There are safety concerns about the use of nuclear fission as an energy resource.
		Describe and explain one of these safety concerns.
		[2]

9 (a) The chemical symbols for the atoms shown below include proton (atomic) number nucleon (mass) numbers.

$$^{16}_{8}O$$
 $^{31}_{15}P$ $^{32}_{16}S$ $^{70}_{31}Ga$

Complete Table 9.1 which shows the names and the numbers of protons and neutrons in two of the atoms shown above.

Table 9.1

element name	protons	neutrons
oxygen		
	15	16

[2]

(b) Fig. 9.1 shows part of a chart of the melting points in kelvins (K) of some elements.




Fig. 9.1

The melting points of the elements in Period 2 and Period 3 of the Periodic Table a periodic pattern.

WWW. Papa Cambridge. Com (i) Use Fig. 9.1 and your understanding of the term periodic pattern to predict the element which has the highest melting point in Period 3. Explain your choice briefly. explanation (ii) Carbon, proton number 6, and nitrogen, proton number 7, have very different melting points. Explain the difference in terms of the structures of these elements. In your answer you should include the phrases, giant structure and simple molecular structure. You may wish to draw diagrams as part of your answer.

www.xtrapapers.com

[2]

(c)	Car	bon and hydrogen combine to form a very large number of hydrocarbons.	For iner's
	Eth	ene, C ₂ H ₄ , is a gaseous, unsaturated hydrocarbon, which is of industrial importance	ners
	(i)	Complete the displayed formula of the ethene molecule below.	36.CO
		Н	13
		C	
		[2]	
	(ii)	Unsaturated hydrocarbons are made in industry from fractions obtained by the fractional distillation of oil (petroleum).	
		Name the process which is used to make unsaturated hydrocarbons and describe briefly how it is done.	
		name of process	
		description	
		[3]	
	(iii)	Describe, in terms of changes to chemical bonds, what happens when ethene molecules react to form molecules of poly(ethene).	

24

Fig. 10.1 shows some stages in the formation of a human fetus.




Fig. 10.1

Most human cells contain 46 chromosomes.		
(i)	State the number of chromosomes in a sperm cell.	[1]
(ii)	State the number of chromosomes in a zygote.	[1]
(iii)	Name the part of the cell in which chromosomes are found.	[1]
Nar	me the part of the female reproductive system in which each of these events occu	ırs.
(i)	The zygote is produced.	[1]
(ii)	The fetus develops.	[1]
Des	scribe the function of the amnion.	
	(i) (ii) (iii) Nar (i) (ii)	 (i) State the number of chromosomes in a sperm cell. (ii) State the number of chromosomes in a zygote. (iii) Name the part of the cell in which chromosomes are found. Name the part of the female reproductive system in which each of these events occur. (i) The zygote is produced.

(d) Mutations sometimes occur in the chromosomes of a cell.

www.xtrapa	pers.com
26	
Mutations sometimes occur in the chromosomes of a cell.	For iner's
Mutations sometimes occur in the chromosomes of a cell. Mutations are generally harmful, but sometimes a mutation may increase a organism's ability to survive in its environment. Explain how this could lead to a change, over time, in the characteristics of a	Hide
Explain how this could lead to a change, over time, in the characteristics of a population of organisms.	COM
[4]	

BLANK PAGE

The Periodic Table of the Elements DATA SHEET

							_	1	* WWW	xtrapapers.com
				2	8		1			alla
0	Helium	20 N eon 10	40 Ar Argon	84 Kr Krypton 36	131 Xe Xenon 54	Radon 86		Lutetium 77	Lr Lawrencium 103	Camplin
=		19 Fluorine	35.5 C1 Chlorine	80 Br Bromine 35	127 I lodine	At Astatine 85		173 Yb Ytterbium 70	Nobelium 102	Se Con
>		16 Oxygen 8	32 S Sultur 16	79 Se Selenium 34	128 Te Tellurium 52	Po Polonium 84		169 Tm Thulium	Md Mendelevium 101	
>		14 N Nitrogen 7	31 P Phosphorus 15	75 AS Arsenic 33	122 Sb Antimony 51	209 Bi Bismuth 83		167 Er Erbium 68	Fm Fermium 100	
≥		12 Carbon 6	28 Si Silicon	73 Ge Germanium	Sn Tin 50	207 Pb Lead		165 Ho Holmium 67	Esteinium 99	(r.t.p.).
≡	,	11 Boron 5	27 A1 Auminium 13	70 Ga Gallium 31	115 In Indium	204 T 1 Thallium		162 Dy Dysprosium 66	Cf Californium 98	pressure
	·			65 Zn Zinc 30	Cd Cadmium 48	201 Hg Mercury 80		159 Tb Terbium 65	BK Berkelium 97	tture and
				64 Cu Copper	108 Ag Silver 47	197 Au Gold		157 Gd Gadolinium 64	Curium 96	r tempera
				Nickel	106 Pd Palladium 46	195 Pt Platinum 78		152 Eu Europium 63	Am Americium 95	at roomء عا
				59 Co Cobalt	103 Rh Rhodium 45	192 I r Iridium		Sm Samarium 62	Pu Plutonium	s is 24 dn
	T Hydrogen			56 Fe Iron	Ru Ruthenium 44	190 OS Osmium 76		Pm omethium	Neptunium	The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).
				Mn Manganese 25	Tc Technetium 43	186 Re Rhenium 75			238 U Uranium 92	one mole
				52 Cr Chromium 24	96 Mo Molybdenum 42	184 W Tungsten 74		Pr Praseodymium 59	Pa Protactinium 91	olume of c
				51 V Vanadium 23	93 Nobium 41	181 Ta Tantalum		140 Ce Cerium 58	232 Th Thorium 90	The vo
				48 Ti Titanium 22	2r Zr Zirconium 40	178 Hf Hafnium			ic mass ool ic) number	
				45 Sc Scandium 21	89 ×	139 La Lanthanum s	227 Ac Actinium 89	series eries	= relative atorr = atomic symt : proton (atom	
=		9 Be Beryllium	24 Mg Magnesium	40 Ca Calcium 20	Sr Strontium	137 Ba Barium 56	226 Ra Radium 88	anthanoid Actinoid se	a × a	
_		7 Li Lithium 3	23 Na Sodium	39 K Potassium 19	Rb Rubidium 37	133 Cs Caesium 55	Fr Francium 87	*58-71 Le	Key b	
		1	III IV V VI VIII VIIII VIII VIII VIII VIII VIII VIII VIII VIII VIIII VIII VIII VIII VIII VIII VIII VIII VIII VIIII VIII VIII VIII VIII VIII VIII VIII VIII VIIII VIII VIII VIII VIII VIII VIII VIII VIII VIIII VIII VIII VIII VIII VIII VIII VIII VIII VIIII VIII VIII VIII VIII VIII VIII VIII VIII VIIII VIII VIII VIII VIII VIII VIII VIII VIII VIIII VIII VIII VIII VIII VIII VIII VIII VIII VIIII VIII VIII VIII VIII VIII VIII VIII VIII VIIII VIII VIII VIII VIII VIII VIII VIII VIII VIIII VIII VIII VIII VIII VIII VIII VIII VIII VIIII VIII VII	III IV VI VII VII	III III	1 1 1 1 1 1 1 1 1 1	1 11 12 13 13 14 14 14 14 14 14			1

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.