

2 hours

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in. Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

 Answer all questions.
 For Examiner's Use

 A copy of the Periodic Table is printed on page 28.
 1

 At the end of the examination, fasten all your work securely together.
 2

 The number of marks is given in brackets [] at the end of each question or part question.
 3

 4
 5

 6
 7

This document consists of 24 printed pages and 4 blank pages.



8

9

10

Total

(a) In electrochemical cells (batteries), electrical energy is obtained from c 1 reactions.

Fig. 1.1 shows some uses of electrochemical cells.



Fig. 1.1

(i) Small electrochemical cells, like those used in watches and torches (flashlights), stop working and have to be replaced fairly frequently.

Explain what has happened inside the cells to cause them to stop working.

		[1]
(ii)	Explain why car batteries may never need to be replaced during the lifetime of car.	the
		[1]

placing combined by combined b (b) Electrical energy may be obtained from an electrochemical cell made by placing electrodes into a potato.

Fig. 1.2 shows a diagram of such a cell.

(i)

(ii)



Fig. 1.2

A student investigated the use of different metals as electrodes. The metals he used are listed below in order of reactivity.

magnesium	(most reactive)	
zinc	I	
lead	\checkmark	
copper	(least reactive)	
Suggest why a potato can l	be used as part of an electrochemical cell.	
	[1]
State the pair of metals fro used as the electrodes.	m the list that would produce the highest voltage wher	۱
Explain your answer.		

.....

.....

.....

[2]

(c) Some modern cars, known as hybrids, have two engines.

One of these engines uses hydrocarbon fuel (gasoline) which is combusted (burned) provide the energy required to move the car.

For iner's ted (burned) The second engine is a powerful electric motor which uses energy provided by an electrochemical cell.

When the car moves away from rest and continues to move slowly, the electric motor drives the car and the combustion engine is switched off.

(i) Heptane, C_7H_{16} , is an alkane found in gasoline.

Complete the balanced symbolic equation below for the combustion of heptane.

 C_7H_{16} + \rightarrow 7CO₂ + 8H₂O [2]

(ii) Suggest why there could be an improvement to the environment, particularly in towns and cities, if hybrid cars replaced ordinary cars.

 [3]



www.papaCambridge.com (b) Fig. 2.2 shows apparatus that was used to investigate transpiration. The two pla apparatus were set up and left in the same conditions for 24 hours. The levels of N at the start and end of the 24 hours are shown on the diagram.



Fig. 2.2

(i) Suggest why the level of water went down more in **Q** than in **P**. [3] (ii) Predict the results that would be obtained if apparatus Q was left in the same position for the next 24 hours, but at a higher temperature. Explain your prediction. [3]

			May Waxte	apapers.com
3	(a)	The Pro	7 e isotope protactinium-234 undergoes radioactive decay by emitting beta ratactinium-234 has a half-life of 105 seconds.	Canno For iner's
		(i)	Explain the meaning of the terms <i>radioactive decay</i> and <i>half-life</i> .	Tidge com
			half-life	
		(ii)	0.400 mg of protactinium-234 decays until 0.025 mg remain. Calculate how long this takes.	
			Show your working.	
				[2]
	(b)	Apa radi	art from nuclear weapons and nuclear power, describe one practical use ioactive isotopes.	of
				[2]



blood group

В

AB

Fig. 4.1

А

20

10

0

0

(i) Blood groups in humans show discontinuous variation.
 Explain what is meant by *discontinuous variation*.
 [2]
 (ii) Use the information in Fig. 4.1 to suggest whether a person's blood group is caused by their genes, their environment, or both genes and environment.
 Explain your answer.
 [2]





10

5 (a) Fig. 5.1 shows a simple circuit containing two identical lamps.



Fig. 5.1

Ammeter A_1 reads 0.30 A.

Write down the readings on

ammeter A_2	
ammeter A3	
voltmeter V_1	
voltmeter V_2	

[2]

For iner's

- (b) A student investigated the relationship between the potential difference across and the current in the lamp.
 - Fig. 5.2 shows a graph of the results of this investigation.





(i) Calculate the resistance of the lamp when the current was 0.6 A.

State the formula that you use and show your working.

formula used

working

[2]

13 (ii) Explain why the lamp does not obey Ohm's law. [2] (iii) On Fig. 5.2, sketch a line which could have been obtained if the lamp did obey

[1]

(c) Fig. 5.3 shows a soft iron ring. Two coils **X** and **Y**, each of 400 turns, are wound around the ring. Coil **X** is connected to a power supply and coil **Y** is connected to a 6 V lamp.



Fig. 5.3

Describe and explain what happens to the lamp when

Ohm's law.

the power supply is 6 V d.c., the power supply is 6 V a.c. [3]

ble 6.1 show emical symbo	s some properti Is of the element	14 es of five eleme ts. Table	ents, P to T . The 6.1	e code letters are
element code letter	melting point / °C	boiling point / °C	conduction of electricity	number of outer electrons in an atom
Р	-89	-186	insulator	8
Q	-39	357	conductor	2
R	-7	58	insulator	7
S	181	1342	conductor	1
т	114	184	insulator	7

Table 6.1

Answer the following questions, using only the code letters of the elements shown in Table 6.1.

(a) (i) State and explain which element is very unreactive.

	element
	explanation
	[1]
(ii)	State and explain which element is a metal and a liquid at a room temperature of 20 $^\circ\text{C}.$
	element
	explanation
	[2]
(iii)	Elements R and T are halogens.
	Use information from Table 6.1 to state and explain which of these elements has the greater proton number.
	element
	explanation
	[2]

tron sh (b) Fig. 6.1 shows atoms of the two elements, R and S. Only the outer electron sha shown.



Fig. 6.1

Elements R and S react vigorously together to form an ionic compound.

The compound that forms has a very high melting point.

(i) Describe, in terms of electrons, how ionic bonds are formed between atoms of R and S.

	[2]
(ii)	Explain, in terms of structure and the forces between ions, why the compound containing R and S is a solid with a high melting point.
	[5]

	www.xtr	apapers.com
	16 × P	
(c)	Suggest the process which is used to extract the element potassium from compounds.	Samp For iner's
	Give a reason for your choice of process.	14ge.c
		····
		[2]

- MAN. PapaCambridge.com 17 Fig. 7.1 shows the driving force acting on a car of mass 1200 kg travelling at a car speed of 18 m/s. driving force 1000 N Fig. 7.1 (a) Calculate the amount of work done by the driving force in one minute. Show your working. [2] (b) The car when travelling at 18 m/s is stopped using a braking force of 10000 N. (i) Calculate the deceleration of the car. State the formula that you use and show your working. formula used working
 - [2]
 - (ii) Calculate the time needed for the car to stop.

State the formula that you use and show your working.

formula used

working

7

[2]

(c) Fig. 7.2 shows a car on a hydraulic lift in a garage. The total weight being lifted is 1 The lift uses four large pistons. Each large piston has an area of 0.03 m². The sm piston **X** has an area of 0.01 m^2 .





(i) Calculate the total area of the four large pistons.

[1]

(ii) Use the formula

pressure = force / area

to calculate the pressure in the hydraulic fluid used in the lift.

Show your working.

.....[1]



8	Fig.	8.1	20 shows a section through the human thorax.	apapers.c
	(2)	On	Fig.8.1	
	(a)	D	a muscle that contracts to bring about inspiration (breathing in)	
		R	an area where das exchange takes place	
		C	a structure that rises during expiration (breathing out)	[3]
		-		
	(b)	De to f	scribe the pathway taken by blood as it passes from the heart to the lungs and bac the heart again.	ck
			[[3]
	(c)	De	scribe how the blood transports oxygen.	
			[[2]



9 Nitrogen compounds in soil are taken up by growing crops.

Www.papaCambridge.com Fig. 9.1 shows two ways in which nitrogen compounds may be added to soil used growing crops.



Fig. 9.1

(a) (i) State the meaning of the term *nitrogen fixation* and describe briefly **one** way in which this can occur.

..... [3] (ii) Explain why nitrogen molecules taken directly from the air cannot be used by most growing crops.

[1]

Www.PapaCambridge.com 23 (b) The nitrogen in NPK fertiliser exists in the form of compounds such as the ammonium nitrate, NH₄NO₃, and diammonium phosphate, (NH₄)₂HPO₄. Diammonium phosphate may be obtained by reacting ammonia with phosphoric acid. The balanced symbolic equation for this reaction is $2NH_3 + H_3PO_4 \rightarrow (NH_4)_2HPO_4$ (i) State the number of moles of diammonium phosphate which are produced when 0.1 mol of ammonia react. [1] (ii) The relative formula mass of diammonium phosphate is 132. Calculate the mass of diammonium phosphate which is produced when 0.1 mol of ammonia reacts. Show your working. [2] (c) Plants produce glucose which provides energy during respiration. Excess glucose is stored in the plant in the form of starch. (i) Outline, in terms of molecules, what happens when glucose is changed into starch. [2] (ii) Glucose is soluble in water but starch is insoluble. Describe and explain the difference in appearance between a solution of glucose and the sol (colloid) which forms when starch is dispersed in water. [3]

			WWW Xti	apapers.com
			24	
10	(a)	An	athlete of mass 70 kg is running at a speed of 10 m/s in a sprint race.	For J
		Cal	culate the athlete's kinetic energy.	nbria mer's
		Sta	te the formula that you use and show your working.	Se.Co
			formula used	11
			working	
				[3]
	(b)	At t	he end of the race, evaporation helps to cool the athlete.	
		(i)	Use the idea of particles to explain how evaporation helps the athlete to cool dow	vn.
				[2]
		(ii)	At the end of a long race, an athlete may be wrapped in a shiny foil blanket prevent him cooling down too quickly.	to
			Explain how the shiny foil blanket helps to reduce energy losses. Use ideas ab conduction, convection and radiation in your answer.	out
				[3]





26



Copyright Acknowledgements:

Question 2 Photograph Dr E Jones © UCLES

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of

DATA SHEET The Periodic Table of the Elements

										WWW W	xtrapapers.com
				1	2	8		1	[Papa
	0	4 Helium 2	20 Neon Neon	40 Ar Argon	84 Krypton 36	131 Xe Xenon	86 Radon		175 Lu Lutetium	Lawrencium 103	Cambr.
	ΝI		9 Fluorine	35.5 C1 17	80 Br Bromine 35	127 I lodine 53	At Astatine 85		173 Yb Ytterbium	Nobelium 102	age con
	١٨		⁸ 0xygen 6	32 S ultur 16	79 Se Selenium 34	128 Te llurium 52	Polonium 84	-	169 Thulium 69	Mendelevium 101	100
	>		Nitrogen	31 Phosphorus 5	75 AS Arsenic	122 Sb Antimony	209 Bismuth	_	167 Erbium	Fermium 100	
	2		12 Carbon	28 Silicon	73 Ge Germanium 2	0 10 10 10	207 Pb Lead 8		165 Holmium	Einsteinium	.t.p.).
	=		Boron 20	27 A1 Numinium	70 Gallium 33.0	115 In Indium 50	204 T1 Thalium		162 Dy ysprosium	alifornium 90	essure (r
			ى س		65 Zn Zinc 31	112 Cd admium 49	201 Hg Mercury 81		159 Tb Terbium	BK Bkrkelium 98 0	re and pr
					64 Cu Copper 30	108 Ag Silver 48	197 Au Gold 80		157 Gd adolinium	Cartium B	emperatu
					59 Vickel 29 29	106 Pd Iadium 47	195 Pt atinum 79		152 Eu ropium Ga	ericium 96	it room te
Group					59 Death 3	03 2h Datium A6	92 [r ⁷⁸		50 im narium 63 63	onium 95	24 dm ³ a
		 			5 0 c	1 1			hium Sam S	o and a second s	y gas is
		+ Hydrog			56 Iron F	101 Ruthen R	190 0 0 0 0 5 0 10		Pomet	Neptin D	le of any
					55 Manganes 25	Technetiur 43	186 Re Rhenium 75		144 Neodymiu 60	238 238 Uranium 92	one mo
					52 Chromium 24	96 Molybdenum 42	184 V Tungsten 74		141 Pr Praseodymium 59	Protactinium 91	olume of
					51 Vanadium 23	93 Niobium 41	181 Ta Tantalum 73		140 Cerium 58	232 Thorium 90	The v
					48 Titanium	91 Zr Zirconium 40	178 Hf Hathium 72			ic mass ol c) number	
					45 Scandium 21	89 Yttrium 39	139 La Lanthanum 57 *	227 Actinium 39 †	series ries	elative atomi atomic symbi vroton (atomi	
	=		9 Be Beryllium	24 Mg Magnesium 2	0 Calcium	Strontium 88 88 88 88 88 88 88 88 88 88 88 88 88	137 Banium 6	226 Radium 8	thanoid stinoid se	a = r X = y	
	_		Lithium	23 Sodium	39 A 39 Potassium 9	85 Rb Rubidium 7	133 CS Caesium 5	Francium 8	58-71 Lar 10-103 Ac	° C q	
			n	7	1 25	37	56	8.	4° 40	ž	