

**UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS**  
International General Certificate of Secondary Education

**MARK SCHEME for the May/June 2012 question paper**  
**for the guidance of teachers**

**0654 CO-ORDINATED SCIENCES**

**0654/61**

Paper 6 (Alternative to Practical), maximum raw mark 60

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes must be read in conjunction with the question papers and the report on the examination.

- Cambridge will not enter into discussions or correspondence in connection with these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2012 question papers for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level syllabuses and some Ordinary Level syllabuses.

|        |                                |          |  |
|--------|--------------------------------|----------|--|
| Page 2 | Mark Scheme: Teachers' version | Syllabus |  |
|        | IGCSE – May/June 2012          | 0654     |  |

- 1 (a) (i) chlorophyll ;
- (ii) **A:** black/dark blue ;  
**B:** white/brown ;  
**A:** starch ;  
**B:** no starch ; [4]
- (b) (i) all readings in table (12, 15, 12, 3) ;  
(all four readings correct = 2 marks, three correct = 1 mark) [2]
- (ii) oxygen ; [1]
- (iii) carbon dioxide ;  
respiration ; [2]
- [Total: 10]**
- 2 (a) (i)  $V = 2.22$  ; (accept 2.21 to 2.23)  
 $A = 0.21$  ; [2]
- (ii) 2.61, 5.25, 7.88, 10.57, 12.84 ;  
(five correct = 2 marks (ecf), three or four correct = 1 mark) [2]
- (b) (i) 4/5 correct points  $\pm$   $\frac{1}{2}$  square ;  
ruler – straight line passing through origin ; [2]
- (ii) clear indication on graph or in space ;  
correct answer (ecf), allow 0.12 to 0.13 ; [2]
- (iii)  $3.8 \times 10^{-4} / 0.00038$  ; (ecf) [1]
- (iv) decrease ; [1]
- [Total: 10]**

|        |                                |          |
|--------|--------------------------------|----------|
| Page 3 | Mark Scheme: Teachers' version | Syllabus |
|        | IGCSE – May/June 2012          | 0654     |

- 3 (a) (i) *test* limewater ;  
*result* milky / chalky / white solid / ppt ;  
*anion* carbonate /  $\text{CO}_3^{2-}$
- (ii) copper /  $\text{Cu}^{2+}$  / Cu(II) ; [1]
- (b) (i) *test* (aq)(acidified) barium chloride / nitrate ;  
*result* no white ppt ; [2]
- (ii) chloride /  $\text{Cl}^-$  ; [1]
- (iii) ammonium ; [1]
- (c) sodium / potassium ;  
no ppt formed (with NaOH) / colourless solution ; [2]
- [Total: 10]**
- 4 (a) (i)  $0.5 \text{ (dm}^3\text{)}$  ; [1]
- (ii) 12 ; [1]
- (iii)  $6 \text{ (dm}^3\text{)}$  ; [1]
- (b) (i) larger volume inhaled ;  
rate of breathing slowing down ;  
volume of each breath falling ; [max 2]
- (ii)  $1.6 \text{ (dm}^3\text{)}$  ; [1]
- (iii) more oxygen needed (during exercise) ;  
more  $\text{CO}_2$  needed to be removed (during exercise) ;  
oxygen debt ; [max 2]
- (c) too much carbon dioxide present ;  
not enough oxygen present ; [2]
- [Total: 10]**

|        |                                |          |  |
|--------|--------------------------------|----------|--|
| Page 4 | Mark Scheme: Teachers' version | Syllabus |  |
|        | IGCSE – May/June 2012          | 0654     |  |

- 5 (a) (i) 500, 0.85 ;
- (ii) 750, 1.75 ;  
1000, 0.45 ;
- (b) (i) 0.000017 ; (ecf, for all three values)  
0.000023 ;  
0.0000045 ; [3]
- (ii) °C ; [1]
- (iii) tungsten (ecf, if deduction is correct) ; [1]
- (c) (i) e.g. fire alarms / thermostats thermometers / train tyres / barrel hoops etc ; [1]
- (ii) e.g. railway tracks / bridges / power cables / telephone wires etc ; [1]
- [Total: 10]**
- 6 (a) (i) (from) purple / blue to green ; [1]
- (ii) 20.4 and 20.5 (both) ;  
20.3(3) ; [2]
- (iii) 0.8(13) ; [1]
- (b) (i) 48.3, 48.8, 48.1 (all three required) ;  
48.4 ; [2]
- (ii) 1.9(36) ; [1]
- (c) 0.38 (ecf) ; [1]
- (d) (*Bugoff*) because it is more concentrated ; [1]
- (e)  $\text{NaOH} + \text{HCl} = \text{NaCl} + \text{H}_2\text{O}$  ; [1]
- [Total: 10]**