



Cambridge International Examinations
Cambridge Ordinary Level

CHEMISTRY

5070/12

Paper 1 Multiple Choice

October/November 2018

1 hour

Additional Materials: Multiple Choice Answer Sheet
Soft clean eraser
Soft pencil (type B or HB recommended)



READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

Do not use staples, paper clips, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

DO NOT WRITE IN ANY BARCODES.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A, B, C** and **D**.

Choose the **one** you consider correct and record your choice in **soft pencil** on the separate Answer Sheet.

Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.

Any rough working should be done in this booklet.

A copy of the Periodic Table is printed on page 16.

Electronic calculators may be used.


This document consists of **13** printed pages and **3** blank pages.



2

- 1 When heated, magnesium reacts with oxygen in the air to form magnesium oxide, a white powder.

A student investigates the change in mass that occurs during this reaction. He is given a balance and the three sets of apparatus shown.



Which sets of apparatus are suitable for this investigation?

- A** 1, 2 and 3 **B** 1 and 3 only **C** 2 and 3 only **D** 2 only
- 2 Four substances are heated gently. The temperatures at which they start and finish melting are recorded.

substance	temperature	
	start melting /°C	finish melting /°C
1	117	117
2	0	0
3	36	40
4	101	105

Which statement about the substances is correct?

- A** Substance 1 is the only pure substance.
B Substance 3 and substance 4 are impure.
C Substance 4 is water.
D They are all solids at room temperature.

- 3 A substance dissolves in water to form a colourless solution. This solution reacts with aqueous silver nitrate in the presence of dilute nitric acid to give a yellow precipitate.

What is the possible identity of the substance?

- A calcium iodide
- B copper(II) chloride
- C iron(II) iodide
- D sodium chloride

- 4 Which statements are correct?

- 1 The volume of a gas at constant pressure increases as the temperature increases.
- 2 The rate of diffusion of a gas increases as the temperature increases.
- 3 The pressure of a gas at constant volume decreases as the temperature increases.

- A 1, 2 and 3 B 1 and 2 only C 1 and 3 only D 2 and 3 only

- 5 Which particle contains the greatest number of electrons?

- A Mg^{2+} B N^{3-} C Ne D S^{2-}

- 6 Which substance has a giant covalent structure at room temperature?

- A methane
- B sand
- C sodium chloride
- D water

- 7 One atom of element X and two atoms of element Y react to form an ionic compound. Element X forms a positive ion.


Which elements could X and Y be?

	X	Y
A	calcium	chlorine
B	calcium	oxygen
C	sodium	chlorine
D	sodium	oxygen

- 8 An element with a high melting point forms an oxide that is gaseous at room temperature.

Which type of structure or bonding is present in the element?

- A giant covalent
 - B ionic
 - C metallic
 - D simple molecular
- 9 Which statement explains why aluminium is malleable?
- A Aluminium has layers of cations that can slide over one another.
 - B Aluminium has layers of electrons that can slide over one another.
 - C Aluminium has weak bonds between protons and a 'sea of electrons'.
 - D Aluminium is covered with a layer of unreactive aluminium oxide.
- 10 The incomplete equation for the reaction between ethyne, C_2H_2 , and oxygen is shown.



When the equation is balanced, what is the correct value for $\text{O}_2(\text{g})$?

- A 2 B 3 C 4 D 5
- 11 A compound contains 40.0% carbon, 6.7% hydrogen and 53.3% oxygen by mass.
- The relative molecular mass of the compound is between 55 and 65.
- What is the molecular formula of the compound?
- A CH_2O B $\text{C}_2\text{H}_4\text{O}$ C $\text{C}_2\text{H}_4\text{O}_2$ D $\text{C}_2\text{H}_6\text{O}_2$
- 12 What is observed during the electrolysis of aqueous copper(II) sulfate using carbon electrodes?
- A A pink solid is deposited on the anode.
 - B Bubbles form on the negative electrode.
 - C The colour of the solution fades.
 - D The negative electrode becomes smaller.

13 Four processes using electrolysis are listed.

- 1 the electrolysis of concentrated aqueous sodium chloride
- 2 the electrolysis of dilute sulfuric acid
- 3 the extraction of aluminium from pure aluminium oxide
- 4 the purification of copper using aqueous copper(II) sulfate

Which processes produce oxygen at one of the electrodes?

- A** 1 and 2 **B** 2 and 3 **C** 2 and 4 **D** 3 and 4


14 Which statements about endothermic reactions are correct?

- 1 Energy is absorbed from the surroundings.
- 2 Energy is released to the surroundings.
- 3 The temperature of the reaction mixture falls.
- 4 The temperature of the reaction mixture rises.


- A** 1 and 3 **B** 1 and 4 **C** 2 and 3 **D** 2 and 4

15 A fuel is completely burned in air. Carbon dioxide, water and heat are produced.

Which energy profile diagram is correct for burning a fuel?



16 The equation shows the reaction for the manufacture of ammonia.



Which change will decrease the activation energy of the reaction?

- A** addition of a catalyst
- B** decrease in temperature
- C** increase in concentration
- D** increase in pressure

- 17 Solid ammonium chloride is heated. The gases ammonia and hydrogen chloride are formed. This is reaction 1.

Ammonia gas is mixed with hydrogen chloride gas. Solid ammonium chloride is formed. This is reaction 2.

Which statement is correct?

- A Both reaction 1 and reaction 2 are exothermic.
 B Reaction 2 is reversible.
 C The equation for reaction 1 is $\text{NH}_5\text{Cl} \rightarrow \text{NH}_4 + \text{HCl}$.
 D The three substances involved in each reaction all have a simple molecular structure.
- 18 In a closed flask, gases Q and R reach a dynamic equilibrium.



Which change will move the equilibrium to the right?

- A adding a catalyst
 B decreasing the temperature
 C increasing the pressure
 D increasing the volume of the flask
- 19 Which reaction is a redox reaction?
- A $\text{Mg} + 2\text{HCl} \rightarrow \text{MgCl}_2 + \text{H}_2$
 B $\text{MgCO}_3 + 2\text{HCl} \rightarrow \text{MgCl}_2 + \text{H}_2\text{O} + \text{CO}_2$
 C $\text{MgO} + 2\text{HCl} \rightarrow \text{MgCl}_2 + \text{H}_2\text{O}$
 D $\text{Mg(OH)}_2 + 2\text{HCl} \rightarrow \text{MgCl}_2 + 2\text{H}_2\text{O}$

- 20 Three separate mixtures of a solution and a solid are made, as shown in the table.

The mixtures are warmed.

In which mixtures does gas form?

	NaOH(aq) and NH ₄ Cl(s)	H ₂ SO ₄ (aq) and NH ₄ Cl(s)	H ₂ SO ₄ (aq) and Mg(s)
A	✓	✓	x
B	✓	x	✓
C	x	✓	x
D	x	x	✓

key

✓ = gas forms

x = no gas forms

- What is the metal?

- A** barium
B calcium
C potassium
D silver

- A** ammonium nitrate, NH_4NO_3 ; formula mass is 80
- B** ammonium phosphate, $(\text{NH}_4)_3\text{PO}_4$; formula mass is 149
- C** ammonium sulfate, $(\text{NH}_4)_2\text{SO}_4$; formula mass is 132
- D** potassium nitrate, KNO_3 ; formula mass is 101

- | | temperature
/°C | pressure
/atm | catalyst |
|----------|--------------------|------------------|-------------------------------|
| A | 100 | 1 | V ₂ O ₅ |
| B | 300 | 1000 | Fe |
| C | 450 | 1 | Fe |
| D | 450 | 1 | V ₂ O ₅ |

-
- The diagram shows a simplified periodic table with the following layout:
- Top Row:** A single box in the center.
 - Second Row:** Two boxes on the left, followed by a gap, then four boxes on the right. The rightmost box is labeled 'Z'.
 - Third Row:** Two boxes on the left, followed by a gap, then four boxes on the right. The second box from the right is labeled 'Y'.
 - Bottom Row:** A continuous row of 18 boxes. The first box is labeled 'W', and the 16th box is labeled 'X'.

A W and X **B** W and Y **C** X and Y **D** Y and Z

- 25** The Group I metals lithium, sodium and potassium show trends in their melting points and in their reactions with water.

Which statement is correct going down the group from lithium to potassium?


- A** Their melting points decrease and their reaction with water becomes less vigorous.
- B** Their melting points decrease and their reaction with water becomes more vigorous.
- C** Their melting points increase and their reaction with water becomes less vigorous.
- D** Their melting points increase and their reaction with water becomes more vigorous.

- 26** From their position in the Periodic Table, which properties would you expect the elements vanadium, chromium and cobalt to have?

- 1 variable oxidation states
- 2 coloured compounds
- 3 high melting points

- A** 1, 2 and 3 **B** 1 and 2 only **C** 1 and 3 only **D** 2 and 3 only

- 27** The diagram shows the structure of an alloy.



Which statement about alloys is correct?

- A** Alloys can only be formed by mixing copper or iron with other metals.
- B** High carbon steel alloys are soft and easily shaped.
- C** In an alloy there is attraction between positive ions and a 'sea of electrons'.
- D** The alloy brass has a chemical formula.

- 28** Which pair of reagents will undergo a displacement reaction?

- A** Ag(s) and $\text{CuSO}_4\text{(aq)}$
- B** Cu(s) and $\text{MgSO}_4\text{(aq)}$
- C** Mg(s) and $\text{CaSO}_4\text{(aq)}$
- D** Zn(s) and $\text{CuSO}_4\text{(aq)}$

- 29 The reactivity series for some metals, with two gaps labelled **X** and **Y**, is shown.

most reactive

→

least reactive

K	Na	Ca	Mg	X	Zn	Y	Pb	(H)	Cu	Ag
---	----	----	----	---	----	---	----	-----	----	----

Which row correctly identifies metals **X** and **Y** and the method of extraction of **Y** from its ore?

	metal X	metal Y	method of extraction of Y
A	Al	Fe	electrolysis
B	Al	Fe	reduction with carbon
C	Fe	Al	electrolysis
D	Fe	Al	reduction with carbon

- 30 Iron can be extracted from the ore haematite, Fe_2O_3 .

What is the maximum mass of iron that could be produced from 500 kg of haematite?
[A_r : O, 16; Fe, 56]

- A** 160 kg **B** 240 kg **C** 350 kg **D** 420 kg

- 31 Aluminium is used to make saucepans because of its apparent lack of reactivity.

Which property of aluminium explains its unreactivity?

- A** It has a layer of oxide on its surface.
B It has a low density.
C It is a good conductor of electricity.
D It is in Group III of the Periodic Table.

- 32 Pollutant gases are released by the bacterial decay of vegetable matter.

The bacterial decay of vegetable matter is the main source of which gas?

- A** carbon monoxide
B methane
C nitrogen dioxide
D sulfur dioxide

33 Several different treatments are used to purify the water supply.

Which impurities can be removed by which treatment?

	filtration	use of carbon	chlorination
A	harmful microbes	solids	unpleasant odours and tastes
B	harmful microbes	unpleasant odours and tastes	solids
C	solids	harmful microbes	unpleasant odours and tastes
D	solids	unpleasant odours and tastes	harmful microbes

34 Which statement about the homologous series of alkanes is correct?

- A** Alkanes are unsaturated hydrocarbons.
- B** Alkanes all have the general formula C_nH_{2n} .
- C** The boiling points decrease as the number of carbon atoms per molecule increases.
- D** The liquid alkanes become more viscous as the mass of the molecules increases.

35 Which compound has the empirical formula with the greatest relative formula mass?

- A** C_2H_6 **B** C_4H_{10} **C** C_5H_{10} **D** C_6H_6

36 Which statement about vegetable oil and the margarine made from it is correct?

- A** Both are liquids at room temperature.
- B** Both occur naturally.
- C** Margarine has the higher melting point.
- D** Vegetable oil has fewer carbon-carbon double bonds than margarine.

37 When ethene reacts with steam to form ethanol, which type of reaction takes place?

- A** addition
- B** fermentation
- C** polymerisation
- D** reduction


38 An ester is formed from a carboxylic acid and an alcohol.

How does the number of carbon, hydrogen and oxygen atoms in an ester differ from the total number of these atoms in the carboxylic acid and alcohol from which the ester is formed?

	carbon atoms	hydrogen atoms	oxygen atoms
A	fewer	fewer	fewer
B	fewer	same	fewer
C	same	fewer	fewer
D	same	same	same

39 Poly(lactic) acid is a polymer used to make biodegradable cups.

The partial structure of poly(lactic) acid is shown.



Which statements apply to poly(lactic) acid?

- 1 It is made by addition polymerisation.
- 2 It is made by condensation polymerisation.
- 3 It is a polyester.
- 4 The monomer used to make it is ethene.

A 1 and 3 **B** 1 and 4 **C** 2 and 3 **D** 2 and 4

40 Two large molecules, P and Q, both contain the same linkage.

P occurs naturally but Q does not.

Which row could be P and Q?

	P	Q
A	fat	nylon
B	fat	<i>Terylene</i>
C	nylon	protein
D	protein	<i>Terylene</i>

BLANK PAGE

BLANK PAGE

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The Periodic Table of Elements

57	La	lanthanum	139	58	Ce	cerium	140	59	Pr	praseodymium	141	60	Nd	neodymium	144	61	Pm	promethium	—	62	Sm	samarium	150	63	Eu	europlum	152	64	Gd	gadolinium	157	65	Tb	terbium	159	66	Dy	dysprosium	163	67	Ho	holmium	165	68	Er	erbium	167	69	Tm	thulium	169	70	Yb	ytterbium	173	71	Lu	lutetium	175
89	Ac	actinium	—	90	Th	thorium	232	91	Pa	protactinium	231	92	U	uranium	238	93	Np	neptunium	—	94	Pu	plutonium	—	95	Am	americium	—	96	Cm	curium	—	97	Bk	berkelium	—	98	Cf	californium	—	99	Es	einsteinium	—	100	Fm	fermium	—	101	Md	mendelevium	—	102	No	nobelium	—	103	Lr	lawrencium	—

The volume of one mole of any gas is 24 dm^3 at room temperature and pressure (r.t.p.).