



Cambridge International Examinations

Cambridge International General Certificate of Secondary Education

| CHEMISTRY Paper 3 Theory (Core) | | 06 ober/Novembe | 520/32 |
|---------------------------------|---------------------|--------------------|--------|
| CENTRE NUMBER | CANDIDATE NUMBER | | |
| CANDIDATE NAME | | | |

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

A copy of the Periodic Table is printed on page 16.

You may lose marks if you do not show your working or if you do not use appropriate units.


At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.



1 The diagram shows the structures of five substances, A, B, C, D and E.



Answer the following questions using only the structures in the diagram. Each structure may be used once, more than once or not at all.


| (a) | Which structure, A | , B , | C, | D or E , |
|-----|--------------------|--------------|----|------------------------|

What is meant by the term compound?

| (a) | vvn | ich structure, A, B, C, D or E, | |
|-----|---------------|---|-----|
| | (i) | is an element, | [1] |
| | (ii) | has a structure similar to ethanol, | [1] |
| | (iii) | is a compound which contributes to acid rain, | [1] |
| | (iv) | has double covalent bonds, | [1] |
| | (v) | contains halogen atoms? | [1] |
| (b) | Sta 1 2 | ucture A is a non-metal. te three typical differences between metals and non-metals. | |
| (c) | | ucture B is hydrogen sulfide. drogen sulfide is a compound. | |

[Total: 9]

2 The diagram shows the composition of the planet Saturn.



| (a) | Describe how Saturn's atmosphere differs from the Earth's atmosphere. |
|-----|---|
| | Give three differences. |

| 1 | |
|---|------|
| | |
| 2 | |
| | |
| 3 | |
| | [3] |

(b) Some properties of hydrogen and helium are given in the table.

| element | density of the liquid in g/cm³ | melting point in °C | boiling point in °C | |
|----------|--------------------------------|---------------------|------------------------|--|
| hydrogen | 0.07 | -259 | -253 | |
| helium | 0.15 | -272 | -269 | |

| (i) | Use the information to suggest why the layer of liquid hydrogen in Saturn floats on top of |
|-----|--|
| | the liquid helium. |

| [1] |
|-----|
|-----|

| (ii) | What is the physical state of hydrogen at -250 °C? |
|------|--|
| | Explain your answer. |

| • | , | | | |
|---|---|------|------|---------|
| | | | | |
| | | | | |
| | | | | |
| | | | | [2] |

| (c) Th | e atmosphere of Saturn contains small amounts of ammonia. |
|-----------------|---|
| (i) | Describe a test for ammonia. |
| | test |
| | result |
| | [2] |
| (ii) | Ammonia is a covalent compound. |
| | Complete the diagram to show the arrangement of electrons in a molecule of ammonia, the symbols of the atoms present. |
| | Show outer electrons only. |
| | [2] |
| (d) Sa | turn's atmosphere also contains small amounts of ammonium hydrosulfide. |
| | lculate the relative molecular mass of ammonium hydrosulfide, NH₄SH. e your Periodic Table to help you. |
| | relative molecular mass = [2] |
| Sm | turn's atmosphere also contains small amounts of methane. nall amounts of methane are present in the Earth's atmosphere. ethane is a greenhouse gas. |
| (i) | Name another greenhouse gas present in the Earth's atmosphere. |
| | [1] |
| (ii) | Scientists are concerned about the increase in the amount of greenhouse gases in the Earth's atmosphere. |
| | Explain why. |
| | [1] |
| | [Total: 14] |

| 3 | The following | compounds are | present in a liquid | d used for | cleaning i | metal. |
|---|---------------|---------------|-----------------------|------------|------------|--------|
| • | THE TOHOWING | compounds are | productiviti a figure | | orcar mig | HICLG |

ethanoic acid

ethanol

glycerol

sodium chloride

water

(a) (i) Draw the structure of the functional group present in ethanoic acid.

[1]

(ii) Which **one** of the following pH values is acidic? Put a circle around the correct answer.

pH4 pH7 pH9 pH13

[1]

(iii) Ethanoic acid reacts with sodium hydroxide.

What type of reaction is this? Put a circle around the correct answer.

neutralisation oxidation polymerisation reduction

[1]

(iv) The reaction of ethanoic acid with sodium hydroxide is exothermic.

What is meant by the term exothermic?

.....[1]

(b) The structure of glycerol is shown.

Deduce the molecular formula of glycerol showing the number of carbon, hydrogen and oxygen atoms.

.....[1

[Total: 13]

| (c) | Balance tl | he chemical | equation | for the | incomplet | te combustion | of ethanol |
|-------|-------------|-------------|----------|----------|--------------|---------------|-------------|
| (< / | Dalarice ti | ne enemiear | cquation | ioi tiic | IIICOIIIPICI | | or curarior |

$$C_2H_5OH + 2O_2 \rightarrowCO +H_2O$$
 [2]

| (d) (i) | Describe a method of obtaining pure samples of both sodium chloride and water f aqueous sodium chloride. Explain why this method works. | rom |
|---------|--|-----|
| | | |
| | | |
| | | |
| | | |
| | | [3] |
| (ii) | Which physical property could you measure to find out if a sample of water is pure? | |
| | | [1] |
| (iii) | Sodium chloride contains chloride ions. | |
| | Describe a test for chloride ions. | |
| | test | |
| | result | |
| | | [2] |

4 The table shows the properties of four substances.

| substance | boiling point | electrical conductivity of solid | electrical conductivity when molten | solubility in water |
|-----------------|---------------|--|---|------------------------|
| calcium iodide | very high | does not conduct | conducts | |
| phosphorus | low | does not conduct | does not conduct | insoluble |
| sodium chloride | very high | does not conduct | conducts | soluble |
| zinc | high | | conducts | insoluble |

| (a) | of solid zinc. | ivity [2] |
|-----|--|--------------|
| (b) | Give one piece of evidence from the table that shows that phosphorus is a simple cova substance. | lent |
| | | [1] |
| (c) | What information in the table shows that sodium chloride is an ionic compound? | |
| | | |
| (d) | Molten calcium iodide can be electrolysed. | |
| | Predict the products of this electrolysis at | |
| | the positive electrode (anode), | |
| | the negative electrode (cathode). | [2] |
| (e) | An atom of phosphorus has 31 nucleons. | |
| | Deduce the number of protons and neutrons present in one atom of phosphorus. Use your Periodic Table to help you. | |
| | number of protons | |
| | number of neutrons | [2] |
| | | [-] |

| (f) | Phosphorus burns in an excess of air to form $phosphorus(V)$ oxide. |
|-----|---|
| | Is phosphorus (V) oxide an acidic oxide or a basic oxide? Explain your answer. |
| | |
| | [1] |
| (g) | Arsenic is in the same group of the Periodic Table as phosphorus. Arsenic sublimes at 613 °C. |
| | What is meant by the term sublimation? |
| | |
| | [1] |
| | [Total: 11] |

5

Nickel can be obtained from nickel(II) oxide by heating it with a mixture of carbon monoxide and

| hyd | roge | en. | |
|-----|------|---|-----|
| | | 2NiO + CO + $H_2 \rightarrow 2Ni + CO_2 + H_2O$ | |
| (a) | Hov | v does this equation show that the nickel(Π) oxide is reduced? | |
| | | | [1] |
| | | | |
| (b) | | kel can be purified by reacting impure nickel with carbon monoxide. ompound called tetracarbonylnickel, Ni(CO) ₄ , is formed. | |
| | | $Ni + 4CO \rightleftharpoons Ni(CO)_4$ | |
| | Wh | at is the meaning of the symbol ← ? | |
| | | | [1] |
| | | | |
| (c) | The | e tetracarbonylnickel is heated to obtain pure nickel. | |
| | | $Ni(CO)_4 \rightarrow Ni + 4CO$ | |
| | (i) | Suggest why the nickel obtained can be separated easily from the carbon monoxide. | |
| | | | [1] |
| | (ii) | State one adverse effect of carbon monoxide on health. | |
| | | | [1] |
| (d) | Nio | kel is a transition element. | |
| (u) | | assium is a Group I element. | |
| | (i) | Describe two differences in the physical properties of nickel and potassium. | |
| | | 1 | |
| | | | |
| | | 2 | |
| | | | |
| | | | [2] |
| | (ii) | Describe \mathbf{one} difference in the properties of nickel(II) chloride and potassium chloride | |
| | | | [1] |
| | | | |

[2]

(e) The properties and relative reactivity with water of some Group I elements are shown in the table.

| element | density in g/cm ³ | boiling point in °C | relative reactivity with water |
|-----------|------------------------------|---------------------|--|
| sodium | | 883 | forms bubbles rapidly but does not burst into flames |
| potassium | 0.86 | 760 | forms bubbles very rapidly and bursts into flames |
| rubidium | 1.53 | | |
| caesium | 1.88 | 669 | reacts explosively |

| (i) Co | mplete | the | tabl | le |
|--------|--------|-----|------|----|
|--------|--------|-----|------|----|

- to predict the boiling point of rubidium,
- for the relative reactivity of rubidium with water.

(ii) Describe the general trend in the density of the Group I elements.


[1]


Ethanol can be manufactured from ethene or by the fermentation of glucose.

6


| (a) | Des | scribe these two methods of manufacturing ethanol. | |
|-----|-------|--|---------------------------|
| | In y | our answer, include | |
| | • | the names of any additional substances needed, | |
| | • | the reaction conditions. | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | •••• | | |
| | | | |
| | | | [5] |
| (b) | Fth | ene is an unsaturated hydrocarbon. | |
| () | | · | |
| | (i) | Describe how you could distinguish between an unsaturated hydrocarbon using aqueous bromine. | drocarbon and a saturated |
| | | | |
| | | | |
| | | | |
| | | | [2] |
| | (ii) | Ethene molecules can form polymers. | |
| | | Which phrase describes a polymer? | |
| | | Tick one box. | |
| | | a giant structure containing one type of atom | |
| | | a large molecule formed by cracking monomers | |
| | | a large molecule formed by the addition of many ions | |
| | | a large molecule formed from many monomers | |
| | | | [1] |
| (| (iii) | Terylene is a polymer. | |
| | | Give one use of <i>Terylene</i> . | |
| | | | [1] |
| | | | [Total: 9] |

- 7 Sulfur dichloride, SCl_2 , is a red liquid which vaporises easily at room temperature and pressure.
 - (a) A drop of sulfur dichloride was placed in the corner of a glass box. The glass box was closed and left for 12 hours. After 12 hours a red vapour had spread to fill the whole box.





after 1 hour



Explain these observations using the kinetic particle model.

| | | | | |
|------|------|------|------|---------|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | [3] |
| | | | | 101 |

(b) Sulfur dichloride can be made by passing chlorine through liquid disulfur dichloride, S_2Cl_2 . Complete the chemical equation for this reaction.

$$S_2Cl_2 + \dots SCl_2$$
 [2]

(c) Some changes of state of sulfur dichloride are shown.

Name the changes of state represented by P and Q.

[Total: 7]

8 Calcium carbonate (limestone) decomposes when heated.


$$CaCO_3 \rightarrow CaO + CO_2$$

(a) When 20.0 g of calcium carbonate are decomposed, 11.2 g of calcium oxide (lime), CaO, are formed.

Calculate the mass of calcium oxide formed when 160.0 g of calcium carbonate are decomposed.

.....g [1]

(b) The graph shows the volume of carbon dioxide produced when some small pieces of calcium carbonate are heated and decompose.



(i) Deduce the volume of carbon dioxide produced during the first 20 minutes of the decomposition.

......[1]

(ii) At what time was the reaction complete?

.....[1]

(iii) What would be the effect, if any, on the rate of reaction if the same mass of powdered calcium carbonate were used?

.....[1]

(c) The table shows how limestone is used.

| use of limestone | percentage of limestone used for this purpose |
|----------------------------|---|
| agriculture | |
| cement manufacture | 37 |
| chemical industries | 14 |
| iron and steel manufacture | 11 |
| road building | 20 |
| other uses | 2 |
| total | 100 |

| (i) | What percentage of limestone is used in agriculture? | |
|------|--|---------|
| | | [1] |
| (ii) | Limestone and lime are used in agriculture. | |
| | Why is lime used in agriculture? | |
| | | |
| | | [2] |
| | [To | otal: 7 |

15

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The Periodic Table of Elements

| | | 2 | D | helium 4 | 10 | Ne | neon 20 | 18 | Ą | argon 40 | 36 | 궃 | krypton 84 | 54 | Xe | xenon 131 | 98 | R | radon | | | |
|-------------|---|-----|----------|---------------|---------------|---------------|------------------------------|----|----|------------------|----|----|-----------------|----|----|------------------|-------|-------------|-----------------|--------|-----------|--------------------|
| | = | | | | 6 | ш | fluorine 19 | 17 | Cl | chlorine 35.5 | 35 | ă | bromine 80 | 53 | П | iodine 127 | 85 | Ą | astatine - | | | |
| | 5 | | | | 8 | 0 | oxygen 16 | 16 | ഗ | sulfur 32 | 34 | Se | selenium 79 | 52 | Те | tellurium 128 | 84 | Ъ | polonium – | 116 | | livermorium – |
| | > | | | | 7 | Z | nitrogen 14 | 15 | ₾ | phosphorus 31 | 33 | As | arsenic 75 | 51 | Sp | antimony 122 | 83 | Ξ | bismuth 209 | | | |
| | ≥ | | | | 9 | ပ | carbon 12 | 14 | S | silicon 28 | 32 | Ge | germanium 73 | 20 | Sn | ti 119 | 82 | Pb | lead 207 | 114 | Ρl | flerovium - |
| | ≡ | | | | 5 | М | boron 11 | 13 | Αl | aluminium 27 | 31 | Ga | gallium 70 | 49 | In | indium 115 | 81 | l1 | thallium 204 | | | |
| | | | | | | | | | | | 30 | Zu | zinc 65 | 48 | g | cadmium 112 | 80 | Нg | mercury 201 | 112 | S | copernicium — |
| | | | | | | | | | | | 29 | Cn | copper 64 | 47 | Ag | silver 108 | 62 | Αn | gold 197 | 111 | Rg | roentgenium - |
| Group | | | | | | | | | | | 28 | Ż | nickel 59 | 46 | Pd | palladium 106 | 78 | ₹ | platinum 195 | 110 | Ds | darmstadtium - |
| 2.0 D.D. | | | | | | | | | | | 27 | රි | cobalt 59 | 45 | 몬 | rhodium 103 | 77 | 'n | indium 192 | 109 | Ĭ | meitnerium - |
| | | -] | | nyarogen 1 | | | | | | | 26 | Ьe | iron 56 | 44 | Ru | ruthenium 101 | 92 | Os | osmium 190 | 108 | ¥ | hassium - |
| | | | | | | | | | | | 25 | Mn | manganese 55 | 43 | ပ | technetium - | 75 | Re | rhenium 186 | 107 | Bh | bohrium — |
| | | | | Key | atomic number | atomic symbol | name relative atomic mass | | | | 24 | ပ် | chromium 52 | 42 | Mo | molybdenum 96 | 74 | ≥ | tungsten 184 | 106 | Sg | seaborgium - |
| | | | | | | | | | | | 23 | > | vanadium 51 | 41 | g | niobium 93 | 73 | ц | tantalum 181 | 105 | Вр | dubnium — |
| | | | | | | | | | | | 22 | i= | titanium 48 | 40 | Zr | zirconium 91 | 72 | Ξ | hafnium 178 | 104 | 꿆 | rutherfordium - |
| | | | | | | | | | | | 21 | Sc | scandium 45 | 39 | > | ytrium 89 | 57–71 | lanthanoids | | 89–103 | actinoids | |
| | = | | | | 4 | Be | beryllium 9 | 12 | Mg | magnesium 24 | 20 | Ca | calcium 40 | 38 | ഗ് | strontium 88 | 56 | Ва | barium 137 | 88 | Ra | radium _ |
| | _ | | | | က | := | lithium 7 | 1 | Na | sodium 23 | 19 | ¥ | potassium 39 | 37 | Rb | rubidium 85 | 55 | S | caesium 133 | 87 | Ā | francium — |

| 71 Lu lutetium 175 | 103 Lr lawrendum |
|--------------------------------------|---------------------------|
| 70 Yb ytterbium 173 | No nobelium |
| 69 Tm thulium 169 | Md mendelevium |
| 68 Er erbium 167 | 100 Fm femium |
| 67 HO holmium 165 | 99 ES einsteinium |
| 66 Dy dysprosium 163 | 98 Cf californium |
| 65 Tb terbium 159 | 97 BK berkelium |
| 64 Gd gadolinium 157 | 96 Cm |
| 63 Eu europium 152 | 95 Am americium |
| 62 Sm samarium 150 | 94 Pu |
| 61 Pm promethium | 93 Np neptunium |
| 60 Nd neodymium 144 | 92 U uranium 238 |
| 59 Pr praseodymium 141 | 91 Pa protactinium 231 |
| 58 Ce cerium 140 | 90 Th |
| 57 La lanthanum | 89 AC actinium |

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).