

## **Cambridge International Examinations**

Cambridge International General Certificate of Secondary Education

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

**COMBINED SCIENCE** 

0653/41

Paper 4 (Extended)

October/November 2018

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

## **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer **all** questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

A copy of the Periodic Table is printed on page 20.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.



1 (a) Fig. 1.1 shows a diagram of an alveolus.




Fig. 1.1

(i)	On Fig. 1.1 draw an arrow to show the direction of movement of carbon dioxide at the alveolus during gas exchange. [1]
(ii)	Explain why oxygen molecules diffuse from the alveolus into the blood.
	[1]
(iii)	Describe <b>two</b> ways in which the structure of the alveolus in Fig. 1.1 makes it suitable for gas exchange.
	1
	_
	2
Des	[2] scribe how a growing baby in the uterus of a pregnant woman obtains glucose.

© UCLES 2018 0653/41/O/N/18

(b)

**(c)** Fig. 1.2 shows apparatus which is used to study the contents of cigarette smoke. A pump draws air through the apparatus.

When the cigarette is lit, the smoke produced travels through the apparatus.




Fig. 1.2

	•	
(i)	The limewater turns milky.	
	Explain why this happens.	
		[1]
(ii)	Tar from the cigarette is left on the cotton wool.	
	Describe <b>one</b> effect of tar on the gas exchange system.	
		[1]
(iii)	Cigarette smoke damages the cilia that line the airway.	
	Explain why this is harmful.	
		[2]
(iv)	The lit cigarette also produces carbon monoxide gas.	
	Explain why this is a harmful gas when inspired.	
		[2]

2	(a) (i)	Name the type of bonding in a water molecule.
		[1
	(ii)	Describe how electrons are involved in the bonds in a water molecule.
		[1
	(iii)	Draw a dot-and-cross diagram of a water molecule.

## H O H

[2]

(b) A student dissolves copper chloride in water.

Show all of the outer shell electrons.

He then passes an electric current through the aqueous copper chloride using the apparatus shown in Fig. 2.1.




Fig. 2.1

(i)	Name electrode <b>X</b> and electrode <b>Y</b> .	
	electrode X	
	electrode Y	
		- 12

	(11)	form at the electrodes.	es
		Identify the particles	
		1. moving to electrode <b>X</b> ,	
		2. moving to electrode Y.	
			 [2]
(c)	Pre	edict the electrode products when an electric current is passed through molten lead oxid	e.
	pro	duct at negative electrode	
	pro	duct at positive electrode	 [2]

**3** Fig. 3.1 shows a train made up of a steam engine and a passenger coach.



Fig. 3.1

(a) The train is travelling at a constant speed along a level track. Fig. 3.2 shows the four forces W, X, Y and Z acting on the train.




Fig. 3.2

(i) Name force Z.

.....[1]

(ii) The force arrows on Fig. 3.2 do not show the sizes of the forces.

State whether or not the driver has made force W equal in size to force Y.

Explain your answer.

ra1

**(b)** Fig. 3.3 shows a speed–time graph of the train as it travels between two stations.




Fig. 3.3

© UCLES 2018

(i)	Force <b>W</b> in Fig. 3.2 is 200 000 N when the engine is pulling the train at 25 m/s.
	Calculate the useful work done by the engine while the train is travelling at 25 m/s in the journey shown in Fig. 3.3.
	State the formula you use, show your working and state the unit of your answer.
	formula
	working
	work done = unit [3]
(ii)	Describe the motion of the train after 500s until it stops.
	[2]
(iii)	Use Fig. 3.3 to calculate the distance, in km, travelled by the train in the first 200s of its journey.
	Show your working.
	distance =km [2]
	GISTATICE

(iv)	After 500s on this journey, the train travels a further 2.8km until it stops at the next station.
	Calculate the total distance in kilometres between the two stations.
	Show your working.
	total distance =km [1]

[2]

[2]

4 Fig. 4.1 shows an aquatic food web.




Fig. 4.1

The food web in Fig. 4.1 is made from interconnected food chains.

(a) (i) Write the food chain, contained in Fig. 4.1, which has the greatest number of trophic levels.

	(ii)	Suggest why the food chain you have written in (a)(i) is unusual.
		[1]
(b)		mical energy is lost at each trophic level in a food chain. One reason for this is respiration le cells of the organisms.
		<b>two</b> uses of the energy released by respiration in the bodies of <b>all</b> of the organisms wn in Fig. 4.1.
	1	
	2	[2]
(c)	Des	cribe two other ways in which energy is wasted when the killer whale eats the sealion.
	1	
	2	

5

(a)	Cal	cium sulfate is an insoluble salt.
	(i)	Name two compounds that react together to form calcium sulfate.
		1
		2
		[2]
	(ii)	Suggest the separation method that is used to separate an insoluble salt from an aqueous reaction mixture.
		Explain how this separation method removes the solid from the liquid.
		method
		explanation
		[2]
(b)	Cal	cium is in Group II in the Periodic Table.
	(i)	Complete the following sentences using words from the list.
		Each word may be used once, more than once or not at all.
		good high low poor
		Calcium is a electrical conductor.
		Calcium has a melting point.
	(ii)	[1]
	(ii)	State the electronic structure of a calcium atom.
(c)	, ,	State the electronic structure of a calcium atom.  [1]
(c)	Cae	State the electronic structure of a calcium atom.  [1] esium is below potassium in Group I of the Periodic Table.
(c)	Cae	State the electronic structure of a calcium atom.  [1] esium is below potassium in Group I of the Periodic Table.  assium melts at 63 °C and it reacts rapidly with water.
(c)	Cae Pot Cae	State the electronic structure of a calcium atom.  [1] esium is below potassium in Group I of the Periodic Table. assium melts at 63 °C and it reacts rapidly with water. esium is a solid at room temperature (25 °C).
(c)	Cae	State the electronic structure of a calcium atom.  [1] esium is below potassium in Group I of the Periodic Table.  assium melts at 63 °C and it reacts rapidly with water.
(c)	Cae Pot Cae	State the electronic structure of a calcium atom.  [1] esium is below potassium in Group I of the Periodic Table. assium melts at 63°C and it reacts rapidly with water. esium is a solid at room temperature (25°C).  Compare the rate of the reaction between caesium and water with the rate of reaction
(c)	Cae Pot Cae	State the electronic structure of a calcium atom.  [1] esium is below potassium in Group I of the Periodic Table. assium melts at 63 °C and it reacts rapidly with water. esium is a solid at room temperature (25 °C).  Compare the rate of the reaction between caesium and water with the rate of reaction between potassium and water.
(c)	Cae Pot Cae	State the electronic structure of a calcium atom.  [1] esium is below potassium in Group I of the Periodic Table. assium melts at 63 °C and it reacts rapidly with water. esium is a solid at room temperature (25 °C).  Compare the rate of the reaction between caesium and water with the rate of reaction between potassium and water.

(d)	Describe the reaction, if any, which occurs when copper is mixed with aqueous potassiun chloride.	n
	Explain your answer.	
	reaction	
	explanation	
	r	
	l	ij

**6** Fig. 6.1 shows a liquid-in-glass thermometer at room temperature.




Fig. 6.1

(a)	State the property of a liquid that is used in a thermometer when measuring temperature.
	[1]

**(b)** Table 6.1 gives a list of the melting points and boiling points of five substances that are used in liquid-in-glass thermometers.

Table 6.1

substance	melting point /°C	boiling point /°C
ethanol	-114	78
gallium	30	2403
glycol	-12	198
mercury	-39	357
water	0	100

(				
		has a melting p		

	Explain why ethanol would be the most suitable for use in a liquid-in-glass thermomete to measure both the melting point and the boiling point of ammonia.
<b>/</b> **>	[1
(ii)	Explain why a thermometer that uses liquid gallium has to be kept in a warm container well above room temperature.

**(c)** An infra-red thermometer measures temperature in a different way. The wavelength of the infra-red radiation emitted by a hot body changes with temperature.

An infra-red thermometer measures the wavelengths of infra-red radiation emitted and converts these to temperature readings.

(i) The wavelength of the infra-red radiation emitted decreases as the temperature of the hot body increases.

Predict what happens to the frequency of the infra-red radiation as the temperature of the hot body increases.

Explain your answer.

prediction	
explanation	
	[2]

(ii) In the infra-red thermometer, the radiation is focused onto the detector by a thin converging lens.

On Fig. 6.2 complete the ray diagram to show how this happens.




Fig. 6.2

[1]

- 7 A student is investigating photosynthesis in an aquatic plant.
  - (a) Complete the balanced symbol equation for photosynthesis.



**(b)** Fig. 7.1 shows the apparatus that the student uses in the investigation.

## after a few hours




Fig. 7.1

The test-tube is full of water at the start. The apparatus is placed on a laboratory bench and left for a few hours.

Explain why the water in the test-tube moves downwards in the test-tube in Fig. 7.1.

[1]

**(c)** The investigation is repeated in conditions of much greater light intensity. The apparatus is left for the same length of time as before.




Fig. 7.2

(i) On Fig. 7.2 draw a line to suggest the new level of water in the test-tube. [1]

(ii) Explain your answer to (c)(i).

[41]

(d)	(i)	Explain why acid rain reduces the rate of photosynthesis in plants.	
			[1]
	(ii)	Describe <b>two</b> measures that can be taken to reduce acid rain.	
		1	
		2	
			[2]

8 Useful substances are obtained from petroleum using the processes shown in Fig. 8.1.




Fig. 8.1

(a)	Compare the sizes of the molecules and the strengths of the intermolecular attractive forces between molecules in fraction ${\bf P}$ and in fraction ${\bf Q}$ .
	sizes of molecules
	intermolecular attractive forces
	[2]
(b)	Fraction <b>P</b> contains propane, C <sub>3</sub> H <sub>8</sub> .
	Construct the balanced equation for the complete combustion of propane.
	[2]

(c)	Pro	cess Y produces alkene molecules from large alkane molecules.
	(i)	State how the molecular structure of alkenes differs from the molecular structure of alkanes.
		[1]
	(ii)	Describe a chemical test that is used to distinguish between propane and propene.
		State the observation for propane and for propene.
		test
		propane observation
		propene observation
		[2]

**9** Fig. 9.1 shows a dishwasher (an electric dishwashing machine).




Fig. 9.1


The dishwasher uses electrical energy to

- power a heater to heat the water used,
- power **two** motors, one to wash the dishes, and another to pump water out of the machine,
- light a small lamp to indicate that the heater is switched on.

The circuit symbols for a heater and a motor are:



Fig. 9.2 shows part of the circuit diagram for the dishwasher.



Each of the motor	rs and the	heater has	a switch i	n series.	The heater	and each	motor	are t	urned
on at different tim	es.								

(a)	(i)	Name the type of circuit connection needed.
		[1]
	(ii)	On Fig. 9.2 complete the circuit diagram for the dishwasher. [4]
(b)	(i)	The heater is rated at 2.4kW. The power consumption in the indicator lamp can be ignored.
		Calculate the current through the heater.
		State the formula you use and show your working.
		formula
		working
		ourrent A [O]
	(ii)	Current =
	(11)	Each motor running at maximum power takes a current of 1.2A.  Find the maximum current taken from the 240 V mains when the heater and both motors
		Find the maximum current taken from the 240 V mains when the heater and both motors are working at maximum power. The current in the indicator lamp can be ignored.
		current = A [1]
	(iii)	Suggest a suitable value for the fuse in the main circuit.
		Give a reason for your answer.
		value = A
		reason
		[2]

The Periodic Table of Elements

	IIIA	2	He	helium 4	10	Ne	neon 20	18	Ā	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	R	radon			
	II/				6	ш	fluorine 19	17	Cl	chlorine 35.5	35	B	bromine 80	53	н	iodine 127	85	Ą	astatine -			
					80	0	oxygen 16	16	တ	sulfur 32	34	Se	selenium 79	52	Б	tellurium 128	84	Ъ	moloulum -	116		livermorium –
	>				7	z	nitrogen 14	15	۵	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	<u>.</u>	bismuth 209			
	2				9	ပ	carbon 12	41	S	silicon 28	32	Ge	germanium 73	20	Sn	tin 119	82	Ъ	lead 207	114	F1	flerovium -
	=				2	В	boron 11	13	Αl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	11	thallium 204			
								ı			30	Zu	zinc 65	48	В	cadmium 112	80	Нg	mercury 201	112	ပ်	copernicium
											29	Cn	copper 64	47	Ag	silver 108	62	Au	gold 197	111	Rg	roentgenium -
dn											28	Z	nickel 59	46	Pq	palladium 106	78	₽	platinum 195	110	Ds	darmstadtium -
Group											27	ပိ	cobalt 59	45	格	rhodium 103	77	'n	iridium 192	109	Μţ	meitnerium -
		-	I	hydrogen 1							26	Fe	iron 56	44	Ru	ruthenium 101	9/	SO	osmium 190	108	£	hassium
					ı						25	Mn	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	Bh	bohrium
						loc	SS				24	ဝ်	chromium 52	42	Mo	molybdenum 96	74	≥	tungsten 184	106	Sg	seaborgium -
				Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	q	niobium 93	73	д	tantalum 181	105	Оb	dubnium
					100	ato	rela				22	i	titanium 48	40	Zr	zirconium 91	72	茔	hafnium 178	104	¥	rutherfordium -
								-			21	Sc	scandium 45	39	>	yttrium 89	57-71	lanthanoids		89–103	actinoids	
	=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	88	လွ	strontium 88	26	Ba	barium 137	88	Ra	radium
	_				က	:=	lithium 7	£	Na	sodium 23	19	¥	potassium 39	37	ВВ	rubidium 85	55	Cs	caesium 133	87	Ļ	francium -

1.1	Γn	Intetium	175	103	ב	lawrencium	I
20	χp	ytterbium	173	102	8	nobelium	I
69	T	thulium	169	101	Md	mendelevium	1
89	ш	erbium	167	100	Fn	fermium	ı
29	운	holmium	165	66	Es	einsteinium	ı
99	ò	dysprosium	163	86	ర్	californium	ı
65	Q L	terbium	159	26	æ	berkelium	ı
64	P O	gadolinium	157	96	Cm	curium	ı
63	Ш	europium	152	98	Am	americium	I
62	Sm	samarium	150	94	Pn	plutonium	I
61	Pm	promethium	ı	63	dN	neptunium	ı
09	PZ	neodymium	144	92	$\supset$	uranium	238
26	Ţ	praseodymium	141	91	Ра	protactinium	231
28	Ce	cerium	140	06	Ŧ	thorium	232
22	Гa	lanthanum	139	89	Ac	actinium	ı

lanthanoids

actinoids

The volume of one mole of any gas is  $24\,\mathrm{dm}^3$  at room temperature and pressure (r.t.p.).

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.