

ADVANCED SUBSIDIARY (AS)
General Certificate of Education
2011

Biology

Assessment Unit AS 2

assessing
Organisms and Biodiversity

[AB121]

WEDNESDAY 22 JUNE, MORNING

MARK SCHEME

		/ denotes alternative marking points ; denotes separate marking points Comments on mark values are given in bold Comments on marking points are given in italics		AVAILABLE MARKS
		Section A		
1	Any	 three from large surface area provided by alveoli thin respiratory surface of (simple) squamous epithelium (of alveoli are of blood capillary wall)/so diffusion distance is short moist (outer) surface (of alveoli) into which gases are absorbed/diffus (before entering/leaving gaseous phase) with surfactant in moisture layer to reduce surface tension/prevents collapsing mass flow of air to respiratory surface maintaining diffusion gradients keeps oxygen level in lungs high rich vascular supply maintaining diffusion gradients/so oxygen is carried away 	e	3
2	(a)	9 squares covered (allow $8\frac{1}{2} - 9\frac{1}{2}$); each representing 4%/36% of quadrat [consequential to number of squares × 4%];	[2]	
	(b)	 Any four from mark line of transect down the shoreline/from lower shore to upper shore (allow converse) use of belt (line) transect/systematic sampling quadrats placed contiguously (end-to-end)/interrupted (say every two metres)/record species at intervals (for line transect) % cover (density) measured in each quadrat results displayed in kite diagrams/series of histograms 	[4]	6
3	Dra	wing skills: block diagram showing tissue layers; all tissue layers drawn (completeness of drawing to show the tissues obvious the photograph); accurate representation of the photograph, i.e. a drawing rather than a diagram; accurate positioning and proportionality of the tissue layers; quality of drawing (e.g. clear – smooth and continuous – lines drawn, not sketchy);	ous [5]	
	Any	 four labels: parenchyma/cortex endodermis Casparian strip pericycle xylem protoxylem (arms of 'star') and metaxylem (central) distinguished cambium phloem stele 	[4]	9
			r.1	

4942.01 **2**

				******	ixtrapapers
4	(a)	limit the	adapted to a warm/dry climate/xerophytic adaptation/water availability red; waxy cuticle reduces transpiration/reduces evaporation/prevents er loss;	[2]	AVAILABLE MARKS
	(b)	Figu 0.51	res correct: 526(525) + 371(370) ÷ 897(896);	[2]	
	(c)	surv	leaf mining larvae is protected within the mesophyll/more likely to rive; n predators/temperature extremes;	[2]	
		11011	i predators/temperature extremes,	[2]	
	(d)	The	yew (since it supports fewest species);	[1]	
	(e)	whic	/birch (since they support high numbers of insect species); ch in turn support many other animals/allows other plants to grow eath them/drops leaves to provide humus for other species to grow;	[2]	9
5	(a)	sinc oxy	elephant; be at low ppO_2 levels it remains highly saturated/only releases gen at very low ppO_2 /has the highest saturation at the same ppO_2 , apared to dog and mouse;	[2]	
	(b)		mouse's tissues have a high oxygen demand/high rate of respiration; aemoglobin more readily releases oxygen/dissociates at higher ppO_2 ;	[2]	
	(c)	(i)	A curve to the right of the dog haemoglobin curve;	[1]	
		(ii)	When it is exercising;	[1]	
		(iii)	The increase in carbon dioxide causes haemoglobin to unload more oxygen; supplying oxygen for the exercising tissue (muscle)/supplying the extra oxygen required/enabling aerobic respiration to continue/ delaying onset of anaerobic respiration;	[2]	8

4942.01

6	(a)	Phylum; order; genus; [Insist on correct spelling]	[3]	AVAILABLE MARKS
	(b)	Barn owls feed on rodents; accumulates in predator, since an owl feeds on many mice/rats/rodenticid are persistent (non-biodegradable)/few rodents left to feed on;	es [2]	
	(c)	 Any two from feathers waterlog easily small mammals are not active in wet weather rodents may be killed in flooded conditions reduced visibility makes hunting difficult 	[2]	
	(d)	 Any three from reward farmers to leave field margins ungrazed/uncultivated restoration of field boundaries/hedges provision of supplementary feeding (dumps of grain/root crops) to attract mice artificial nest boxes encourage reduction in the use of rodenticides/use of non-persistent rodenticides other appropriate responses 	[3]	
	(e)	Genetic diversity means that the species is able to adapt/possesses adaptability; so that it survives environmental change/hazard/is able to evolve/avoids extinction;		
		[Allow converse arguments]	[2]	12

4942.01 **4**

(i)	Correct label;	[1]	AVAILABLE MARKS
(ii)	Aorta;	[1]	m/ trate
(i)	 Any three from endothelium is initially damaged (e.g. from high blood pressure, poisons in cigarette smoke) white blood cells (macrophages) enter the artery wall cholesterol builds up in the artery wall an atheroma is the build up of these deposits in the artery wall calcium salts/fibrous tissue also build up at the site/a plaque is formed (leading to atherosclerosis) 	[3]	
(ii)	 Any two from the narrowing of the artery/plaque initiates clotting blood supply to the heart is blocked/heart muscle is starved of oxygen heart muscle dies/stops contracting if the zone of dead cells occupies only a small area the heart attack is less likely to prove fatal (allow converse) 	[2]	
(i)	Without prothrombin, no thrombin is formed (allow converse); thrombin converts fibrinogen to fibrin/so fibrinogen is not converted to fibrin (the protein mesh of the clot);	[2]	
(ii)	Low concentrations have little effect on clotting time/at higher concentrations, clotting time increases steeply; a reasonably high level of heparin (more than 0.2 units) is required before there is any significant effect on clotting time;	[2]	
(iii)	Heparin works immediately; warfarin takes some days before it takes effect;	[2]	13
	Sectio	n A	60
	(ii) (ii) (ii)	 (ii) Any three from endothelium is initially damaged (e.g. from high blood pressure, poisons in cigarette smoke) white blood cells (macrophages) enter the artery wall cholesterol builds up in the artery wall an atheroma is the build up of these deposits in the artery wall calcium salts/fibrous tissue also build up at the site/a plaque is formed (leading to atherosclerosis) (ii) Any two from the narrowing of the artery/plaque initiates clotting blood supply to the heart is blocked/heart muscle is starved of oxygen heart muscle dies/stops contracting if the zone of dead cells occupies only a small area the heart attack is less likely to prove fatal (allow converse) (i) Without prothrombin, no thrombin is formed (allow converse); thrombin converts fibrinogen to fibrin/so fibrinogen is not converted to fibrin (the protein mesh of the clot); (ii) Low concentrations have little effect on clotting time/at higher concentrations, clotting time increases steeply; a reasonably high level of heparin (more than 0.2 units) is required before there is any significant effect on clotting time; (iii) Heparin works immediately; warfarin takes some days before it takes effect; 	 (ii) Aorta; [1] (i) Any three from endothelium is initially damaged (e.g. from high blood pressure, poisons in cigarette smoke) white blood cells (macrophages) enter the artery wall cholesterol builds up in the artery wall an atheroma is the build up of these deposits in the artery wall calcium salts/fibrous tissue also build up at the site/a plaque is formed (leading to atherosclerosis) (ii) Any two from the narrowing of the artery/plaque initiates clotting blood supply to the heart is blocked/heart muscle is starved of oxygen heart muscle dies/stops contracting if the zone of dead cells occupies only a small area the heart attack is less likely to prove fatal (allow converse) (i) Without prothrombin, no thrombin is formed (allow converse); thrombin converts fibrinogen to fibrin/so fibrinogen is not converted to fibrin (the protein mesh of the clot); (ii) Low concentrations have little effect on clotting time/at higher concentrations, clotting time increases steeply; a reasonably high level of heparin (more than 0.2 units) is required before there is any significant effect on clotting time; [2] (iii) Heparin works immediately;

4942.01

7

Section B

8 Any thirteen points

The movement of water into and through the root:

- root hairs provide a large surface area for the uptake of water (by osmosis)
- uptake into the root is from high (outside) to low water potential/movement through the root tissues is along a water potential gradient
- water moves through plant tissues via the apoplast or symplast pathway
- most water moves via the apoplast pathway/movement through the apoplast is faster
- the apoplast pathway involves water moving (by capillarity) along the cellulose walls
- water may also move through the cytoplasm of cells via the symplast pathway
- which are directly connected by plasmodesmata
- water may not pass through the endodermis by the apoplast pathway/must pass through the endodermis via the symplast pathway
- since the Casparian strip/suberin prevents passage through the cell walls/ apoplast pathway
- water passing through the endodermis via the symplast pathway comes under the control of the cells' metabolism

The movement of water through the stem:

- water is essentially pumped into the xylem in the root
- causing a root pressure
- water creeps along the walls of xylem vessels by capillarity
- because of the adhesive properties of water
- water molecules also attract neighbouring water molecules/there is cohesion in the water column
- the forces of adhesion and cohesion are caused by the polarity of water molecules
- the whole water column is moved upwards because of a negative pressure in the leaf
- due to water being drawn out of xylem vessels in the leaf

The movement of water through and out of the leaf:

- the evaporation of water from the mesophyll surface/into air space system
- and subsequent diffusion through open stomata
- causes water to be drawn through the mesophyll cells (mostly apoplast pathway)
- water moves through plant tissues via the apoplast or symplast pathway
- most water moves via the apoplast pathway/movement through the apoplast is faster
- the apoplast pathway involves water moving by capillarity along the cellulose walls
- water may also move through the cytoplasm of cells via the symplast pathway
- which are directly connected by plasmodesmata
- the mesophyll cells ultimately draw water out of the leaf's xylem vessels

6

[13]

Allow

once

only

AVAILABLE MARKS

Allow

once

only

4942.01

	ww.	w.xtrapapers
Quality of	written communication	AVAILABLE MARKS
2 marks:	The candidate expresses ideas clearly and fluently, through well-linked sentences, which present relationships and not merely list features. Points are generally relevant and well-structured. There are few errors of grammar, punctuation and spelling.	MARKS
1 mark:	The candidate expresses ideas clearly, if not always fluently. The account may stray from the point or may not indicate relationships. There are some errors of grammar, punctuation and spelling.	
0 marks:	The candidate produces an account that is of doubtful relevance or obscurely presented with little evidence linking ideas. Errors in grammar, punctuation and spelling are sufficiently intrusive to disrupt the understanding of the account.] 15
	Section B	15
	Total	75

4942.01 **7**