



Rewarding Learning

ADVANCED SUBSIDIARY (AS)  
General Certificate of Education  
2018

Centre Number

--	--	--	--	--

Candidate Number

--	--	--	--	--

# Chemistry

Assessment Unit AS 1

*assessing*

Basic Concepts in Physical  
and Inorganic Chemistry



[SCH12]

\*SCH12\*

**TUESDAY 22 MAY, MORNING**

## TIME

1 hour 30 minutes.

## INSTRUCTIONS TO CANDIDATES

Write your Centre Number and Candidate Number in the spaces provided at the top of this page.

Answer **all fourteen** questions.

Answer **all ten** questions in **Section A**. Record your answers by marking the appropriate letter on the answer sheet provided. Use only the spaces numbered 1 to 10. Keep in sequence when answering.

Answer **all four** questions in **Section B**.

**You must answer the questions in the spaces provided.**

**Do not write outside the boxed area on each page or on blank pages.**

Complete in black ink only. **Do not write with a gel pen.**

## INFORMATION FOR CANDIDATES

The total mark for this paper is 90.

Quality of written communication will be assessed in Question **13(a)**.

In Section A all questions carry equal marks, i.e. **one** mark for each question.

In Section B the figures in brackets printed down the right-hand side of pages indicate the marks awarded to each question or part question.

A Periodic Table of Elements, containing some data, is included with this question paper.

11282




\*20SCH1201\*

## Section A


For each of the following questions only one of the lettered responses (A–D) is correct.

Select the correct response in each case and mark its code letter by connecting the dots as illustrated on the answer sheet.


- 1 A solution of barium chloride was added to sodium sulfate solution.




P



Q



R



S


Which combination of methods should be used to obtain the precipitate and the other product as a solid?

- A P + Q  
 B P + R  
 C Q + S  
 D R + S
- 2 Which species has the same electronic arrangement as a lithium ion,  $\text{Li}^+$ ?


- A  $\text{Be}^-$   
 B  $\text{B}^{2+}$   
 C  $\text{H}^+$   
 D He



- 3 Sodium azide decomposes, in an airbag, to form sodium and nitrogen.



The sodium then reacts with potassium nitrate to form more nitrogen gas.




0.50 mol of sodium azide produces

- A 0.50 mol of nitrogen.  
B 0.75 mol of nitrogen.  
C 0.80 mol of nitrogen.  
D 2.00 mol of nitrogen.
- 4 Chlorine has two isotopes. How many peaks are there in the mass spectrum of chlorine?
- A 2  
B 3  
C 4  
D 5
- 5 Which molecule is **not** planar?
- A  $\text{BF}_3$   
B  $\text{BeCl}_2$   
C  $\text{HCHO}$   
D  $\text{NCl}_3$



- 6 The curves shown below are for  $25 \text{ cm}^3$  of acids HX and HY when they are reacted with  $0.1 \text{ M}$  sodium hydroxide solution.



Compared to acid HY, the acid HX is

- A more concentrated and stronger.  
 B more concentrated and weaker.  
 C less concentrated and stronger.  
 D less concentrated and weaker.
- 7 The largest mass of silver chloride precipitated is when excess silver ions are added to
- A  $25.0 \text{ cm}^3$  of  $0.80 \text{ M}$  hydrochloric acid.  
 B  $30.0 \text{ cm}^3$  of  $0.30 \text{ M}$  iron(III) chloride solution.  
 C  $50.0 \text{ cm}^3$  of  $0.20 \text{ M}$  magnesium chloride solution.  
 D  $50.0 \text{ cm}^3$  of  $0.50 \text{ M}$  sodium chloride solution.



8 On melting, covalent bonds are broken in

- A bromine.
- B diamond.
- C sodium chloride.
- D sulfur(IV) oxide.

9 Which of the following equations represents a redox reaction?

- A  $\text{CaCO}_3 + \text{SiO}_2 \rightarrow \text{CaSiO}_3 + \text{CO}_2$
- B  $3\text{Cl}_2 + 6\text{OH}^- \rightarrow 5\text{Cl}^- + \text{ClO}_3^- + 3\text{H}_2\text{O}$
- C  $2\text{CrO}_4^{2-} + 2\text{H}^+ \rightarrow \text{Cr}_2\text{O}_7^{2-} + \text{H}_2\text{O}$
- D  $\text{HNO}_3 + 2\text{H}_2\text{SO}_4 \rightarrow \text{NO}_2^+ + \text{H}_3\text{O}^+ + 2\text{HSO}_4^-$

10 Which halide has the most covalent character?

- A  $\text{AlBr}_3$
- B  $\text{AlF}_3$
- C  $\text{MgBr}_2$
- D  $\text{MgF}_2$



[Turn over



## Section B

Answer **all four** questions in this section

- 11** Chlorine monoxide is a brown-yellow gas with a boiling point of  $4^{\circ}\text{C}$  while chlorine has a boiling point of  $-34^{\circ}\text{C}$ . The monoxide is formed when excess chlorine is passed over mercury(II) oxide.



The escaping gases are passed through a U-tube which is cooled to  $-30^{\circ}\text{C}$ . The chlorine monoxide condenses in the U-tube.

- (a) (i)** How could you test to show that chlorine is passing into the reaction tube?

\_\_\_\_\_ [2]

- (ii)** What is the colour of chlorine?

\_\_\_\_\_ [1]

- (iii)** Why is it important to limit the temperature of the U-tube to  $-30^{\circ}\text{C}$  and not to have it lower than this temperature?

\_\_\_\_\_ [1]



(iv) How could you show that it is a chloride which remains in the reaction tube?

---

---

---

[3]

(v) Mercury(II) oxide decomposes when heated to form oxygen and mercury. How could you show that there was no mercury(II) oxide left in the reaction tube at the end of the experiment?

---

---

---

[3]

(vi) Chlorine monoxide cannot be collected over water as it is very soluble in water, with a solubility of 143 g in 100 cm<sup>3</sup> at room temperature and pressure. Explain how you could show that chlorine monoxide is very soluble in water.

---

---

---

---

---

---


---

[4]

[Turn over



(b) Chlorine monoxide slowly reacts with water to form hypochlorous acid



(i) Hypochlorous acid has a systematic name based on chloric acid. State the systematic name for hypochlorous acid.

\_\_\_\_\_ [1]

(ii) Hypochlorous acid is a weak acid. Explain what is meant by the term **weak acid**.

\_\_\_\_\_  
\_\_\_\_\_ [2]

(iii) Hypochlorous acid decomposes to give hydrochloric acid and oxygen. Write the equation for this reaction.

\_\_\_\_\_ [2]

(c) Chlorine monoxide obeys the octet rule.

(i) State the **octet rule**.

\_\_\_\_\_  
\_\_\_\_\_ [2]


(ii) Draw the electronic structure of chlorine monoxide showing the outer electrons only.

[2]





(d) Chlorine monoxide has the following shape.



(i) Name the shape.

\_\_\_\_\_ [1]

(ii) How many lone pairs are there in a chlorine monoxide molecule?

\_\_\_\_\_ [1]

(iii) Explain why chlorine monoxide forms this shape.

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_ [2]

(e) Fluorine also forms an oxide but this oxide is known as oxygen fluoride because fluorine has a greater electronegativity than oxygen. State how electronegativity changes across a Period and down a Group.

\_\_\_\_\_  
\_\_\_\_\_ [2]


(f) It has been suggested that chlorine monoxide is the active ingredient in the treatment of water for drinking purposes. Name **two** substances that are used to treat water for drinking.

\_\_\_\_\_  
\_\_\_\_\_ [2]

[Turn over



- 12 Ammonium dichromate is used in the “volcano” experiment. When heated, it decomposes to produce a vast amount of green chromium oxide and gases which push out the green “ash” to form a pile of “lava”.



The water forms steam because of the heat of the reaction.

- (a) Write the equation for the reaction, *with state symbols*, for the reactants and products.

\_\_\_\_\_ [1]

- (b) Ammonium dichromate is very soluble in water. At room temperature 10.0 g of ammonium dichromate dissolve in 25.0 cm<sup>3</sup> of water. The orange solution can be tested for the presence of ammonium ions.

- (i) Calculate the solubility of the ammonium dichromate in g dm<sup>-3</sup> to 3 significant figures.

\_\_\_\_\_  
\_\_\_\_\_ [1]

- (ii) Calculate the solubility of the ammonium dichromate in mol dm<sup>-3</sup> to 3 significant figures.

\_\_\_\_\_  
\_\_\_\_\_ [1]

- (iii) Explain how you would show that the orange solution contains ammonium ions.

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_ [3]



(c) The nitrogen given off in the reaction consists of two isotopes, nitrogen-14 and nitrogen-15. The percentage abundance of nitrogen-14 is 99.632%.

(i) Explain what is meant by the term **isotopes**.

---

---

[2]

(ii) Calculate the percentage abundance of nitrogen-15 given off.

---

---

[1]

(iii) Calculate the relative atomic mass of nitrogen to three decimal places.

---

---

---

---

[2]

(iv) Explain why there is a difference between the calculated relative atomic mass and the one provided in the data sheet.

---

---

[1]

[Turn over



- (d) The dichromate ion is a very strong oxidising agent. The half-equation which shows its oxidising ability is:



- (i) Use this equation to explain, in terms of oxidation numbers, why the dichromate ion is an oxidising agent.

---

---

---

[2]

- (ii) Use this equation to explain, in terms of electrons, why the dichromate ion is an oxidising agent.

---

---

[1]

- (e) Dichromates react with chlorides in the presence of concentrated sulfuric acid to produce chromyl chloride,  $\text{CrO}_2\text{Cl}_2$ , which is a deep red liquid with a boiling point of  $117^\circ\text{C}$ . Using this information, explain whether chromyl chloride is ionic or covalent.

---

---

---

---

[2]





**BLANK PAGE**  
**DO NOT WRITE ON THIS PAGE**  
**(Questions continue overleaf)**

11282

[Turn over



- 13 (a) There are several types of structure which apply to chemical formulae. The species present may be atoms, molecules or ions. In each of the following examples describe which type of structure it is and which type of species is present.

sodium chloride

diamond

bromine

**In this question you will be assessed on using your written communication skills including the use of specialist scientific terms.**

---

---

---

---

---

---

---

---

---

---

[6]

- (b) The different types of structure have different physical properties. State **four** physical properties that depend upon structure.

---


---

---

[3]



(c) The structure of sodium is shown below.



(i) Attach words to the labels shown. [2]

(ii) Use this diagram to explain whether magnesium has a greater or lower conductivity than sodium.

---



---



---

[2]

(iii) Explain, using a labelled diagram, how you could compare the electrical conductivities of sodium and magnesium in the laboratory.

---



---




---

[3]

[Turn over



- 14 Ethene is a gas at room temperature and has a boiling point of  $-104\text{ }^{\circ}\text{C}$  at atmospheric pressure. It has a relative molecular mass of 28 which is approximately the same as the average relative molecular mass of air. It is a planar molecule which has the following structure:



- (a) The ethene molecule contains single bonds and a double bond which are formed from s- and p-orbitals.
- (i) Draw the shape of an s-orbital.

[1]

- (ii) Draw the shape of a p-orbital.

[1]

- (iii) Explain what is meant by the term **orbital**.

---

---

[2]





(b) Ethene is a non-polar molecule. There are two reasons why ethene can be considered to be non-polar. One is based on electronegativity and the other is based on shape.

(i) What is meant by the term **electronegativity**?

\_\_\_\_\_  
\_\_\_\_\_ [2]

(ii) Explain why ethene is considered non-polar based on electronegativity.

\_\_\_\_\_  
\_\_\_\_\_ [1]

(iii) Explain why ethene is considered non-polar based on shape.

\_\_\_\_\_  
\_\_\_\_\_ [1]

(c) Ethene contains a double bond. Other molecules can contain triple bonds.

(i) Draw the structure of the hydrocarbon ethyne which contains two carbon atoms and a triple bond.

[1]

(ii) Name an element which contains a triple bond.

\_\_\_\_\_ [1]


[Turn over



- (d) When ethene burns, carbon dioxide and water are produced. Describe how you would carry out a test for carbon dioxide and the result expected for a positive test.

\_\_\_\_\_  
\_\_\_\_\_ [2]

- (e) Gases can be collected by two different methods A or B depending on their relative molecular masses compared to air.



- (i) Explain which method could be used to collect methane,  $\text{CH}_4$ .

\_\_\_\_\_  
\_\_\_\_\_ [1]

- (ii) Explain which method could be used to collect chlorine.

\_\_\_\_\_  
\_\_\_\_\_ [1]



(f) The boiling point of methane is  $-161\text{ }^{\circ}\text{C}$ . Explain why the boiling point of methane is lower than that of ethene.

---

---

---

[2]

---

**THIS IS THE END OF THE QUESTION PAPER**

---



**DO NOT WRITE ON THIS PAGE**

For Examiner's use only	
Question Number	Marks
Section A	
1–10	
Section B	
11	
12	
13	
14	
<b>Total Marks</b>	

Permission to reproduce all copyright material has been applied for.  
In some cases, efforts to contact copyright holders may have been unsuccessful and CCEA will be happy to rectify any omissions of acknowledgement in future if notified.

230321



## General Information

1 tonne =  $10^6$  g

1 metre =  $10^9$  nm

One mole of any gas at 293 K and a pressure of 1 atmosphere ( $10^5$  Pa) occupies a volume of  $24 \text{ dm}^3$

Avogadro Constant =  $6.02 \times 10^{23} \text{ mol}^{-1}$

Planck Constant =  $6.63 \times 10^{-34} \text{ Js}$

Specific Heat Capacity of water =  $4.2 \text{ J g}^{-1} \text{ K}^{-1}$

Speed of Light =  $3 \times 10^8 \text{ ms}^{-1}$

## Characteristic absorptions in IR spectroscopy

Wavenumber/ $\text{cm}^{-1}$	Bond	Compound
550–850	C–X (X = Cl, Br, I)	Haloalkanes
750–1100	C–C	Alkanes, alkyl groups
1000–1300	C–O	Alcohols, esters, carboxylic acids
1450–1650	C=C	Arenes
1600–1700	C=C	Alkenes
1650–1800	C=O	Carboxylic acids, esters, aldehydes, ketones, amides, acyl chlorides
2200–2300	C≡N	Nitriles
2500–3200	O–H	Carboxylic acids
2750–2850	C–H	Aldehydes
2850–3000	C–H	Alkanes, alkyl groups, alkenes, arenes
3200–3600	O–H	Alcohols
3300–3500	N–H	Amines, amides

## Proton Chemical Shifts in Nuclear Magnetic Resonance Spectroscopy (relative to TMS)

Chemical Shift	Structure	
0.5–2.0	–CH	Saturated alkanes
0.5–5.5	–OH	Alcohols
1.0–3.0	–NH	Amines
2.0–3.0	–CO–CH	Ketones
	–N–CH	Amines
	$\text{C}_6\text{H}_5\text{–CH}$	Arene (aliphatic on ring)
2.0–4.0	X–CH	X = Cl or Br (3.0–4.0) X = I (2.0–3.0)
4.5–6.0	–C=CH	Alkenes
5.5–8.5	RCONH	Amides
6.0–8.0	– $\text{C}_6\text{H}_5$	Arenes (on ring)
9.0–10.0	–CHO	Aldehydes
10.0–12.0	–COOH	Carboxylic acids

These chemical shifts are concentration and temperature dependent and may be outside the ranges indicated above.

# Data Leaflet

## Including the Periodic Table of the Elements

For the use of candidates taking  
Advanced Subsidiary and  
Advanced Level Examinations

**Copies must be free from notes or additions of any kind. No other type of data booklet or information sheet is authorised for use in the examinations**

# gce a/as examinations chemistry

For first teaching from September 2016  
For first award of AS Level in Summer 2017  
For first award of A Level in Summer 2018  
Subject Code: 1110

# THE PERIODIC TABLE OF ELEMENTS


## Group

I     II    III     IV     V     VI     VII     0

1     2     3     4     5     6     7     8     9     10     11     12     13     14     15     16     17     18

1 <b>H</b> Hydrogen 1											4 <b>He</b> Helium 2						
7 <b>Li</b> Lithium 3	9 <b>Be</b> Beryllium 4											11 <b>B</b> Boron 5	12 <b>C</b> Carbon 6	14 <b>N</b> Nitrogen 7	16 <b>O</b> Oxygen 8	19 <b>F</b> Fluorine 9	20 <b>Ne</b> Neon 10
23 <b>Na</b> Sodium 11	24 <b>Mg</b> Magnesium 12											27 <b>Al</b> Aluminium 13	28 <b>Si</b> Silicon 14	31 <b>P</b> Phosphorus 15	32 <b>S</b> Sulfur 16	35.5 <b>Cl</b> Chlorine 17	40 <b>Ar</b> Argon 18
39 <b>K</b> Potassium 19	40 <b>Ca</b> Calcium 20	45 <b>Sc</b> Scandium 21	48 <b>Ti</b> Titanium 22	51 <b>V</b> Vanadium 23	52 <b>Cr</b> Chromium 24	55 <b>Mn</b> Manganese 25	56 <b>Fe</b> Iron 26	59 <b>Co</b> Cobalt 27	59 <b>Ni</b> Nickel 28	64 <b>Cu</b> Copper 29	65 <b>Zn</b> Zinc 30	70 <b>Ga</b> Gallium 31	73 <b>Ge</b> Germanium 32	75 <b>As</b> Arsenic 33	79 <b>Se</b> Selenium 34	80 <b>Br</b> Bromine 35	84 <b>Kr</b> Krypton 36
85 <b>Rb</b> Rubidium 37	88 <b>Sr</b> Strontium 38	89 <b>Y</b> Yttrium 39	91 <b>Zr</b> Zirconium 40	93 <b>Nb</b> Niobium 41	96 <b>Mo</b> Molybdenum 42	98 <b>Tc</b> Technetium 43	101 <b>Ru</b> Ruthenium 44	103 <b>Rh</b> Rhodium 45	106 <b>Pd</b> Palladium 46	108 <b>Ag</b> Silver 47	112 <b>Cd</b> Cadmium 48	115 <b>In</b> Indium 49	119 <b>Sn</b> Tin 50	122 <b>Sb</b> Antimony 51	128 <b>Te</b> Tellurium 52	127 <b>I</b> Iodine 53	131 <b>Xe</b> Xenon 54
133 <b>Cs</b> Caesium 55	137 <b>Ba</b> Barium 56	139 <b>La*</b> Lanthanum 57	178 <b>Hf</b> Hafnium 72	181 <b>Ta</b> Tantalum 73	184 <b>W</b> Tungsten 74	186 <b>Re</b> Rhenium 75	190 <b>Os</b> Osmium 76	192 <b>Ir</b> Iridium 77	195 <b>Pt</b> Platinum 78	197 <b>Au</b> Gold 79	201 <b>Hg</b> Mercury 80	204 <b>Tl</b> Thallium 81	207 <b>Pb</b> Lead 82	209 <b>Bi</b> Bismuth 83	210 <b>Po</b> Polonium 84	210 <b>At</b> Astatine 85	222 <b>Rn</b> Radon 86
223 <b>Fr</b> Francium 87	226 <b>Ra</b> Radium 88	227 <b>Ac†</b> Actinium 89	261 <b>Rf</b> Rutherfordium 104	262 <b>Db</b> Dubnium 105	266 <b>Sg</b> Seaborgium 106	264 <b>Bh</b> Bohrium 107	277 <b>Hs</b> Hassium 108	268 <b>Mt</b> Meitnerium 109	271 <b>Ds</b> Darmstadtium 110	272 <b>Rg</b> Roentgenium 111	285 <b>Cn</b> Copernicium 112						

\* 58 – 71 Lanthanum series  
† 90 – 103 Actinium series



**a** = relative atomic mass (approx)  
**x** = atomic symbol  
**b** = atomic number

140 <b>Ce</b> Cerium 58	141 <b>Pr</b> Praseodymium 59	144 <b>Nd</b> Neodymium 60	145 <b>Pm</b> Promethium 61	150 <b>Sm</b> Samarium 62	152 <b>Eu</b> Europium 63	157 <b>Gd</b> Gadolinium 64	159 <b>Tb</b> Terbium 65	162 <b>Dy</b> Dysprosium 66	165 <b>Ho</b> Holmium 67	167 <b>Er</b> Erbium 68	169 <b>Tm</b> Thulium 69	173 <b>Yb</b> Ytterbium 70	175 <b>Lu</b> Lutetium 71
232 <b>Th</b> Thorium 90	231 <b>Pa</b> Protactinium 91	238 <b>U</b> Uranium 92	237 <b>Np</b> Neptunium 93	242 <b>Pu</b> Plutonium 94	243 <b>Am</b> Americium 95	247 <b>Cm</b> Curium 96	245 <b>Bk</b> Berkelium 97	251 <b>Cf</b> Californium 98	254 <b>Es</b> Einsteinium 99	253 <b>Fm</b> Fermium 100	256 <b>Md</b> Mendelevium 101	254 <b>No</b> Nobelium 102	257 <b>Lr</b> Lawrencium 103