

Rewarding Learning

ADVANCED SUBSIDIARY (AS)
General Certificate of Education
2016

	Centre Number				
Candidate Number					

## **Software Systems Development**

Unit AS1:

Introduction to Object Oriented Development



# [A1S11] WEDNESDAY 25 MAY, AFTERNOON

TIME

2 hours.

#### **INSTRUCTIONS TO CANDIDATES**

Write your Centre Number and Candidate Number in the spaces provided at the top of this page.
Write your answers in the spaces provided in this question paper.

Answer all six questions.

#### **INFORMATION FOR CANDIDATES**

The total mark for this paper is 100. Figures in brackets printed down the right-hand side of pages indicate the marks awarded to each question or part question.

#### **ADVICE TO CANDIDATES**

You are advised to take account of the marks for each part question in allocating the available examination time.

For Examiner's use only					
Question	Marks available	Marks	Remark		
1	6				
2	16				
3	27				
4	13				
5	24				
6	14				

Total	100	

1 The following statements relating to an object-oriented environment are either true or false. Write the word **true** or **false** beside each statement in the table below.

Examiner Only			
Marks	Remark		

The output from the following pseudo code is 43.  (method) – void incrementNum( int numParam ){	
}	
Object is the base building block of an object-oriented system and all classes are derived from it.	
Overloading occurs where two methods have the same name and take the same list of parameters, even if they return different types.	
A derived / sub class inherits the properties, methods and events of the super / base class and can be customised with additional properties and methods.	
C# / Java implement multiple inheritance through the use of Interfaces.	
A primary concept of object-oriented programming is Polymorphism. It allows sub / derived class methods to be invoked through a super / base class reference during run-time. This is enabled through early binding.	

[6]

#### **BLANK PAGE**

(Questions continue overleaf)

2	solu whi	cisions are one of the basic building blocks of structured software utions. They allow branching to alternative processes. Write the code ch would apply to the following scenarios. Declare and use meaningful able names.	Examine Marks	er Only Remark
	(a)	Set a discount rate to 10% if a sale amount is greater than or equal to £75.00 and the customer does not have a rating of 'C'.		
		[5]		
	(b)	Check if a sentence contains the word " the " and:		
		If true –		
		<ul> <li>Replace all occurrences of the word " the " with " a " or replace with " an " if the following word starts with a vowel.</li> <li>Output the modified sentence.</li> </ul>		
		If false –		
		Output the words "No Change".		
		Note. Assume the sentence does not begin with the word "the" and that only one space exists between each word.		
		Example: "A cow jumped over the anvil and the fence."		

		niner Only
	Marks	Remark
[11]		

**3** A company, Mourne Mountain Climbers, offers four packages to their clients with charges as shown in the table below.

Examiner Only

Marks Remark

Bookings are taken detailing the booking number, name of client, package type and the number in the party. A deposit of 10% of the booking cost is taken to confirm the booking and the booking is not recorded until the appropriate deposit is paid.

Package	Charge per person £
A : Two starter lessons	50.00
B : Three hour cliff climb with lesson	75.00
C : One day mountain climb trip	125.00
D : One week expert climbing tour	395.00

Note. If the client requires package C or package D and they have a party of 6 or more, a 15% surcharge is made to cover extra staff and fuel for a larger mini-bus.

(a) Complete the design of a class called **Booking** shown below.

Ensure the creation of:

- A constructor method with fields;
- GET and SET (Properties / Methods) for the field noInParty only;
- Methods to determine appropriate costs.

```
class Booking{
    private
                                    bookingNo;
                    int
                                    clientName;
    private
                    String
                                    package;
    private
                    char
                                    bookingDate;
    private
                    DateTime
                                    noInParty;
    private
                    int
    public Booking(){
           bookingNo = 0;
           clientName = null;
           package = ' ';
           bookingDate = new DateTime();
           noInParty = 0;
    }
```

// field / parameteris	ed constructor		Examin Marks	er Only Remark
-				
		[3]		
// GET and SET only	(Properties / Methods) for the	field <b>noInParty</b>		
		[4]		

### www.xtrapapers.com

//	A method to determine the <b>cost</b> due for the booking.	Examin Marks	er Only Remark
_			
		-	
_			
		_	
_			
_			
		-	
	[13]		
//	A method to determine the <b>deposit</b> due for the booking.		
		_	
_	[2]		

	A method to determine the <b>outstanding Cost</b> due for the book	Exam Marks	iner Or Ren
		[2]	
Ар	rogram using the class Booking has the following line of code:		
	oking booking = <b>new Booking</b> (1000, "Joe Bloggs", 'C', re <b>Time.Now</b> ,10);		
(i)	Explain the terms in bold.		
		[2]	
(ii)	Write the <b>code</b> which will output the outstanding cost due for Joe Bloggs.		


ŀ	(a)	a) Testing is an important stage of software development. The data used and the processing of this data must be correct.						
		All o	ore					
		(i)	I for data					
						[3]		
		(ii) For one of the Booking class fields defined below from Question 3, indicate which checks should be applied to test the validity.				test the		
			class Booking{     private     private     private     private     private     private	int String char DateTime int	bookingNo; clientName; package; bookingDate; noInParty;			
						[1]		

i)	Describe how Exception Handling is implemented in the class	
,	design and specify any further classes required.	
	[6]	
ii)	Describe how this feature would be applied to prevent a program	
	crash when an invalid value is entered for a field in the object.	
	[3]	

A property developer, Peter McKenna, has a portfolio of various types of accommodation for rent. He currently holds details of detached houses, semi-detached houses, terraced houses, flats and business premises on his books.

Examin	er Only
Marks	Remark

Inheritance diagram for PMK Rentals.



The header for the class **Accommodation** has been defined as follows:

abstract class Accommodation

(a)	Explain the term in bold and why it has been applied to the class.
	[3]

	ww	w.xtrapapeı
(b)	Assume the class <b>Accommodation</b> has been designed with the following elements:	Examiner Only Marks Remark
	<ul> <li>field definitions;</li> <li>default and field constructors;</li> <li>GET and SET (Properties / Methods);</li> <li>toString() method.</li> </ul>	
	Write the code for an additional method, <b>incomeYear()</b> , that will return the annual income.	
	Annual income is calculated as rent multiplied by noRentPaymentsPerYear.	
	[2]	

(c)	(i)	Write the code for the derived class <b>Flat</b> giving the following:	Examiner Only  Marks Remark
		• class header;	
		• field definitions;	
		<ul> <li>field / parameterised constructor;</li> </ul>	
		<ul> <li>GET and SET (Properties / Methods).</li> </ul>	
		[0]	
		[9]	

d to this method to ensure the correct culated for objects of type Flat.  [1]  Deerties held for PMK Rentals, write the ate and output the total annual income new Accommodation[50];
d to this method to ensure the correct culated for objects of type Flat.  [1]  Derties held for PMK Rentals, write the late and output the total annual income
d to this method to ensure the correct culated for objects of type Flat.  [1]  Derties held for PMK Rentals, write the late and output the total annual income
d to this method to ensure the correct culated for objects of type Flat.  [1]  Derties held for PMK Rentals, write the late and output the total annual income
d to this method to ensure the correct culated for objects of type Flat.  [1]  Derties held for PMK Rentals, write the late and output the total annual income
culated for objects of type Flat.  [1] Derties held for PMK Rentals, write the ate and output the total annual income
culated for objects of type Flat.  [1] Derties held for PMK Rentals, write the ate and output the total annual income
perties held for PMK Rentals, write the atte and output the total annual income
perties held for PMK Rentals, write the atte and output the total annual income
perties held for PMK Rentals, write the atte and output the total annual income
ate and output the total annual income
ate and output the total annual income
new Accommodation[50];
new Accommodation[50];
[6]
[5]

10140 **15** [Turn over

	the hierarchical structure defined for PMK Rentals, <b>Question 5</b> , the adder for the class <b>Accommodation</b> has been amended as follows:	Examir Marks	ner Only Remark
C# abs Jav	stract class Accommodation : IComparable		
	stract class Accommodation implements Comparable		
(a)	Explain the term in bold and indicate why it would be applied to the class.		
(b)	[4] The method		
(D)			
	C# CompareTo(Object obj)  Java compareTo(Object obj)		
	which returns an integer, must be implemented in the class Accommodation. Write the code for this method that will compare two rent amounts.		
	[5]		

(c)	Mr. McKenna requires a list of his properties in order of the rent charged. Write the code that will <b>sort</b> the array accArray and <b>output</b> the property details.	Exami Marks	ner Only Remark
	Assume the toString( ) method has been implemented for all classes.		
	Accommodation [] accArray = new Accommodation[50];		
		_	
		_	
		-	
		_	
		_	
		_	
		_	
		_	
	[5	5]	
	THIS IS THE END OF THE QUESTION PAPER		

www.xtrapapers.com

www.xtrapapers.com

www.xtrapapers.com
--------------------

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright holders may have been unsuccessful and CCEA will be happy to rectify any omissions of acknowledgement in future if notified.