



Rewarding Learning

**ADVANCED SUBSIDIARY (AS)
General Certificate of Education
2017**

Chemistry

Assessment Unit AS 3

assessing

Module 3: Practical Examination

Practical Booklet A

[AC133]

MONDAY 8 MAY, MORNING

**MARK
SCHEME**

Annotation

1. Please do all marking in **red** ink.
2. All scripts are checked for mathematical errors. Please adopt a system of one tick (✓) equals 1 mark, e.g. if you have awarded 4 marks for part of a question then 4 ticks (✓) should be on this candidate's answer.
3. The total mark for each question should be recorded in a circle placed opposite the question number in the teacher mark column.
4. As candidates have access to scripts please do not write any inappropriate comments on their scripts.

General points

- All calculations are marked according to the number of errors made.
- Errors can be carried through. If the wrong calculation is carried out then the incorrect answer can be carried through. One mistake at the start of a question does not always mean that all marks are lost.
- Listing is when more than one answer is given for a question that only requires one answer, e.g. the precipitate from a chloride with silver nitrate is a white solid; if the candidate states a white or a cream solid, one answer is correct and one answer is wrong. Hence they cancel out.
- Although names might be in the mark scheme it is generally accepted that formulae can replace them. Formulae and names are often interchangeable in chemistry.
- The marking of colours is defined in the 'CCEA GCE Chemistry Acceptable Colours' document.

MARKING GUIDELINES

Interpretation of the Mark Scheme

- **Carry error through**
This is where mistakes/wrong answers are penalised when made, but if carried into further steps of the question, then no further penalty is applied. This pertains to calculations and observational/deduction exercises. Please annotate candidates' answers by writing the letters c.e.t. on the appropriate place in the candidates' answers.
- **Oblique/forward slash**
This indicates an acceptable alternative answer(s).
- **Brackets**
Where an answer is given in the mark scheme and is followed by a word/words in brackets, this indicates that the information within the brackets is non-essential for awarding the mark(s).

1 Titration

- | | |
|--|-----|
| (a) Table [3]
Decimal places [2]
Average titre [2]
Titration consistency [1] | [8] |
| (b) Pink [1] to colourless [1] | [2] |

NOTES**Table [3]**

The Table should be drawn **as an enclosed table**. It should be labelled with the following:

initial burette reading, final burette reading and the titre. It is not necessary to use exactly these words but there should be appropriate columns and rows. The recorded readings should be checked for mathematical accuracy. [1]

The rough titration value should be greater than the accurate values (no more than 2.0 cm³ greater) [1].

Units, i.e. cm³, should be stated [1].

Use of decimal places [2]

All burette readings should be to at least one decimal place – each mistake is penalised by one mark.

(However initial burette readings of 0 are penalised once only.)

If used, the second decimal place position should be 0 or 5 only, other values will be penalised by one mark each time used.

Average titre [2]

Accurate titrations only should be used. The use of a rough value is [-1]. The average value can be calculated to two decimal places or more, e.g. 25.15 and 25.20 average to 25.175.

If three accurate titres are recorded, then the average titre must be calculated using all three accurate titres.

Any error is [-1]. This might be an incorrect calculation or the omission of units. If the average titre is included in the table then the units indicated on the table apply.

Titration consistency [1]

This is the difference within the accurate titrations. If three accurate values are given then the difference between highest and lowest is used.

Difference	Mark
±0.2	[1]
>0.2	[0]

Indicator colour change at the end point: pink to colourless
(colourless to pink = 1 mark)

**AVAILABLE
MARKS**

2 Observation

You are provided with solid **A**, solution **B** and liquid **C**. Carry out the tests and record your observations.

(a) Tests on solid **A**.

Test	Observations
1 Describe the appearance of A.	White solid [1]
2 Add a spatula measure of A to a test tube quarter filled with deionised water, stopper and shake the test tube.	Solid (dissolves) to give a colourless solution [1]
Add 3 drops of silver nitrate solution to the test tube.	White precipitate [1]
Add 4 cm ³ of dilute ammonia solution to the test tube.	(White) precipitate dissolves/disappears to produce a colourless solution [2]
3 Dip a clean nichrome wire into deionised water, touch sample A with the wire, then hold it in a blue Bunsen flame.	Yellow/orange flame [1]

AVAILABLE
MARKS

(b) Tests on solution B

Test	Observations
1 Describe the appearance of solution B .	Blue [1]
2 Quarter fill a test tube with solution B . Add 5 drops of dilute ammonia solution. Shake the test tube gently.	Blue [1] Precipitate [1] [2]
Add 2 cm ³ of dilute ammonia solution. Stopper and shake the test tube.	(Blue) precipitate disappears [1] Deep blue solution forms [1] [2]

(c) Tests on liquid C

Test	Observations
Add 1 cm ³ of C to 1 cm ³ of deionised water in a test tube.	Single layer [1]
Add 2 cm ³ of potassium dichromate solution to the test tube followed by 2 cm ³ of dilute sulfuric acid. Warm the mixture gently in the hot water bath provided.	Orange (solution) [1] Changes to green [1] [2]

AVAILABLE
MARKS