

New
Specification



Rewarding Learning

ADVANCED
General Certificate of Education
2018

Life and Health Sciences

Assessment Unit A2 2

assessing

Organic Chemistry

[AZ021]

THURSDAY 24 MAY, AFTERNOON

**MARK
SCHEME**

Foreword

Introduction

Mark Schemes are published to assist teachers and students in the preparation for examinations. Through the mark schemes teachers and students will be able to see what examiners are looking for in response to questions and exactly where the marks have been awarded. The publishing of the mark schemes may help to show that examiners are not concerned about finding out what a student does not know but rather with rewarding students for what they do know.

The Purpose of Mark Schemes


Examination papers are set and revised by teams of examiners and revisers appointed by the Council. The teams of examiners and revisers include experienced teachers who are familiar with the level and standards expected of 16–18-year-old students in schools and colleges. The job of the examiners is to set the questions and the mark schemes; and the job of the revisers is to review the questions and mark schemes commenting on a large range of issues about which they must be satisfied before the question papers and mark schemes are finalised.

The questions and mark schemes are developed in association with each other so that the issues of differentiation and positive achievement can be addressed right from the start. Mark schemes therefore are regarded as a part of an integral process which begins with the setting of questions and ends with the marking of the examination.

The main purpose of the mark scheme is to provide a uniform basis for the marking process so that all markers are following exactly the same instructions and making the same judgements in so far as this is possible. Before marking begins a standardising meeting is held where all the markers are briefed using the mark scheme and samples of the students' work in the form of scripts. Consideration is also given at this stage to any comments on the operational papers received from teachers and their organisations. During this meeting, and up to and including the end of the marking, there is provision for amendments to be made to the mark scheme. What is published represents this final form of the mark scheme.

It is important to recognise that in some cases there may well be other correct responses which are equally acceptable to those published: the mark scheme can only cover those responses which emerged in the examination. There may also be instances where certain judgements may have to be left to the experience of the examiner, for example, where there is no absolute correct response – all teachers will be familiar with making such judgements.

The Council hopes that the mark schemes will be viewed and used in a constructive way as a further support to the teaching and learning processes.

- 1 (a) (i) contains *only* hydrogen and carbon [1]
- (ii) C_3H_8 [1]
- (iii) hexane [1]
- (iv) alkenes [1]
- (v) F [1]
- (vi) D [1]
- (vii)  [1]
- (viii)
$$\begin{array}{ccccccc} & H & & CH_3 & & H & \\ & | & & | & & | & \\ H & -C & - & C & - & C & -H \\ & | & & | & & | & \\ & H & & H & & H & \end{array}$$
 [1] 2-methylpropane/methylpropane [1] [2]
- (ix) reactant : hydrogen [1]
catalyst : nickel [1] [2]
- (b) (i) $C_3H_8 + 5O_2 \rightarrow 3CO_2 + 4H_2O$ [1] correct formula
[1] correct balancing [2]
- (ii) carbon monoxide [1]
water [1]
carbon/soot [1] [3]
ignore CO_2
- (iii) carbon monoxide is toxic/soot causes global dimming/breathing difficulties/soot covers leaves preventing photosynthesis [1]

AVAILABLE
MARKS

17

2 (a) same general formula [1]

plus any **two** from:
 similar chemical properties
 gradation in physical properties
 differ by a CH₂ unit
 (2 x [1])

[3]

(b) (i) (free radical) substitution [1]

[1]

(ii) CH₃Cl + Cl₂ → CH₂Cl₂ + HCl
 LHS correct [1] RHS correct [1]

[2]

(iii) light/sunlight needed to start the reaction

[1]

(c) (i) crude oil evaporates/vapour [1]

condenses at different heights/points/temperature [1]

separated based on different boiling points [1]

[3]

(ii) C₉H₂₀ → C₃H₆ + C₆H₁₄ [1]
 hexane [1]

[2]

(iii)

$$\begin{array}{ccccccc}
 & \text{H} & \text{CH}_3 & \text{CH}_3 & \text{H} & \text{H} & \text{H} \\
 & | & | & | & | & | & | \\
 \text{H} & - \text{C} - \text{H} \\
 & | & | & | & | & | & | \\
 & \text{H} & \text{H} & \text{CH}_3 & \text{H} & \text{H} & \text{H}
 \end{array}$$

[1]

(d) (i) causes acid rain/photochemical smog

[1]

(ii) catalytic converter

[1]

(iii) 2NO₂ → N₂ + 2O₂

[2]

(e) (i) ethanol [1]
 biodiesel [1]

[2]


(ii) any **two** from:
 derived from renewable sources
 CO₂ used up in plant growth/carbon neutral
 biofuels don't produce SO₂ so less acid rain

[2]

AVAILABLE
MARKS

21

- 3 (a) (i) sigma bonds (only) in alkanes [1]
 (sigma and) pi bond in alkenes [1]
 pi bond weaker or more open to attack/addition reactions [1] [3]



[3]



(iii) electrophilic [1] addition [1]

[2]

(iv) bromoethane


[1]

(b) cis trans [1]



[3]

(c) (i) polythene or poly(ethene) [1]



polymer structure [1]
 (square) brackets and repeat [1]

[2]

(iii) any **two** from:
 incineration to release energy
 recycling
 feedstock for cracking

[2]

17

- 4 (a) same molecular formula [1]
different structural formula/atoms arranged differently [1] [2]
- (b) (i) concentrated [1] phosphoric acid [1] [2]
- (ii) elimination/dehydration [1]
- (c) **Indicative content:**
- heating/warming
 - with acidified potassium dichromate(VI) (solution)
 - 2-methylbutan-2-ol: solution remains orange
 - pentan-2-ol: solution change from orange to green
 - 2-methylbutan-2-ol is a tertiary alcohol and can't be oxidised
 - pentan-2-ol is a secondary alcohol and can be oxidised
 - secondary alcohols can be oxidised to ketones

Level of Response	Marking Criteria	Marks
Excellent Must contain at least five indicative content points	Candidates provide an excellent description of how to distinguish between the two alcohols using oxidation reactions with excellent detail on the observations and chemistry involved. They use excellent spelling, punctuation and grammar and the form and style are of an excellent standard.	[5]–[6]
Good Must contain at least three indicative content points	Candidates provide a good description of how to distinguish between the two alcohols using oxidation reactions with good detail on the observations and chemistry involved. They use good spelling, punctuation and grammar and the form and style are of a good standard.	[3]–[4]
Basic Must contain at least one indicative content points	Candidates provide a limited description of how to distinguish between the two alcohols using oxidation reactions with little detail on the observations and chemistry involved. They use some good spelling, punctuation and grammar and the form and style are of a basic standard.	[1]–[2]
The response is not worthy of credit		[0]

[6]

- (d) (i) C $70.6/12 = 5.88$ [1]
H 13.7
O $15.7/16 = 0.98$ [1]
C₆H₁₄O [1] [3]
- (ii) C₆H₁₄O [1]

15

5 (a)

Substance	IUPAC name	Structural formula
A	pentanal	$\text{CH}_3\text{CH}_2\text{CH}_2\text{CH}_2\text{CHO}$
B	2-methylbut-2-ene [2]	$(\text{CH}_3)_2\text{C}=\text{CHCH}_3$
C	pentan-1-ol	$\text{CH}_3\text{CH}_2\text{CH}_2\text{CH}_2\text{CH}_2\text{OH}$ [1]
D	propanoic acid [1]	$\text{CH}_3\text{CH}_2\text{COOH}$

[4]

(b) bromine water [1]
 colour change from orange [1]
 to colourless [1] [3]

(c) Benedict's/Fehling's solution [1] and warm [1]
 blue (solution) [1] becomes a red (precipitate) [1]
 or other appropriate [4]

(d) primary [1]
 OH bonded to carbon which is bonded to one other carbon atom [1] [2]

(e) propan-1-ol [1] 14

6 (a) (i) ethanoic acid [1]

(ii) preparation: mix salicylic acid and ethanoic anhydride [1]
 add a little concentrated phosphoric acid slowly [1]
 heat (under reflux) for 30 minutes [1]
 add water (to hydrolyse any remaining ethanoic anhydride) [1]
 pour onto crushed ice/ice bath [1]
 suction filter off the product [1]

 purification: recrystallise [1]
 dissolves in a minimum volume of hot solvent [1]
 filter (through a fluted filter paper) whilst hot [1]
 allow to cool and crystallise [1]
 suction/filtration [1]
 dry crystals using a suitable method [1] max [8]

(iii) add iron(III) chloride/ferric chloride [1] [accept Mpt as alternative]
 purple if salicylic acid impurities present [1]
 remains yellow if no impurities [1] [3]

(b) moles of salicylic acid = $20.0/138 = 0.1445$ mol
 moles of aspirin formed = 0.1445 mol
 theoretical yield = $0.145 \times 180 = 26.08$ g
 percentage yield = $18.3/26.1 \times 100 = 70.2\%$
 (accept 70.1%) [4] 16

Total

100