



ADVANCED
General Certificate of Education
2011

Mathematics

Assessment Unit C3
assessing
Module C3: Core Mathematics 3
[AMC31]



FRIDAY 20 MAY, AFTERNOON

TIME

1 hour 30 minutes.

INSTRUCTIONS TO CANDIDATES

Write your Centre Number and Candidate Number on the Answer Booklet provided.
Answer **all eight** questions.
Show clearly the full development of your answers.
Answers should be given to three significant figures unless otherwise stated.
You are permitted to use a graphic or scientific calculator in this paper.

INFORMATION FOR CANDIDATES

The total mark for this paper is 75
Figures in brackets printed down the right-hand side of pages indicate the marks awarded to each question or part question.
A copy of the **Mathematical Formulae and Tables booklet** is provided.
Throughout the paper the logarithmic notation used is $\ln z$ where it is noted that $\ln z \equiv \log_e z$



Answer all eight questions.

Show clearly the full development of your answers.

Answers should be given to three significant figures unless otherwise stated.

1 Find the first 3 terms in the binomial expansion of $\sqrt{1+2x}$ [5]

2 Fig. 1 below shows the graphs of

$$y = |3 - 2x| \quad \text{and} \quad y = 2$$




Fig. 1

The graphs intersect at the points A and B.

Find the x coordinates of A and B.

[6]

3 Use partial fractions to rewrite

$$\frac{x^2 + 8x - 1}{(x - 3)(x - 1)^2}$$

in the form

$$\frac{A}{x - 3} + \frac{B}{x - 1} + \frac{C}{(x - 1)^2}$$

where A , B and C are integers.

[5]

4 A population of microorganisms grows according to the rule

$$N = 15000e^{0.7t}$$

where N is the size of the population at time t hours.

(i) Find the initial population.

[1]

(ii) Find how long it will take for the population to treble.

[6]

5 Fig. 2 below shows the graphs of

$$y = \sin x \quad \text{and} \quad y = 1 - x^3$$




Fig. 2

(i) Show that the point of intersection of these graphs can be found by solving the equation

$$\sin x + x^3 - 1 = 0 \quad [2]$$

(ii) Verify that this value of x lies between $x = 0$ and $x = 1$ [3]

(iii) Taking $x = 0.5$ as a first approximation to this value of x , use the Newton-Raphson method twice to find a better approximation. [5]

6 (a) Find

$$\int x^3 - \frac{2}{x} + \operatorname{cosec}^2 x - e^{-3x} dx$$

[5]

(b) A component of a machine is to be cut from flat steel. It can be modelled as the area between the curve $y = \cos 2x$, the axes and the line $x = \frac{\pi}{6}$. This is shown shaded in **Fig. 3** below.




Fig. 3

Using calculus, determine the area of the component.

[6]

7 (a) Differentiate

$$\frac{x^4}{\tan^2 x}$$

[6]

(b) Find the **exact** equation of the tangent to the curve

$$y = x \ln x$$

at the point where $x = 2$

[8]

8 (a) A circle is defined by the parametric equations

$$x = -1 + 3 \sin \theta \qquad y = 2 + 3 \cos \theta$$

(i) Find the cartesian equation of this circle. [4]

(ii) Write down the centre and radius of this circle. [3]

(b) (i) Prove the identity

$$\frac{1 - \sin \theta}{1 + \cos \theta} \times \frac{1 + \sin \theta}{1 - \cos \theta} \equiv \cot^2 \theta \quad [4]$$

(ii) Hence solve the equation

$$\frac{1 - \sin \theta}{1 + \cos \theta} \times \frac{1 + \sin \theta}{1 - \cos \theta} = \cot \theta + 2$$

where $-\pi \leq \theta \leq \pi$ [6]

THIS IS THE END OF THE QUESTION PAPER

