



Rewarding Learning

General Certificate of Secondary Education
2015

Centre Number

--	--	--	--	--

Candidate Number

--	--	--	--	--

GCSE Chemistry

Unit 2
Higher Tier

ML

[GCH22]
WEDNESDAY 17 JUNE, MORNING

TIME

1 hour 45 minutes, plus your additional time allowance.

INSTRUCTIONS TO CANDIDATES

Write your Centre Number and Candidate Number in the spaces provided at the top of this page.

You must answer the questions in the spaces provided.

Do not write outside the boxed area on each page or on blank pages.

Complete in blue or black ink only.

Answer **all seven** questions.

INFORMATION FOR CANDIDATES

The total mark for this paper is 115.

Figures in brackets printed down the right-hand side of pages indicate the marks awarded to each question or part question.

Quality of written communication will be assessed in Questions **2(a)** and **5(b)(vi)**.

A Data Leaflet, which includes a Periodic Table of the Elements, is included in this question paper.

9374.02 ML



28GCH2201



BLANK PAGE
DO NOT WRITE ON THIS PAGE

9374.02 ML



28GCH2202

1 (a) Solid calcium chloride absorbs moisture from the air and dissolves in it to form a solution. In solution, calcium chloride causes permanent hardness in water.

(i) What does the term hard water mean?

[2]

(ii) What term is used to describe a solid that absorbs moisture from the air and dissolves in it?

[1]

(iii) Explain the difference between temporary hardness and permanent hardness in water.

[2]

[Turn over

9374.02 ML



28GCH2203

(b) Hydrated sodium carbonate can be used to remove permanent hardness from water.

(i) What is the common name of hydrated sodium carbonate?

_____ [1]

(ii) Write an ionic equation to show how hydrated sodium carbonate removes permanent hardness from water. Include state symbols.

_____ [3]

(iii) Write down one **other** method that is used to remove permanent hardness from water.

_____ [1]

(iv) Write down one **advantage** of hardness in a domestic water supply.

_____ [1]



(b) In some countries ethanol is mixed with petrol to make fuels for use in cars. Petrol is mainly octane (C_8H_{18}), an alkane with 8 carbon atoms. Octane is a hydrocarbon fuel.

(i) What is the general formula of the alkanes?

_____ [1]

(ii) What does the term hydrocarbon mean?


_____ [1]

(iii) Write a balanced symbol equation for the complete combustion of octane.

_____ [3]



(c) The diagram below shows a series of organic reactions.



A is converted into **B** by reaction 1 and **B** is converted into **C** by reaction 2.

(i) Write down the names of **A**, **B** and **C**.

A _____

B _____

C _____ [3]

(ii) Write down the name of the substance that reacts with **A**, in reaction 1, to form **B**.

_____ [1]

(iii) Reaction 2 may be carried out using acidified potassium dichromate solution. What colour change would be observed during this reaction?

From _____ to _____ [1]

(iv) Which one of the substances (**A**, **B** or **C**) would decolourise bromine water?

_____ [1]

[Turn over


9374.02 ML



28GCH2207

3 0.03 g of magnesium ribbon reacted with **excess** dilute hydrochloric acid at room temperature. The volume of gas produced was recorded every 20 seconds.

(a) The results obtained in the experiment, using 0.03 g of magnesium ribbon and **excess** dilute hydrochloric acid, are shown as line C on the graph below.



© CCEA



(i) Use the graph to determine the time taken for the reaction to finish.

time taken _____ s [1]

(ii) Calculate the rate of this reaction.


rate = _____ s⁻¹ [2]

[Turn over

9374.02 ML



- (b) The experiment was repeated using different conditions and the results obtained plotted as lines A, B, D and E on the graph below. Line C shows the original experiment with 0.03 g of magnesium ribbon and **excess** dilute hydrochloric acid at room temperature.



© CCEA

9374.02 ML



28GCH2210

(i) Write down and explain which line, A, B, D or E, was obtained when 0.03 g of magnesium ribbon were replaced by 0.03 g of magnesium powder.

Line: _____ [1]

Explanation: _____

_____ [2]

(ii) Which line, A, B, D or E, was obtained when 0.03 g of magnesium ribbon reacted with **excess** dilute hydrochloric acid at a temperature below room temperature?

Line: _____ [1]

(iii) Write down and explain which line, A, B, D or E, was obtained when 0.015 g of magnesium ribbon reacted with **excess** dilute hydrochloric acid at room temperature.

Line: _____ [1]

Explanation: _____

_____ [1]

[Turn over



(iv) Write down and explain, **in terms of particles**, the effect of increasing the concentration of hydrochloric acid on the rate of the reaction between hydrochloric acid and magnesium.

Effect: _____
_____ [1]

Explanation: _____

_____ [3]



- (c) In an experiment to find a suitable catalyst for a reaction, the results below were obtained. All of the reactions were done under the same conditions.

Substance under test as a catalyst	Time for the reaction to be completed/s
cobalt chloride	15
cobalt nitrate	12
potassium nitrate	41
sodium chloride	56

- (i) Which substance in the table is the best catalyst for this reaction?
Explain your answer.

Substance: _____ [1]

Explanation: _____

_____ [1]

- (ii) A catalyst provides an alternative reaction pathway of lower activation energy. What does the term activation energy mean?

_____ [1]

[Turn over



4 (a) Many gases, for example sulfur dioxide and nitrogen, can be used as refrigerants.

(i) Complete the table below about the properties of sulfur dioxide and nitrogen.

Property \ Gas	Sulfur dioxide	Nitrogen
Colour		
Acidic, basic or neutral		neutral


[3]

(ii) Nitrogen is used as a refrigerant in the food industry because it is unreactive. Explain why nitrogen is unreactive.

[2]



- (b) Ammonia gas is also used as a refrigerant. It is used to freeze water in ice rinks. Ammonia is produced in industry by the Haber process that is illustrated in the diagram below.



- (i) Write down the name of the gas X used in the Haber process.

_____ [1]

- (ii) Write down the name of the gas Y used in the Haber process.

_____ [1]

- (iii) Write down the pressure to which the gases are compressed.

_____ [1]

- (iv) Write a balanced symbol equation for the reaction that occurs in the reactor.

_____ [3]



(v) Write down the name of the catalyst used in the reactor.

_____ [1]

(vi) Write down the temperature used in the reactor.

_____ [1]

(vii) Explain what happens in the condenser.

_____ [1]

(viii) Write down why you think the unreacted gases are recycled.

_____ [1]

(c) Ammonia can be produced by the reaction of ammonium sulfate with sodium hydroxide.

Write a balanced symbol equation for this reaction.

_____ [3]



(d) Water containing dissolved iron(III) ions is unsuitable for use in an ice rink as the ice that is formed is coloured.



© Top Photo Corporation / Top Photo Group / Thinkstock

Describe how you would experimentally prove that a sample of this water contained iron(III) ions.

[3]

[Turn over






BLANK PAGE
DO NOT WRITE ON THIS PAGE

9374.02 ML



28GCH2218

- 5 (a) In 1912 Alfred Wegener proposed the theory that the continents on the Earth could move and were once arranged as shown in the diagram below.



© Dorling Kindersley / Thinkstock

Scientists at the time did not accept Wegener's theory, but in the 1960s some new evidence based on the physical properties of iron helped to establish the theory.

- (i) Write down the name that was given to Wegener's theory that the continents could move.

_____ [1]

- (ii) Explain why other scientists at the time did not accept Wegener's theory.

_____ [1]

[Turn over

9374.02 ML



28GCH2219

(b) In the following three reactions, **A**, **B** and **C**, iron is oxidised.

Reaction A: iron + oxygen + water \rightarrow hydrated iron(III) oxide

Reaction B: iron + copper(II) sulfate \rightarrow iron(II) sulfate + copper

Reaction C: iron + hydrochloric acid \rightarrow iron(II) chloride + hydrogen

(i) Write the chemical formula for iron(II) chloride.

_____ [1]

(ii) What is the common name for hydrated iron(III) oxide?

_____ [1]

(iii) Explain why iron is oxidised in **Reaction A**.

_____ [2]

(iv) Describe how you would test for the presence of the hydrogen gas produced in **Reaction C**.

_____ [2]

(v) Write a balanced symbol equation for **Reaction B**.

_____ [2]



6 Iron is below aluminium in the reactivity series. Iron is extracted from its ore in a Blast Furnace. Aluminium is extracted from its ore by electrolysis.

(a) Write down the name of the ore from which iron metal is extracted.

_____ [1]

(b) The extraction of iron in the blast furnace involves three main stages.

Stage 1: the production of the reducing agent

Stage 2: reduction of iron ore

Stage 3: removal of acidic impurities

(i) Describe in words the production of the reducing agent in **Stage 1**.

_____ [3]

(ii) Write a balanced symbol equation for the reduction of the iron ore in **Stage 2**.

_____ [3]



7 Vinegar contains ethanoic acid that is a weak organic acid.

(a) A student was asked to determine the concentration of ethanoic acid in a bottle of vinegar. The procedure below was used:

- 25.0 cm³ of vinegar solution were measured out and placed in a clean, dry conical flask.
- A few drops of phenolphthalein indicator were added to the conical flask.
- A burette was filled with 0.2 mol/dm³ sodium hydroxide solution.
- The sodium hydroxide solution was added to the conical flask until the indicator changed colour.

(i) Write down the name of a suitable piece of apparatus that would accurately measure out 25.0 cm³ of vinegar solution.

_____ [1]

(ii) Describe in detail how you would prepare and fill the burette for use in this titration.

_____ [4]

(iii) Write down the colour change that is observed at the end-point.

From _____ to _____ [2]




(b) 26.5 cm³ of sodium hydroxide solution were required to completely react with the vinegar solution in the conical flask.

(i) Calculate the number of moles of sodium hydroxide used in the titration.

_____ [1]

The balanced symbol equation for the reaction is:



(ii) Calculate the number of moles of ethanoic acid present in 25.0 cm³ of the vinegar solution.

_____ [1]

(iii) Calculate the concentration of the ethanoic acid solution in mol/dm³.

_____ mol/dm³ [1]

(iv) Calculate the concentration of the ethanoic acid solution in g/dm³.

_____ g/dm³ [2]

[Turn over

9374.02 ML



28GCH2225

(c) A solution of ethanoic acid was prepared by dissolving 12 g of ethanoic acid in 50 cm³ of deionized water. Calculate the concentration of ethanoic acid in mol/dm³.

_____ mol/dm³ [3]

THIS IS THE END OF THE QUESTION PAPER





BLANK PAGE
DO NOT WRITE ON THIS PAGE

9374.02 ML



28GCH2227

DO NOT WRITE ON THIS PAGE

For Examiner's use only	
Question Number	Marks
1	
2	
3	
4	
5	
6	
7	

Total Marks	
--------------------	--

Examiner Number

Permission to reproduce all copyright material has been applied for.
In some cases, efforts to contact copyright holders may have been unsuccessful and CCEA will be happy to rectify any omissions of acknowledgement in future if notified.

177605



28GCH2228

