



Rewarding Learning

**General Certificate of Secondary Education
2018**

Mathematics

Unit M4

(With calculator)

Higher Tier

[GMC41]

THURSDAY 24 MAY

9.15 am–11.15 am

**MARK
SCHEME**

General Marking Instructions

Introduction

The mark scheme normally provides the most popular solution to each question. Other solutions given by candidates are evaluated and credit given as appropriate; these alternative methods are not usually illustrated in the published mark scheme.

The solution to a question gains marks for correct method and marks for accurate working based on this method. The marks awarded for each question are shown in the right hand column and they are prefixed by the letters M, A and MA as appropriate. The key to the mark scheme is given below:

M indicates marks for correct method.

A indicates marks for accurate working, whether in calculation, reading from tables, graphs or answers. Accuracy marks may depend on preceding M (method) marks, hence M0 A1 cannot be awarded, i.e. where the method is not correct no marks can be given.

MA indicates marks for combined method and accurate working.

A later part of a question may require a candidate to use an answer obtained from an earlier part of the same question. A candidate who gets the wrong answer to the earlier part and goes on to the later part is naturally unaware that the wrong data is being used and is actually undertaking the solution of a parallel problem from the point at which the error occurred. If a candidate continues to apply correct method, then the candidate's individual working must be followed through from the error. If no further errors are made, then the candidate is penalised only for the initial error. Solutions containing two or more working or transcription errors are treated in the same way. This process is usually referred to as "follow-through marking" and allows a candidate to gain credit for that part of a solution which follows a working or transcription error.

It should be noted that where an error trivialises a question, or changes the nature of the skills being tested, then as a general rule, it would be the case that not more than half the marks for that question or part of that question would be awarded; in some cases the error may be such that no marks would be awarded.

Positive marking

It is our intention to reward candidates for any demonstration of relevant knowledge, skills or understanding. For this reason we adopt a policy of following through their answers, that is, having penalised a candidate for an error, we mark the succeeding parts of the question using the candidate's value or answers and award marks accordingly.

Some common examples of this occur in the following cases:

- (a) a numerical error in one entry in a table of values might lead to several answers being incorrect, but these might not be essentially separate errors;
- (b) readings taken from a candidate's inaccurate graphs may not agree with the answers expected but might be consistent with the graphs drawn.

When the candidate misreads a question in such a way as to make the question easier, only a proportion of the marks will be available (based on the professional judgement of the examiner).

General Marking Advice

- (i) If the correct answer is seen in the body of the script and the answer given in the answer line is clearly a transcription error, full marks should be awarded.
- (ii) If the answer is missing, but the correct answer is seen in the body of the script, full marks should be awarded.
- (iii) If the correct answer is seen in working but a completely different answer is seen in the answer space, then some marks will be awarded depending on the severity of the error.
- (iv) Work crossed out but not replaced should be marked.
- (v) In general, if two or more methods are offered, mark only the method that leads to the answer on the answer line. If two (or more) answers are offered (with no solution offered on the answer line), mark the poorest answer.
- (vi) For methods not provided for in the mark scheme, give as far as possible equivalent marks for equivalent work.
- (vii) Where a follow through mark is indicated on the mark scheme for a particular part question, the marker must ensure that you refer back to the answer of the previous part of the question.
- (viii) Unless the question asks for an answer to a specific degree of accuracy, always mark at the greatest number of significant figures seen, e.g. the answer in the mark scheme is 4.65 and the candidate then correctly rounds to 4.7 or 5 on the answer line. Allow full marks for 4.65 seen in the working.
- (ix) Anything in the mark scheme which is in brackets (...) is not required for the mark to be earned, but if present it must be correct.
- (x) For any question, the range of answers given in the mark scheme is inclusive.

			AVAILABLE MARKS
1	$(8000 \times) 1.0175$ or $8000 \div 100 \times 1.75 (= 140)$	MA1	
	8000×1.0175^3 or $142.45 \rightarrow 8282.45$	MA1	
	$8427.3928\dots$ or $144.9428\dots$	A1	
	8427.39	A1	4
2	$2796 - 2400 = 396$	MA1	
	$\frac{396}{2400} \times 100$	M1	
	16.5	A1	3
3	$p + 15 = 8p - 6$	MA1	
	$21 = 7p$	MA1	
	$p = 3$	MA1	3
4	$\pi \times 50 = 157(.0796\dots)$	MA1	
	$157(.0796\dots) + 300 = 457(.0796\dots)$	MA1	
	$10000 \div 457(.0796\dots)$	M1	
	$21.8(7802\dots)$ so she needs to walk 22 laps	A1	4
5	$\frac{1}{3}$ of 60% = 20% men	MA1	
	$100 - 40 - 20 = 40\%$ women	MA1	
	$40\% = 120$ so $1\% = 3$ so $100\% = 300$	MA1	
	alternative solution		
	$\frac{1}{3}$ of $\frac{3}{5} = \frac{1}{5}$ men	MA1	
	$1 - \left(\frac{2}{5} + \frac{1}{6}\right) = \frac{2}{5}$ women	MA1	
	$\frac{2}{5} = 120$ so $\frac{1}{5} = 60$ so $\frac{5}{5} = 300$	MA1	3

		MA2	AVAILABLE MARKS
6	(a) $\pi \times 40^2 \times 150$		
	$= 753982.2369$	A1	
	$= 754$ litres	MA1	
	(b) $2 \times \pi \times 40 \times 150$	MA1	
	$= 37700$	A1	6
7	Matthew = $2x - 1$	MA1	
	$\frac{10 + x + 2x - 1}{3} = 7$	MA1	
	$3x + 9 = 21$ or $x + 3 = 7$	MA1	
	$x = 4$	A1	
	alternative solution		
	Matthew = $2x - 1$	MA1	
	Total ages = $3 \times 7 = 21$	MA1	
	$x + 2x - 1 = 11$ ($21 - 10$)	MA1	
	$x = 4$	A1	4
8	(a) Median as the extreme value will affect the mean.	A1	
	(b) Mode as the most common result represents the data set best.	A1	2
9	($30 = 2 \times 3 \times 5$)		
	$50 = 2 \times 5 \times 5$		
	$60 = 2 \times 2 \times 3 \times 5$	MA2	
	LCM = $2 \times 2 \times 3 \times 5 \times 5 = 300$	A1	
	300 minutes or 5 hours	A1(units)	
	alternative solution		
	(30 60 90 120 150)		
	50 100 150 200		
	60 120 180 240	MA2	
	meeting at 300	A1	
	300 minutes or 5 hours	A1(units)	4

		AVAILABLE MARKS
10	$\frac{2(2x-1) + 3(x+2) + x}{6} = 8$	MA1
	$\frac{4x-2 + 3x+6 + x}{6} = 8$	MA1
	$\frac{8x+4}{6} = 8$	MA1
	$8x = 44$	MA1
	$x = 5\frac{1}{2}$	A1
	alternative solution	
	$2(2x-1) + 3(x+2) + x = 48$	MA2
	$4x-2 + 3x+6 + x = 48$	MA1
	$8x = 44$	MA1
	$x = 5\frac{1}{2}$	A1
11	$(y-2)(y-4)$	MA2
12	$74.5 - 41.5 = 33$	MA2
13 (a)	$d^2 = 1^2 + 1^2$	M1
	$d = 1.4142 \dots$	A1
	Area of half square = 0.5	MA1
	Area of semi-circle = $\frac{1}{2} \times \pi \times 0.707^2$	
	= 0.785	MA1
	Total area = 1.285	
(b)	$F = 5 \times 1.285$	
	= 6.42(58 ...)	M1 A1
		5
		2
		2
		6

		AVAILABLE MARKS
14 cos identified	A1	
$\cos 53.13 = \frac{9}{x}$	MA1	
$x = 14.99996427$ (15)	A1	
$x^2 + x^2 = 225$	MA1	
$x^2 = 112.5$	MA1	
$x = 10.6$	MA1	
alternative solution		
$\cos 45 = \frac{x}{15}$	MA1	
$x = 15 \cos 45$	MA1	
$= 10.6$	MA1	6
15 $(2q + r)(2q - r)$	A2	2
16 1. TRC is isosceles, tangents are the same length	A1	
2. Alternate Segment Theorem	A1	
3. Opposite Angles of Cyclic Quad add to give 180°	A1	
4. Angles on a straight line add to 180°	A1	
5. Angle STA = Angle TAC and are alternate	A1	5
17 (a) Fd 1.8 2.5 3.5 2.2 0.4	MA1	
Labels on both axes	A1	
Correct blocks	A1	
(b) Sampling Fraction = $\frac{30}{47}$	A1	
Sample = $\frac{30}{47} \times 15 = 9.57$. Accept 9 or 10	MA1	5
18 (a) produces better representation of all strata	A1	
(b) a stratified sample is slower as it requires strata to be set up first	A1	2

		AVAILABLE MARKS
19	$x(x + 20) = 406.25$	MA2
	$x^2 + 20x - 406.25 = 0$	MA1
	$x = \frac{-20 \pm \sqrt{(20^2 - 4 \times 1 \times (-406.25))}}{2}$	MA1
	$x = 12.5$ (ignore -32.5)	A1
	Length = 32.5 m	A1
	Alternative Solution	
	$x(x - 20) = 406.25$	MA2
	$x^2 - 20x - 406.25 = 0$	MA1
	$x = \frac{-20 \pm \sqrt{(20^2 - 4 \times 1 \times (-406.25))}}{2}$	MA1
	$x = 32.5$ or -12.5	A1
	Length = 32.5 m	A1
20	(a) $\frac{(x+2)(x-2)}{(3x+1)(x-2)}$ factorises numerator correctly	MA1
	(a) $\frac{(x+2)(x-2)}{(3x+1)(x-2)}$ factorises denominator correctly	MA1
	$\frac{x+2}{3x+1}$	A1
	(b) $x^2 - 1 \equiv x^2 + 2ax + a^2 - 6x - b$	M1 A1
	$2a = 6 \quad a = 3$	MA1
	$a^2 - b = -1 \quad b = 10$	MA1
21	$3(2x + 3) - 5(3x + 5) = 2(3x + 5)(2x + 3)$	MA2
	$6x + 9 - 15x - 25 = 2(6x^2 + 19x + 15)$	
	$6x + 9 - 15x - 25 = 12x^2 + 38x + 30$	MA1
	$12x^2 + 47x + 46 = 0$	MA1
	$(x + 2)(12x + 23) = 0$	MA1
	$x = -2$ or $x = -\frac{23}{12}$	A1 A1
		6
		7
		7

		AVAILABLE MARKS
<p>22 $2y = 3x + 6$ $y = 1.5x + 3$ with gradient $\frac{3}{2}$</p> <p>Gradient of perpendicular = $-\frac{2}{3}$</p> <p>$y = \frac{-2}{3}x + c$</p> <p>$-5 = \frac{-2}{3}(3) + c$</p> <p>$c = -3$</p> <p>Equation of L is $y = -\frac{2}{3}x - 3$</p>	<p>MA1</p> <p>MA1</p> <p>MA1</p> <p>MA1</p>	<p>4</p>
<p>23 (a) $\frac{27}{25-a} = 2\left(\frac{9}{a-10}\right)$</p> <p>$27(a-10) = 18(25-a)$ $27a - 270 = 450 - 18a$ $a = 16$</p> <p>(b) Lower Quartile at 18th , Upper Quartile at 54th</p> <p>$LQ = 16 + \frac{4}{27}(9) = 17.333\dots$</p> <p>$UQ = 25 + \frac{13}{14}(5) = 29.643$</p> <p>$IQR = 29.643 - 17.333 = 12.3$</p>	<p>MA1</p> <p>A1</p> <p>A1</p> <p>A1</p> <p>A2</p> <p>A1</p> <p>A1</p> <p>Total</p>	<p>8</p> <p>100</p>