cea

Rewarding Learning

**General Certificate of Secondary Education
2019**

Centre Number

Candidate Number

Mathematics

Unit M7 Paper 1
(Non-Calculator)

Higher Tier

[GMC71]

GMC71

THURSDAY 6 JUNE, 9.15am–10.30am

TIME

1 hour 15 minutes.

INSTRUCTIONS TO CANDIDATES

Write your Centre Number and Candidate Number in the spaces provided at the top of this page.
You must answer the questions in the spaces provided.
Do not write outside the boxed area on each page, on blank pages or tracing paper.
Complete in black ink only. **Do not write with a gel pen.**
Answer **all seventeen** questions.
All working should be clearly shown in the spaces provided. Marks may be awarded for partially correct solutions.
You **must not** use a calculator for this paper.

INFORMATION FOR CANDIDATES

The total mark for this paper is 50.
Figures in brackets printed down the right-hand side of pages indicate the marks awarded to each question or part question.
You should have a ruler, compasses and a protractor.
The Formula Sheet is on page 2.

Formula Sheet

Volume of prism = area of cross section × length

cross section

length

Volume of sphere $= \frac{4}{3}\pi r^3$

Surface area of sphere $= 4\pi r^2$

Quadratic Equation
The solutions of $ax^2 + bx + c = 0$
where $a \neq 0$, are given by

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

Area of trapezium $= \frac{1}{2}(a + b)h$

Volume of cone $= \frac{1}{3}\pi r^2 h$

Curved surface area of cone $= \pi rl$


In any triangle ABC

Sine Rule: $\dfrac{a}{\sin A} = \dfrac{b}{\sin B} = \dfrac{c}{\sin C}$

Cosine Rule: $a^2 = b^2 + c^2 - 2bc \cos A$

Area of triangle $= \frac{1}{2} ab \sin C$

11945.05 **R**

16GMC7102

1

N

Ship
✗

Town
✗

SCALE
1 cm = 2 km

Pirate Island

✗
Caves

Measure and write down the bearing of the ship from the town.

Answer _____ ° [2]

2 **(a)** Fill in the next two terms of this sequence.

14,　13,　11,　8,　☐　,　☐ [2]

(b) Write down the name of the numbers in the sequence below.

1,　8,　27,　64,　...

Answer _____ [1]

[Turn over

11945.05 **R**

16GMC7103

3 Tom bought a full bag of coal.

After one week the bag was $\frac{2}{3}$ full.

During the next week he used $\frac{1}{4}$ of the remaining coal.

What fraction was left in the bag?

Answer _____ [2]

11945.05 **R**

4   Reflect the triangle shown in the **y-axis**.

[1]

[Turn over

5 **(a)** Calculate the size of angle *x*.

diagram not
drawn accurately

Answer _____ ° [2]

(b) Make an accurate drawing of the triangle sketched below.


Q ×

[3]

11945.05 **R**

16GMC7106

6 A machine fills boxes of breakfast cereal.

Each box should weigh 375 g.

Jason takes 100 boxes and tests the accuracy
of the machine by weighing them.

Weight (g)	Less than 375	Exactly 375	More than 375
Number of boxes	9	58	33

(a) What is the probability that one of the boxes taken by Jason weighs less
than 375 g?

Answer _____ [1]

(b) The machine fills 5000 boxes.

Calculate the number of boxes you would expect to weigh less than 375 g.

Answer _____ [2]

[Turn over

7

33 cm

197 cm

54 cm

L cm

The two rectangles above have the same area.

Using estimation, work out an estimate for the length, L, of the second rectangle.

Answer L= _____ cm [2]

11945.05 **R**

16GMC7108

8

(a) (i) What is the total of all the angles in the three triangles shown?

Answer _____ ° [1]

(ii) What is the sum of the interior angles of a five-sided polygon?

Answer _____ ° [1]

(b) What is the sum of the interior angles of a seven-sided polygon?

Answer _____ ° [2]

9 Rewrite $4 + x = 9 - y$ to make y the subject.

Give your answer in its simplest form.

Answer $y =$ _____ [2]

[Turn over

16GMC7109

**10 (a)** Write the binary number 10101 as a decimal number.

Answer _____ [1]

(b) Write the decimal number 26 as a binary number.

Answer _____ [1]

11945.05 **R**

16GMC7110

11

(a) Describe fully the **single** transformation which maps triangle **T** onto triangle **Q**.

Answer _____ [3]

(b) On the grid, draw the image of triangle **T** after a translation $\begin{pmatrix} 2 \\ -5 \end{pmatrix}$. [2]

[Turn over

11945.05 **R**

16GMC7111

12 A six-sided dice is rolled 800 times.

The table below shows the relative frequency of scoring a six after different numbers of rolls.

Number of rolls	Relative frequency of a six
100	0.3
200	0.26
300	0.27
500	0.23
800	0.25

(a) How many times was a six scored after 300 rolls?

Show how you obtained your answer.

Answer _____ [2]

(b) Which relative frequency from the table gives the best estimate of the probability of scoring a six when this dice is rolled?

Explain your answer.

Answer _____

Reason _____ [2]

(c) How many sixes would you expect to get if a **fair** six-sided dice was rolled 300 times?

Answer _____ [2]

13 Solve

$$12 - n \quad > \quad 4n - 3$$

Answer _____ [2]

14 John has six shirts, eight ties and five cravats.

John is going out to dinner and he must choose a shirt **and** either a tie or a cravat to wear.

How many different combinations has John got to choose from?

Answer _____ [3]

[Turn over

11945.05 **R**

16GMC7113

15 Find the value of

(a) $3^0 + 4^0$

Answer _____ [1]

(b) 2^{-3}

Answer _____ [1]

16 A one gram bag of seed contains half a million seeds.

If each seed weighs the same, calculate the weight, in grams, of one seed.

Give your answer in standard form.

Answer _____ g [3]

17 When Jan goes to the gym, the probability that she wears a tracksuit is $\frac{3}{4}$

When Tina goes to the gym, the probability that she wears a tracksuit is $\frac{2}{3}$

Complete the tree diagram.

Jan   **Tina**

wears tracksuit

wears tracksuit

not tracksuit

not tracksuit

wears tracksuit

not tracksuit

[3]

THIS IS THE END OF THE QUESTION PAPER

DO NOT WRITE ON THIS PAGE

11945.05 **R**

16GMC7116