



General Certificate of Secondary Education
January 2011

Centre Number

71

Candidate Number

Mathematics

Module N6 Paper 2
(With calculator)
Higher Tier

[GMN62]

FRIDAY 14 JANUARY

10.45 am – 12.00 pm



TIME

1 hour 15 minutes.

INSTRUCTIONS TO CANDIDATES

Write your Centre Number and Candidate Number in the spaces provided at the top of this page.

Write your answers in the spaces provided in this question paper.

Answer **all fourteen** questions.

Any working should be clearly shown in the spaces provided since marks may be awarded for partially correct solutions.

INFORMATION FOR CANDIDATES

The total mark for this paper is 56.

Figures in brackets printed down the right-hand side of pages indicate the marks awarded to each question or part question.

You should have a calculator, ruler, compasses, set-square and protractor.

The Formula Sheet is on page 2.


For Examiner's
use only

Question Number	Marks
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	


Total
Marks

Formula Sheet

Area of trapezium $= \frac{1}{2}(a + b)h$



Volume of prism = area of cross section \times length




In any triangle ABC

Area of triangle $= \frac{1}{2} ab \sin C$


Sine rule: $\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$

Cosine rule: $a^2 = b^2 + c^2 - 2bc \cos A$




Volume of sphere $= \frac{4}{3}\pi r^3$

Surface area of sphere $= 4\pi r^2$



Volume of cone $= \frac{1}{3}\pi r^2 h$

Curved surface area of cone $= \pi r l$




Quadratic equation:

The solutions of $ax^2 + bx + c = 0$, where $a \neq 0$, are given by

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

3 The distance/time graph shows Helen's journey home from work.

Part of the journey is by bus and the rest on foot.



(a) Between which times does Helen walk faster on average.

Answer _____ [1]

(b) How far does Helen have to walk in total on her trip home?

Answer _____ km [2]

(c) What is the average speed of the bus?

Answer _____ km/h [2]

(d) Helen and her sister Heather live at home and work in the same building.

The graph also shows Heather's journey by cycle.

How far apart are Helen and Heather at 5.25 pm?

Answer _____ km [2]

Examiner Only

Marks Remark

- 4 The table below shows some of the probabilities of getting a colour on a spinner with four colours.

Colour	Red	Blue	Green	Black
Probability	0.3	0.5	0.14	

Calculate the probability of getting

- (a) Black,


Answer _____ [2]

- (b) Green or Blue.


Answer _____ [2]

Examiner Only	
Marks	Remark

5 (a) The diagram represents a solid made from 1 cm cubes.




On the squared paper below, draw the front elevation of the solid viewed from **X**.



[2]

Examiner Only	
Marks	Remark

- (b) An L-shaped piece of cardboard has a rectangular piece removed from it as shown in the diagram below.



- (i) Calculate the area of the remaining piece of cardboard.

Answer _____ cm^2 [2]

- (ii) All the edges of the remaining piece are to be trimmed with ribbon. What length of ribbon is needed?

Answer _____ cm [2]

Examiner Only	
Marks	Remark

- 6 (a) Using ruler and compasses only, construct the perpendicular bisector of the line PQ.


Show your construction lines.



[2]

Examiner Only	
Marks	Remark

(b) Enlarge the triangle by scale factor -1 , centre of enlargement $(1, 0)$.



[3]

Examiner Only

Marks Remark

7 The angles in a triangle are in the ratio of $4 : 5 : 6$

Work out the sum of the two smaller angles.

Answer _____ ° [3]


8 (a) Complete the table for

$$y = 8 - 3x - x^2$$

x	-4	-3	-2	-1	0	1	2
y	4	8		10	8		-2

[2]

(b) Draw the graph for $y = 8 - 3x - x^2$



[2]

(c) Use your graph to find the solutions to the equation

$$7 = 8 - 3x - x^2$$

Answer $x =$ _____ [2]

Examiner Only	
Marks	Remark

14 The numerator of a fraction is two less than the denominator.

When 1 is added to the numerator and 15 to the denominator, the value of the new fraction is now one third of the original fraction.

Let the denominator of the first fraction be x

(a) Show that x satisfies the quadratic equation

$$x^2 - 8x + 15 = 0$$

[2]

(b) Hence find the possible values of the original fraction.

Answer _____ , _____ [2]

THIS IS THE END OF THE QUESTION PAPER

Examiner Only	
Marks	Remark

Permission to reproduce all copyright material has been applied for.
In some cases, efforts to contact copyright holders may have been unsuccessful and CCEA
will be happy to rectify any omissions of acknowledgement in future if notified.