



*Rewarding Learning*

General Certificate of Secondary Education  
2019

Centre Number

--	--	--	--	--

Candidate Number

--	--	--	--

---

# Double Award Science: Chemistry

Unit 7 Practical Skills

Booklet B

Foundation Tier

[GDW73]

**WEDNESDAY 12 JUNE, MORNING**

---

**MV18**

## **Time**

30 minutes, plus your additional time allowance.

## **Instructions to Candidates**

Write your Centre Number and Candidate Number in the spaces provided at the top of this page.

**You must answer the questions in the spaces provided.**

**Do not write on blank pages.**

Complete in black ink only.

Answer **all four** questions.

## **Information for Candidates**

The total mark for this paper is 35.

Figures in brackets printed at the end of each question indicate the marks awarded to each question or part question.

A Data Leaflet including a Periodic Table of the Elements is provided.


Quality of written communication will be assessed in

Question **4(a)**.

---

1 This question is about rusting.

(a) The experiment shown below was carried out to investigate the conditions needed for iron nails to rust. The test tubes were left for one week.



(i) Explain why test tube A has a bung. [1 mark]

---

---

(ii) Why has the water been boiled in test tube B? [1 mark]

---

---

**(iii)** In which test tube (A, B or C) would you expect the iron nail to rust most quickly?

Explain why you chose this test tube. [2 marks]

Test Tube \_\_\_\_\_

Explanation \_\_\_\_\_

\_\_\_\_\_

**(iv)** What is the full chemical name for rust? [2 marks]

\_\_\_\_\_

**(b)** The rusting of iron can be prevented by a number of methods. Suggest one method which may be used to prevent an iron bridge from rusting. [1 mark]

\_\_\_\_\_

**2** Mixtures can be separated in the laboratory using different techniques.

The technique used depends upon the composition of the mixture.

**(a)** Draw a **labelled** diagram of the assembled apparatus used to carry out **filtration**. [4 marks]

**(b)** Four mixtures are given below.

Circle the mixture that can be separated by filtration.

[1 mark]

**sodium nitrate & water**


**aluminium powder & water**

**ethanol & water**

**copper(II) sulfate & water**

(c) The diagram below shows a beaker containing a mixture of oil and brine\*.

**\*Brine is a solution of sodium chloride and water.**



(i) What name is given to two liquids which do not mix?  
[1 mark]

---

The oil layer was removed.

(ii) Describe how you could experimentally separate the sodium chloride from the water in brine to obtain pure sodium chloride and pure water. [3 marks]

---

---

---

---


---

**Blank Page**

- 3 When calcium carbonate reacts with hydrochloric acid the following reaction occurs:



A group of students wanted to measure the rate of reaction between calcium carbonate and hydrochloric acid. They set up the apparatus shown below and measured the volume of gas produced over a period of time.



The following results for the experiment were obtained:

<b>Time/s</b>	0	10	20	30	40	50	60	70	80
<b>Volume of CO<sub>2</sub> produced/cm<sup>3</sup></b>	0	22	41	53	61	63	64	65	65

(a) On the grid opposite: [4 marks]

- label the x-axis;
- plot a graph to show how the volume of carbon dioxide gas produced changes with time when calcium carbonate reacts with hydrochloric acid.


(b) From your graph, how long did it take to produce  $48 \text{ cm}^3$  of the gas? [1 mark]

\_\_\_\_\_ s

(c) During what period of time (A, B, C or D) was the reaction rate the fastest? [1 mark]

- A 0–20 seconds
- B 21–40 seconds
- C 41–60 seconds
- D 61–80 seconds

\_\_\_\_\_



The average rate of this reaction can be calculated using the following equation:

$$\text{Average rate} = \frac{\text{Volume of gas produced}}{\text{Time}}$$

(d) Calculate the average rate of the reaction for the first 20 seconds. [2 marks]

\_\_\_\_\_ cm<sup>3</sup>/s



**(b)** Identify a precaution, other than wearing safety goggles, which you would take to ensure that the reaction between zinc and hydrochloric acid was carried out safely and explain why you would take this precaution. [2 marks]

Precaution: \_\_\_\_\_

Explanation: \_\_\_\_\_

\_\_\_\_\_

**(c)** The reaction of zinc with hydrochloric acid can also be carried out with the addition of a catalyst. What is meant by the term catalyst? [2 marks]

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**(d)** Name one metal, other than zinc, which could be used with hydrochloric acid to safely prepare hydrogen. [1 mark]

\_\_\_\_\_

\_\_\_\_\_

**This is the end of the question paper**

\_\_\_\_\_

For Examiner's use only	
Question Number	Marks
1	
2	
3	
4	
<b>Total Marks</b>	

Examiner Number

Permission to reproduce all copyright material has been applied for.  
In some cases, efforts to contact copyright holders may have been unsuccessful and CCEA will be happy to rectify any omissions of acknowledgement in future if notified.



## Data Leaflet

### Including the Periodic Table of the Elements

For the use of candidates taking  
Science: Chemistry,  
Science: Double Award  
or Science: Single Award

Copies must be free from notes or additions of any kind. No other type of data booklet or information sheet is authorised for use in the examinations

# gcse examinations chemistry

For first teaching from September 2017

## SYMBOLS OF SELECTED IONS

### Positive ions

Name	Symbol
Ammonium	$\text{NH}_4^+$
Chromium(III)	$\text{Cr}^{3+}$
Copper(II)	$\text{Cu}^{2+}$
Iron(II)	$\text{Fe}^{2+}$
Iron(III)	$\text{Fe}^{3+}$
Lead(II)	$\text{Pb}^{2+}$
Silver	$\text{Ag}^+$
Zinc	$\text{Zn}^{2+}$

### Negative ions

Name	Symbol
Butanoate	$\text{C}_3\text{H}_7\text{COO}^-$
Carbonate	$\text{CO}_3^{2-}$
Dichromate	$\text{Cr}_2\text{O}_7^{2-}$
Ethanoate	$\text{CH}_3\text{COO}^-$
Hydrogencarbonate	$\text{HCO}_3^-$
Hydroxide	$\text{OH}^-$
Methanoate	$\text{HCOO}^-$
Nitrate	$\text{NO}_3^-$
Propanoate	$\text{C}_2\text{H}_5\text{COO}^-$
Sulfate	$\text{SO}_4^{2-}$
Sulfite	$\text{SO}_3^{2-}$

### SOLUBILITY IN COLD WATER OF COMMON SALTS, HYDROXIDES AND OXIDES

Soluble
All sodium, potassium and ammonium salts
All nitrates
Most chlorides, bromides and iodides EXCEPT silver and lead chlorides, bromides and iodides
Most sulfates EXCEPT lead and barium sulfates Calcium sulfate is slightly soluble
Insoluble
Most carbonates EXCEPT sodium, potassium and ammonium carbonates
Most hydroxides EXCEPT sodium, potassium and ammonium hydroxides
Most oxides EXCEPT sodium, potassium and calcium oxides which react with water


# THE PERIODIC TABLE OF ELEMENTS

## Group

																		0
																		4
																		<b>He</b> Helium
1	2											3	4	5	6	7		
7 <b>Li</b> Lithium 3	9 <b>Be</b> Beryllium 4											11 <b>B</b> Boron 5	12 <b>C</b> Carbon 6	14 <b>N</b> Nitrogen 7	16 <b>O</b> Oxygen 8	19 <b>F</b> Fluorine 9	20 <b>Ne</b> Neon 10	
23 <b>Na</b> Sodium 11	24 <b>Mg</b> Magnesium 12											27 <b>Al</b> Aluminium 13	28 <b>Si</b> Silicon 14	31 <b>P</b> Phosphorus 15	32 <b>S</b> Sulfur 16	35.5 <b>Cl</b> Chlorine 17	40 <b>Ar</b> Argon 18	
39 <b>K</b> Potassium 19	40 <b>Ca</b> Calcium 20	45 <b>Sc</b> Scandium 21	48 <b>Ti</b> Titanium 22	51 <b>V</b> Vanadium 23	52 <b>Cr</b> Chromium 24	55 <b>Mn</b> Manganese 25	56 <b>Fe</b> Iron 26	59 <b>Co</b> Cobalt 27	59 <b>Ni</b> Nickel 28	64 <b>Cu</b> Copper 29	65 <b>Zn</b> Zinc 30	70 <b>Ga</b> Gallium 31	73 <b>Ge</b> Germanium 32	75 <b>As</b> Arsenic 33	79 <b>Se</b> Selenium 34	80 <b>Br</b> Bromine 35	84 <b>Kr</b> Krypton 36	
85 <b>Rb</b> Rubidium 37	88 <b>Sr</b> Strontium 38	89 <b>Y</b> Yttrium 39	91 <b>Zr</b> Zirconium 40	93 <b>Nb</b> Niobium 41	96 <b>Mo</b> Molybdenum 42	98 <b>Tc</b> Technetium 43	101 <b>Ru</b> Ruthenium 44	103 <b>Rh</b> Rhodium 45	106 <b>Pd</b> Palladium 46	108 <b>Ag</b> Silver 47	112 <b>Cd</b> Cadmium 48	115 <b>In</b> Indium 49	119 <b>Sn</b> Tin 50	122 <b>Sb</b> Antimony 51	128 <b>Te</b> Tellurium 52	127 <b>I</b> Iodine 53	131 <b>Xe</b> Xenon 54	
133 <b>Cs</b> Caesium 55	137 <b>Ba</b> Barium 56	139 <b>La</b> <sup>*</sup> Lanthanum 57	178 <b>Hf</b> Hafnium 72	181 <b>Ta</b> Tantalum 73	184 <b>W</b> Tungsten 74	186 <b>Re</b> Rhenium 75	190 <b>Os</b> Osmium 76	192 <b>Ir</b> Iridium 77	195 <b>Pt</b> Platinum 78	197 <b>Au</b> Gold 79	201 <b>Hg</b> Mercury 80	204 <b>Tl</b> Thallium 81	207 <b>Pb</b> Lead 82	209 <b>Bi</b> Bismuth 83	210 <b>Po</b> Polonium 84	210 <b>At</b> Astatine 85	222 <b>Rn</b> Radon 86	
223 <b>Fr</b> Francium 87	226 <b>Ra</b> Radium 88	227 <b>Ac</b> <sup>†</sup> Actinium 89	261 <b>Rf</b> Rutherfordium 104	262 <b>Db</b> Dubnium 105	266 <b>Sg</b> Seaborgium 106	264 <b>Bh</b> Bohrium 107	277 <b>Hs</b> Hassium 108	268 <b>Mt</b> Meitnerium 109	271 <b>Ds</b> Darmstadtium 110	272 <b>Rg</b> Roentgenium 111	285 <b>Cn</b> Copernicium 112							

\* 58 – 71 Lanthanum series

† 90 – 103 Actinium series



a = relative atomic mass (approx)

x = atomic symbol

b = atomic number

140 <b>Ce</b> Cerium 58	141 <b>Pr</b> Praseodymium 59	144 <b>Nd</b> Neodymium 60	145 <b>Pm</b> Promethium 61	150 <b>Sm</b> Samarium 62	152 <b>Eu</b> Europium 63	157 <b>Gd</b> Gadolinium 64	159 <b>Tb</b> Terbium 65	162 <b>Dy</b> Dysprosium 66	165 <b>Ho</b> Holmium 67	167 <b>Er</b> Erbium 68	169 <b>Tm</b> Thulium 69	173 <b>Yb</b> Ytterbium 70	175 <b>Lu</b> Lutetium 71
232 <b>Th</b> Thorium 90	231 <b>Pa</b> Protactinium 91	238 <b>U</b> Uranium 92	237 <b>Np</b> Neptunium 93	242 <b>Pu</b> Plutonium 94	243 <b>Am</b> Americium 95	247 <b>Cm</b> Curium 96	245 <b>Bk</b> Berkelium 97	251 <b>Cf</b> Californium 98	254 <b>Es</b> Einsteinium 99	253 <b>Fm</b> Fermium 100	256 <b>Md</b> Mendelevium 101	254 <b>No</b> Nobelium 102	257 <b>Lr</b> Lawrencium 103