



*Rewarding Learning*

General Certificate of Secondary Education  
2018–2019

Centre Number

--	--	--	--	--

Candidate Number

--	--	--	--

---

# Double Award Science: Chemistry

Unit C1  
Foundation Tier

<b>MV18</b>
-------------

**[GDW21]**

**THURSDAY 16 MAY 2019, MORNING**

---

## **Time**

1 hour, plus your additional time allowance.

## **Instructions to Candidates**

Write your Centre Number and Candidate Number in the spaces provided at the top of this page.

**You must answer the questions in the spaces provided.**

**Do not write on blank pages.**

Complete in black ink only.

Answer **all eight** questions.

## **Information for Candidates**






The total mark for this paper is 60.

Figures in brackets printed at the end of each question indicate the marks awarded to each question or part question.

Quality of written communication will be assessed in Question 8.

A Data Leaflet, which includes a Periodic Table of the Elements, is included in this question paper.

1 The diagrams **A**, **B**, **C**, **D** and **E** below show apparatus that can be used to separate mixtures.



Which diagram **A**, **B**, **C**, **D** or **E** shows the apparatus that would be most suitable for:

(a) separating **sand** from a mixture of sand and salty water? [1 mark]

---

(b) obtaining **pure water** from sea water? [1 mark]

---

(c) obtaining **crystals** of salt from salty water? [1 mark]

---

(d) separating **ethanol** from water? [1 mark]

---

- 2 Some words and statements about atomic structure are given in the lists below. Draw a straight line from each word to the correct statement that describes the word.  
[4 marks]

**Word****Statement**

neutron

has a charge of  $-1$  and  
a mass of almost 0

electron

is positively charged and  
is surrounded by shells

proton

has a charge of  $+1$  and  
a mass of 1

nucleus

has a charge of 0 and  
a mass of 1

ion

is formed when an atom  
loses or gains electrons

**Blank Page**  
**(Questions continue overleaf)**

3 This question is about the Periodic Table.

(a) Use words from the list to complete the sentences that follow. [6 marks]

**atomic number**

**Newlands**

**periods**

**Mendeleev**

**metals**

**atomic mass**

**groups**

**undiscovered**

**gases**

**transition**

The Periodic Table was developed by the Russian chemist \_\_\_\_\_ in 1869.


He said that when elements are arranged in order of increasing \_\_\_\_\_ similar properties recur at regular intervals.

He left gaps in his Periodic Table for \_\_\_\_\_ elements.

Today the elements are arranged in order of increasing \_\_\_\_\_ . The modern Periodic Table is divided into rows and columns. The rows are called \_\_\_\_\_ and the columns are called \_\_\_\_\_ .



- 4 (a) The pH changes during a reaction between sodium hydroxide and hydrochloric acid were measured. The sodium hydroxide was placed in a flask and the hydrochloric acid was added. The graph shown below was produced.



- (i) What was the pH of the sodium hydroxide in the flask at the start of the experiment? [1 mark]

---

- (ii) What volume of hydrochloric acid was needed to cause the pH to drop sharply? [1 mark]

---

(iii) If universal indicator solution was added to the flask at the start, what would the colour of the indicator be after 5 cm<sup>3</sup> of acid was added?

Circle the correct answer. [1 mark]

red

orange


yellow

green

blue

purple

(b) (i) Complete the word equation for this reaction.  
[2 marks]



(ii) The reaction taking place in (b)(i) is described as neutralisation. Give the **formulae** of the **ions** from the hydrochloric acid and the sodium hydroxide which are involved in neutralisation. [2 marks]

hydrochloric acid \_\_\_\_\_

sodium hydroxide \_\_\_\_\_

(c) The symbol equation below shows the reaction of nitric acid with zinc metal.



**Name** the **products** from this reaction and describe a test to identify the gas produced.

[2 marks for products, 2 marks for test]

Products: \_\_\_\_\_ and \_\_\_\_\_

Test: \_\_\_\_\_

\_\_\_\_\_

**5** Nanoparticles are used in healthcare, sports equipment, clothing and in sun creams.

**(a)** What is the size of nanoparticles? Circle the correct answer. [1 mark]

**0–1 nm**

**1–10 nm**

**10–100 nm**

**1–100 nm**

(b) The table below gives some uses of nanoparticles and the properties they provide to the products.

<b>Property</b> <b>Use</b>	strong	better UV protection	light	antibacterial/ removes odours	transparent
golf clubs	✓		✓		
socks				✓	
sun creams		✓			✓

The nanoparticles in socks are made of silver while those in sun creams are made of zinc oxide and titanium dioxide.

Zinc oxide is a white material that gives good protection from UV rays.

Titanium dioxide is used to reduce the white colour and make sun creams less visible.

Use the information given to answer the following questions.

(i) Give the name of a transition metal mentioned in the passage. [1 mark]

---

(ii) Which nanoparticle is used to reduce the smell of sweaty feet? [1 mark]

---

(iii) What are the advantages of using nanomaterials in golf clubs? [1 mark]

\_\_\_\_\_ and \_\_\_\_\_

(iv) Which chemical compound gives good protection from UV light? [1 mark]

---

(v) Which chemical substance makes the sun creams more transparent? [1 mark]

---

(c) Give **one** risk other than 'harmful effect on the environment', associated with the use of nanoparticles in sun cream. [1 mark]

---

---

6 Magnesium fluoride is an ionic compound.

(a) (i) What is the chemical formula of magnesium fluoride?  
[1 mark]

---

(ii) Explain fully what happens to the electronic configuration **of the magnesium atom** when it forms an ionic bond with fluorine atoms. [2 marks]

---

---

(iii) Explain what happens to the electronic configuration **of the fluorine atom** when it becomes a fluoride ion. [2 marks]

---

---

(b) In each of the tables below there are three statements, **one** of which is correct. Put a tick (✓) beside the correct statement in each table. [1 mark for each table]

(i)

<b>table 1</b>	<b>Tick (✓)</b>
ionic bonds are typical of metal compounds	
ionic bonds are typical of metals	
ionic bonds are typical of non-metal compounds	

(ii)

<b>table 2</b>	<b>Tick (✓)</b>
most ionic compounds are insoluble in water	
many molecular covalent substances are insoluble in water	
most molecular covalent substances have high melting points	

(iii)

<b>table 3</b>	<b>Tick (✓)</b>
diatomic means two atoms ionically bonded in a compound	
diatomic means two or more atoms chemically combined	
diatomic means two atoms covalently bonded in a molecule	

(c) In the spaces below draw dot and cross diagrams to show how covalent bonding occurs in hydrogen chloride, HCl.

[2 marks for hydrogen atom and chlorine atom,  
3 marks for hydrogen chloride molecule]

Your diagrams should show:

- the electronic structures of both of the atoms – show **all** electrons
- the electronic arrangement in a hydrogen chloride molecule – only outer electrons are needed
- a label showing a **lone pair** of electrons in the hydrogen chloride molecule.

hydrogen atom

chlorine atom

hydrogen chloride molecule

- 7 (a) This question is about relative formula masses, moles and percentage of an element by mass in a compound.

Calculate the relative formula mass of the following compounds:

(relative atomic masses:

H = 1, N = 14, C = 12, O = 16, S = 32)

- (i) sulfuric acid  $\text{H}_2\text{SO}_4$  [1 mark]

\_\_\_\_\_

- (ii) ammonium carbonate  $(\text{NH}_4)_2\text{CO}_3$  [1 mark]

\_\_\_\_\_

(b) Iron(II) sulfate,  $\text{FeSO}_4$ , (relative formula mass 152) is an essential body mineral. It helps keep our red blood cells healthy.

Calculate, to one decimal place, the percentage by mass of iron in iron(II) sulfate. [3 marks]


---

(c) The relative formula mass of glucose  $\text{C}_6\text{H}_{12}\text{O}_6$  is 180.


Calculate the number of moles in 45 g of glucose.  
[1 mark]

---

8 The diagrams below show two giant structures.



structure A



structure B

**In this question you will be assessed on your written communication skills including the use of specialist scientific terms.**

For **each** of these structures A and B:

- predict the physical properties you would expect them to have with respect to melting points, solubility in water and electrical conductivity.
- name the type of bonding you would expect.
- name a substance which could be represented by the structure  
and for structure B **only** give a use for a substance with that structure.

[6 marks]

## Structure A

---

---

---

---

---

---

---

---

---

---

## Structure B

---

---

---

---

---

---

---

---

---

---

---

**This is the end of the question paper**

---





For Examiner's use only	
Question Number	Marks
1	
2	
3	
4	
5	
6	
7	
8	
<b>Total Marks</b>	

Examiner Number

Permission to reproduce all copyright material has been applied for.  
In some cases, efforts to contact copyright holders may have been unsuccessful and CCEA will be happy to rectify any omissions of acknowledgement in future if notified.



## Data Leaflet

### Including the Periodic Table of the Elements

For the use of candidates taking  
Science: Chemistry,  
Science: Double Award  
or Science: Single Award

Copies must be free from notes or additions of any kind. No other type of data booklet or information sheet is authorised for use in the examinations

# gcse examinations chemistry

For first teaching from September 2017

## SYMBOLS OF SELECTED IONS

### Positive ions

Name	Symbol
Ammonium	$\text{NH}_4^+$
Chromium(III)	$\text{Cr}^{3+}$
Copper(II)	$\text{Cu}^{2+}$
Iron(II)	$\text{Fe}^{2+}$
Iron(III)	$\text{Fe}^{3+}$
Lead(II)	$\text{Pb}^{2+}$
Silver	$\text{Ag}^+$
Zinc	$\text{Zn}^{2+}$

### Negative ions

Name	Symbol
Butanoate	$\text{C}_3\text{H}_7\text{COO}^-$
Carbonate	$\text{CO}_3^{2-}$
Dichromate	$\text{Cr}_2\text{O}_7^{2-}$
Ethanoate	$\text{CH}_3\text{COO}^-$
Hydrogencarbonate	$\text{HCO}_3^-$
Hydroxide	$\text{OH}^-$
Methanoate	$\text{HCOO}^-$
Nitrate	$\text{NO}_3^-$
Propanoate	$\text{C}_2\text{H}_5\text{COO}^-$
Sulfate	$\text{SO}_4^{2-}$
Sulfite	$\text{SO}_3^{2-}$

### SOLUBILITY IN COLD WATER OF COMMON SALTS, HYDROXIDES AND OXIDES

Soluble
All sodium, potassium and ammonium salts
All nitrates
Most chlorides, bromides and iodides EXCEPT silver and lead chlorides, bromides and iodides
Most sulfates EXCEPT lead and barium sulfates Calcium sulfate is slightly soluble
Insoluble
Most carbonates EXCEPT sodium, potassium and ammonium carbonates
Most hydroxides EXCEPT sodium, potassium and ammonium hydroxides
Most oxides EXCEPT sodium, potassium and calcium oxides which react with water


# THE PERIODIC TABLE OF ELEMENTS

## Group

																		0
																		4
																		<b>He</b> Helium
1	2											3	4	5	6	7		
7 <b>Li</b> Lithium 3	9 <b>Be</b> Beryllium 4											11 <b>B</b> Boron 5	12 <b>C</b> Carbon 6	14 <b>N</b> Nitrogen 7	16 <b>O</b> Oxygen 8	19 <b>F</b> Fluorine 9	20 <b>Ne</b> Neon 10	
23 <b>Na</b> Sodium 11	24 <b>Mg</b> Magnesium 12											27 <b>Al</b> Aluminium 13	28 <b>Si</b> Silicon 14	31 <b>P</b> Phosphorus 15	32 <b>S</b> Sulfur 16	35.5 <b>Cl</b> Chlorine 17	40 <b>Ar</b> Argon 18	
39 <b>K</b> Potassium 19	40 <b>Ca</b> Calcium 20	45 <b>Sc</b> Scandium 21	48 <b>Ti</b> Titanium 22	51 <b>V</b> Vanadium 23	52 <b>Cr</b> Chromium 24	55 <b>Mn</b> Manganese 25	56 <b>Fe</b> Iron 26	59 <b>Co</b> Cobalt 27	59 <b>Ni</b> Nickel 28	64 <b>Cu</b> Copper 29	65 <b>Zn</b> Zinc 30	70 <b>Ga</b> Gallium 31	73 <b>Ge</b> Germanium 32	75 <b>As</b> Arsenic 33	79 <b>Se</b> Selenium 34	80 <b>Br</b> Bromine 35	84 <b>Kr</b> Krypton 36	
85 <b>Rb</b> Rubidium 37	88 <b>Sr</b> Strontium 38	89 <b>Y</b> Yttrium 39	91 <b>Zr</b> Zirconium 40	93 <b>Nb</b> Niobium 41	96 <b>Mo</b> Molybdenum 42	98 <b>Tc</b> Technetium 43	101 <b>Ru</b> Ruthenium 44	103 <b>Rh</b> Rhodium 45	106 <b>Pd</b> Palladium 46	108 <b>Ag</b> Silver 47	112 <b>Cd</b> Cadmium 48	115 <b>In</b> Indium 49	119 <b>Sn</b> Tin 50	122 <b>Sb</b> Antimony 51	128 <b>Te</b> Tellurium 52	127 <b>I</b> Iodine 53	131 <b>Xe</b> Xenon 54	
133 <b>Cs</b> Caesium 55	137 <b>Ba</b> Barium 56	139 <b>La</b> <sup>*</sup> Lanthanum 57	178 <b>Hf</b> Hafnium 72	181 <b>Ta</b> Tantalum 73	184 <b>W</b> Tungsten 74	186 <b>Re</b> Rhenium 75	190 <b>Os</b> Osmium 76	192 <b>Ir</b> Iridium 77	195 <b>Pt</b> Platinum 78	197 <b>Au</b> Gold 79	201 <b>Hg</b> Mercury 80	204 <b>Tl</b> Thallium 81	207 <b>Pb</b> Lead 82	209 <b>Bi</b> Bismuth 83	210 <b>Po</b> Polonium 84	210 <b>At</b> Astatine 85	222 <b>Rn</b> Radon 86	
223 <b>Fr</b> Francium 87	226 <b>Ra</b> Radium 88	227 <b>Ac</b> <sup>†</sup> Actinium 89	261 <b>Rf</b> Rutherfordium 104	262 <b>Db</b> Dubnium 105	266 <b>Sg</b> Seaborgium 106	264 <b>Bh</b> Bohrium 107	277 <b>Hs</b> Hassium 108	268 <b>Mt</b> Meitnerium 109	271 <b>Ds</b> Darmstadtium 110	272 <b>Rg</b> Roentgenium 111	285 <b>Cn</b> Copernicium 112							

\* 58 – 71 Lanthanum series

† 90 – 103 Actinium series



a = relative atomic mass (approx)

x = atomic symbol

b = atomic number

140 <b>Ce</b> Cerium 58	141 <b>Pr</b> Praseodymium 59	144 <b>Nd</b> Neodymium 60	145 <b>Pm</b> Promethium 61	150 <b>Sm</b> Samarium 62	152 <b>Eu</b> Europium 63	157 <b>Gd</b> Gadolinium 64	159 <b>Tb</b> Terbium 65	162 <b>Dy</b> Dysprosium 66	165 <b>Ho</b> Holmium 67	167 <b>Er</b> Erbium 68	169 <b>Tm</b> Thulium 69	173 <b>Yb</b> Ytterbium 70	175 <b>Lu</b> Lutetium 71
232 <b>Th</b> Thorium 90	231 <b>Pa</b> Protactinium 91	238 <b>U</b> Uranium 92	237 <b>Np</b> Neptunium 93	242 <b>Pu</b> Plutonium 94	243 <b>Am</b> Americium 95	247 <b>Cm</b> Curium 96	245 <b>Bk</b> Berkelium 97	251 <b>Cf</b> Californium 98	254 <b>Es</b> Einsteinium 99	253 <b>Fm</b> Fermium 100	256 <b>Md</b> Mendelevium 101	254 <b>No</b> Nobelium 102	257 <b>Lr</b> Lawrencium 103