



*Rewarding Learning*

General Certificate of Secondary Education  
2018–2019

---

**Double Award Science: Physics**

Unit P1

Higher Tier

**[GDW32]**

FRIDAY 9 NOVEMBER 2018, MORNING

---

**MARK  
SCHEME**

## General Marking Instructions

### Introduction

Mark schemes are published to assist teachers and students in their preparation for examinations. Through the mark schemes teachers and students will be able to see what examiners are looking for in response to questions and exactly where the marks have been awarded. The publishing of the mark schemes may help to show that examiners are not concerned about finding out what a student does not know but rather with rewarding students for what they do know.

### The Purpose of Mark Schemes

Examination papers are set and revised by teams of examiners and revisers appointed by the Council. The teams of examiners and revisers include experienced teachers who are familiar with the level and standards expected of students in schools and colleges.

The job of the examiners is to set the questions and the mark schemes; and the job of the revisers is to review the questions and mark schemes commenting on a large range of issues about which they must be satisfied before the question papers and mark schemes are finalised.

The questions and the mark schemes are developed in association with each other so that the issues of differentiation and positive achievement can be addressed right from the start. Mark schemes, therefore, are regarded as part of an integral process which begins with the setting of questions and ends with the marking of the examination.

The main purpose of the mark scheme is to provide a uniform basis for the marking process so that all the markers are following exactly the same instructions and making the same judgements in so far as this is possible. Before marking begins a standardising meeting is held where all the markers are briefed using the mark scheme and samples of the students' work in the form of scripts. Consideration is also given at this stage to any comments on the operational papers received from teachers and their organisations. During this meeting, and up to and including the end of the marking, there is provision for amendments to be made to the mark scheme. What is published represents this final form of the mark scheme.

It is important to recognise that in some cases there may well be other correct responses which are equally acceptable to those published: the mark scheme can only cover those responses which emerged in the examination. There may also be instances where certain judgements may have to be left to the experience of the examiner, for example, where there is no absolute correct response – all teachers will be familiar with making such judgements.

- 1 (a) Extension = 4 [1]  
Force = 42 [1] [2]
- (b) (i)  $F = ke$  or Force = constant  $\times$  extension [1]
- (ii)  $5 = k \times 10$  [1]  
 $k = 0.5$  [1]  
N/cm [1] [3]

AVAILABLE  
MARKS

6

- 2 (a) **Indicative content**  
Scales for mass  
Measuring cylinder for volume

$$\text{density} = \frac{\text{mass}}{\text{volume}}$$

avoid spills  
repeat experiment or take average

	Response	Mark
<b>A</b>	Candidates explain <b>5 or more</b> of the above points. They use good spelling, punctuation and grammar. The form and style are of a high standard and specialist terms are used appropriately.	[5]–[6]
<b>B</b>	Candidates explain <b>3 or 4</b> of the above points. They use satisfactory spelling, punctuation and grammar. The form and style are of a satisfactory standard and they have made use of some specialist terms.	[3]–[4]
<b>C</b>	Candidates explain <b>1 or 2</b> of the above points. They use limited spelling, punctuation and grammar. The form and style are of a limited standard and they have made no use of specialist terms.	[1]–[2]
<b>D</b>	Response not worthy of credit.	[0]

[6]

- (b) (i) gold [1]
- (ii) (particles) closer [dependent marking] [1]

8

3 (a)

Particle	Relative mass	Location
	1 [1]	Nucleus [1]
Proton [1]	1 [1]	
Electron [1]		Orbit/shell [1]

[6]

- (b) 90 [1], 0 [1], 144 [1] [3]

9

		AVAILABLE MARKS		
4	(a) (i) unstable	[1]	9	
	(ii) alpha [1], beta [1], gamma [1]	[3]		
	(iii) Gamma	[1]		
	(b) (i) fission (correct spelling)	[1]		
	(ii) neutron	[1]		
	(iii) Uranium/Plutonium/Thorium	[1]		
	(iv) neutron	[1]		
5	(i) Centre of gravity marked at centre of each.	[1]		4
	(ii) Object C [1]			
	lowest c of g [1] [dependent marking] widest base [1] [dependent marking]	[3]		
6	(a) (i) dist = area (under graph) [1]      dist = area (under graph) [1] = $(0.5 \times 1 \times 10)$ [1] + $(10 \times 2)$ [1] = $0.5 (3 + 2)10$ [2] = 25 [1] (m)                                      = 25 [1] (m)	[4]		11
	(ii) $a = \text{grad or } (v - u) \div t$ [1] or $a = \frac{\Delta v}{t}$ = $(25 - 10) \div 0.5$ [1] = 30 [1] (m/s <sup>2</sup> )	[3]		
	(b) $F = ma$ [1] 11 250 = $m \times 15$ [1] $m = 750$ [1] mass of car = 690 [1] (kg)	[4]		
7	(a) $W = F \times d$ [1] or equivalent = $(70 \times 10) \times 0.6$ [1] and [1] = 420 [1] (J)	[4]	8	
	(b) $P = W \div t$ [1] or equivalent 140 = $W \div 60$ [1] and [1] $W = 8400$ [1] (J)	[4]		

		AVAILABLE MARKS
8	<p>(a) <math>E_p = mgh</math> [1]  <math>570 = m \times 10 \times 15</math> [1]  <math>m = 3.8</math> [1]            Mass of water = 0.2 [1] (kg)</p>	[4]
	<p>(b) <math>E_k = \frac{1}{2}mv^2</math> [1]  <math>392</math> [1] = <math>\frac{1}{2} \times 4 \times v^2</math> [1]  <math>v = 14</math> [1] (m/s)</p> <p>or</p> $v = \sqrt{\frac{2E_k}{m}}$ [1] or $v^2 = \frac{2E_k}{m}$ $v = \sqrt{\frac{2 \times 392}{4}}$ [2] or $v^2 = \frac{2 \times 392}{4}$ (or 196) $v = 14$ [1] (m/s)	[4]
9	<p>(a) CW moment = AC moment [1] (threshold mark)            (For a lever) in equilibrium/balanced [1]            about any point/pivot [1]            e.g. Nm/Ncm [1]</p>	[4]
	<p>(b) <math>200 \times 0.2 = 160 \times d</math> [1] and [1]  <math>d = 0.25</math> [1]</p>	[3]
<b>Total</b>		<b>70</b>