



General Certificate of Secondary Education  
2018

Centre Number

--	--	--	--	--

Candidate Number

--	--	--	--

# Double Award Science: Chemistry

Unit C2

Foundation Tier

<b>ML</b>
-----------

**[GSD51]****WEDNESDAY 13 JUNE 2018, MORNING****TIME**

1 hour 15 minutes, plus your additional time allowance.

**INSTRUCTIONS TO CANDIDATES**

Write your Centre Number and Candidate Number in the spaces provided at the top of this page.

**You must answer the questions in the spaces provided.**

**Do not write outside the boxed area on each page or on blank pages.**

Complete in black ink only. **Do not write with a gel pen.**

Answer **all nine** questions.

**INFORMATION FOR CANDIDATES**

The total mark for this paper is 90.

Figures in brackets printed down the right-hand side of pages indicate the marks awarded to each question or part question.

Quality of written communication will be assessed in Question **6**.

A Data Leaflet, which includes a Periodic Table of the Elements, is included in this question paper.

1 This question is about oxidation, reduction and rusting.

- (a) Each of the objects listed below is protected from rusting by a different method. Draw a line from each **object** to the most suitable **method of rust prevention**.

Object	Method of rust prevention
Nail	Painting
Car bonnet	Oiling
Bicycle chain	Galvanising
	Plastic coating

[3]

- (b) Complete the definition of rusting using words from the list below.

water

magnesium

acid

zinc

hydrogen

air

iron

nitrogen

Rusting is the reaction of the metal \_\_\_\_\_ with \_\_\_\_\_

and \_\_\_\_\_

[3]

(c) Rusting is an example of an oxidation reaction.

(i) Two of the reactions below are also oxidation reactions. Put ticks (✓) in the correct boxes below to show the **two** oxidation reactions.

melting ice to give water

burning a fuel

reacting an acid with an alkali

turning carbon monoxide (CO) into carbon dioxide (CO<sub>2</sub>)

[2]

(ii) Which element can be **removed** in an oxidation reaction? Circle the correct answer.

hydrogen

nitrogen

oxygen

[1]


(d) Describe the test for oxygen gas.

---

---

[2]

(e) Copper(II) oxide can be reduced using the apparatus shown below.



(i) Name the gas X used in this reduction reaction.

\_\_\_\_\_ [1]

(ii) What is the colour of copper(II) oxide? Circle the correct answer.

**blue**                      **black**                      **red/pink**                      **white**                      [1]

(iii) During this reaction a colourless liquid may condense on the inside of the glass tube.


What is the name of this colourless liquid?

\_\_\_\_\_ [1]



**BLANK PAGE**  
**DO NOT WRITE ON THIS PAGE**  
**(Questions continue overleaf)**

- 2 (a) Complete the reactivity series below by placing the metals aluminium, iron and calcium in their correct positions.



[2]

- (b) Sodium reacts with water. In the table below tick (✓) **three** observations that can be made when sodium reacts with water.

Observation	Tick (✓)
sodium burns with a lilac flame.	
the reaction is very fast.	
a silver ball is formed.	
sodium sinks to the bottom and rises.	
sodium moves about the surface.	

[3]

(c) If a strip of magnesium is heated in a Bunsen flame, it reacts with air. Describe three things you would observe during this experiment.

- 1. \_\_\_\_\_
- 2. \_\_\_\_\_
- 3. \_\_\_\_\_

[3]

(d) When excess zinc metal is added to copper(II) sulfate solution, the solution changes colour.

(i) What colour change is observed in the solution?

from \_\_\_\_\_ to \_\_\_\_\_

[2]

(ii) Why does the solution change colour? \_\_\_\_\_

\_\_\_\_\_

[1]

3 Water can be described as being soft, having temporary hardness or having permanent hardness.

(a) Describe **how** you would carry out a test to show that a sample of water was soft.

---



---



---

 [2]

(b) The table below contains some statements about temporary and permanent hardness which may be true or false. Complete the table.

Statement	Temporary hardness True or False?	Permanent hardness True or False?
forms a scale in kettles	True	
can be removed on boiling		
is good for teeth and bones		True

[2]

(c) (i) Name one of the ions which is present in hard water.

---

 [1]

(ii) There are disadvantages from living in a hard water area. Write down two disadvantages linked to cost.

1. \_\_\_\_\_

2. \_\_\_\_\_ [2]

- 4 (a) Endothermic processes take in heat. Complete the table below to show if the processes are endothermic or not. The first one has been done for you.

Process	Endothermic Yes / No
photosynthesis	Yes
burning natural gas	
neutralising acid with alkali	
water turning into steam	

[3]

- (b) Calcium carbonate (limestone) can be broken down by heating.

- (i) Complete the word equation to show the products formed when calcium carbonate is heated.

calcium carbonate  $\rightarrow$  +

[2]

- (ii) Look at the list below. Circle the name given to this type of chemical reaction.

neutralisation      electrolysis      thermal decomposition      oxidation

[1]

- (c) This part of the question is about the uses of limestone. Look at the list below and circle two uses of limestone.

neutralising acidity in soil      making fireworks  
 making fertilisers      making building materials

[2]

[Turn over

5 This question is about the element sulfur and its compounds.

Sulfur is a poor conductor of heat.

(a) List three other physical properties of sulfur.

1. \_\_\_\_\_
2. \_\_\_\_\_
3. \_\_\_\_\_ [3]

(b) Heating a mixture of iron and sulfur in a boiling tube causes a chemical reaction to start.

(i) Describe two observations that can be made **after the heating has been stopped**.

1. \_\_\_\_\_
2. \_\_\_\_\_ [2]

(ii) Write a balanced symbol equation for the reaction of iron and sulfur.

\_\_\_\_\_ [2]

(c) Sulfur burns in oxygen to form sulfur dioxide.

(i) What colour is the flame when sulfur burns in oxygen?

\_\_\_\_\_ [1]

(ii) Which **one** of the following words best describes the smell of sulfur dioxide?

Circle the correct answer.

**odourless**                      **pungent**                      **pleasant**                      **sweet** [1]

(d) Acid rain is a major environmental issue worldwide.

- (i) Coal burning power stations are one of the main sources of acid rain. Many of these power stations use chemical sprays in the chimneys to try to reduce or prevent acid rain pollution.

How do these chemical sprays reduce or prevent acid rain?

---

---

[2]

- (ii) Describe two other methods used to prevent acid rain.

1. \_\_\_\_\_
2. \_\_\_\_\_

[2]

[Turn over

6 This question is about carbon dioxide and its role in global warming.

Describe:

- The physical properties of carbon dioxide
- The reaction of carbon dioxide with water and with limewater
- The role of carbon dioxide in global warming and the effects of global warming.

**In this question you will be assessed on your written communication skills including the use of specialist scientific terms.**

The physical properties of carbon dioxide

---

---

---

---

---

---

---

---

The reaction of carbon dioxide with water and with limewater

---

---

---

---

---

---

---

---



The role of carbon dioxide in global warming and the effects of global warming

---

---

---

---

---

---

---

---

[6]

[Turn over

7 This question is about relative formula masses, moles and relative atomic masses.

(a) Calculate the relative formula mass of each of the following substances.

(relative atomic masses: H = 1, C = 12, N = 14, O = 16, Na = 23, S = 32)

(i) methanoic acid HCOOH

\_\_\_\_\_ [1]

(ii) sodium sulfite Na<sub>2</sub>SO<sub>3</sub>

\_\_\_\_\_ [1]

(iii) ammonium carbonate (NH<sub>4</sub>)<sub>2</sub>CO<sub>3</sub>

\_\_\_\_\_ [1]

- (b) Complete the sentence below to show the relationship between relative formula mass and moles.

The relative formula mass of a substance \_\_\_\_\_  
\_\_\_\_\_ [2]

- (c) Hydrated copper(II) sulfate,  $\text{CuSO}_4 \cdot 5\text{H}_2\text{O}$ , has a relative formula mass of 250.

- (i) How many moles would there be in 1 kg of hydrated copper(II) sulfate?

\_\_\_\_\_ [1]

- (ii) If all of the water was removed from hydrated copper(II) sulfate, what would the relative formula mass be? Circle the correct answer.

245                      240                      232                      160                      64                      [1]

[Turn over

- 8 The rate of the reaction between calcium carbonate and hydrochloric acid can be studied by recording the volume of gas produced at different times.


(a) Complete and balance the symbol equation below:



(b) A group of students investigated the rate at which gas was produced. The table below shows their results.

Time /s	0	10	20	40	60	80	100	120
Volume of gas produced /cm <sup>3</sup>	0	22	39	62	79	88	92	92

On the grid below, label the x-axis and plot a graph to show how the volume of gas produced changes with time.



[4]

- (c) (i) Why was the volume of gas produced after 120 seconds the same as the volume produced after 100 seconds?

\_\_\_\_\_

\_\_\_\_\_ [1]

- (ii) What volume of gas was produced between 40 seconds and 50 seconds?

\_\_\_\_\_ [1]

- (d) Changing the conditions of the reaction between calcium carbonate and hydrochloric acid may affect the rate of the reaction.

For each of the situations below write down **increase**, **decrease** or **stay the same**.

- (i) using powdered calcium carbonate instead of lumps

\_\_\_\_\_ [1]

- (ii) cooling down the hydrochloric acid before adding it to the calcium carbonate

\_\_\_\_\_ [1]

- (iii) diluting the hydrochloric acid with water before adding it to the calcium carbonate.

\_\_\_\_\_ [1]

[Turn over

9 This question is about crude oil and organic compounds.

(a) Crude oil is a mixture of different hydrocarbons.

What is meant by the term hydrocarbon?

---



---

[2]

(b) During the process of fractional distillation, crude oil enters the bottom of a fractionating column as a hot gaseous mixture.

Explain **how** and **why** the hydrocarbons in crude oil separate into different fractions, such as petrol and diesel oil.

---



---



---



---

[2]

(c) Complete the table below by filling in the blank spaces.

Name	Molecular formula	Structural formula	Physical state at room temperature
ethene	$C_2H_4$		
		$  \begin{array}{ccccc}  & H & H & H & \\  &   &   &   & \\  H & - C & - C & - C & - H \\  &   &   &   & \\  & H & H & H &   \end{array}  $	gas

[4]

(d) Polythene and polyvinyl chloride (PVC) are two of the world's most important plastics. They are both long chain molecules which are made up of lots of smaller molecules (monomers) chemically joined together.

(i) Name the monomer used to make polythene.

\_\_\_\_\_ [1]

(ii) What name is given to the type of reaction used to make polythene?

\_\_\_\_\_ [2]

(e) Ethanoic acid is found in vinegar and it will react with some metals such as magnesium.

Describe two things that you would observe happening when some magnesium is added to a beaker containing ethanoic acid.

1. \_\_\_\_\_

2. \_\_\_\_\_ [2]

---

**THIS IS THE END OF THE QUESTION PAPER**

---

**DO NOT WRITE ON THIS PAGE**

For Examiner's use only	
Question Number	Marks
1	
2	
3	
4	
5	
6	
7	
8	
9	

<b>Total Marks</b>	
--------------------	--

Examiner Number

Permission to reproduce all copyright material has been applied for.  
In some cases, efforts to contact copyright holders may have been unsuccessful and CCEA will be happy to rectify any omissions of acknowledgement in future if notified.

237028

## SYMBOLS OF SELECTED IONS

### Positive ions

Name	Symbol
Ammonium	$\text{NH}_4^+$
Chromium(III)	$\text{Cr}^{3+}$
Copper(II)	$\text{Cu}^{2+}$
Iron(II)	$\text{Fe}^{2+}$
Iron(III)	$\text{Fe}^{3+}$
Lead(II)	$\text{Pb}^{2+}$
Silver	$\text{Ag}^+$
Zinc	$\text{Zn}^{2+}$

### Negative ions

Name	Symbol
Carbonate	$\text{CO}_3^{2-}$
Dichromate	$\text{Cr}_2\text{O}_7^{2-}$
Ethanoate	$\text{CH}_3\text{COO}^-$
Hydrogen carbonate	$\text{HCO}_3^-$
Hydroxide	$\text{OH}^-$
Methanoate	$\text{HCOO}^-$
Nitrate	$\text{NO}_3^-$
Sulfate	$\text{SO}_4^{2-}$
Sulfite	$\text{SO}_3^{2-}$

## DATA LEAFLET

For the use of candidates taking  
 Science: Chemistry,  
 Science: Double Award  
 or Science: Single Award

**Copies must be free from notes or additions of any kind. No other type of data booklet or information sheet is authorised for use in the examinations.**

### SOLUBILITY IN COLD WATER OF COMMON SALTS, HYDROXIDES AND OXIDES

<b>Soluble</b>
All sodium, potassium and ammonium salts
All nitrates
Most chlorides, bromides and iodides EXCEPT silver and lead chlorides, bromides and iodides
Most sulfates EXCEPT lead and barium sulfates Calcium sulfate is slightly soluble
<b>Insoluble</b>
Most carbonates EXCEPT sodium, potassium and ammonium carbonates
Most hydroxides EXCEPT sodium, potassium and ammonium hydroxides
Most oxides EXCEPT sodium, potassium and calcium oxides which react with water

<b>Contents</b>	<b>Page</b>
Periodic Table of the Elements	2–3
Symbols of Selected Ions	4
Solubility of Common Salts	4

# gcse . Science

## chemistry double award single award



# THE PERIODIC TABLE OF ELEMENTS

## Group

																	<b>0</b>					
<b>1</b>	<b>2</b>											<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>						
		<div style="display: flex; justify-content: center; align-items: center; height: 40px;"> <div style="border: 1px solid black; padding: 5px; margin-right: 10px;"> <b>1</b> <b>H</b> Hydrogen 1         </div> </div>																				<div style="display: flex; justify-content: center; align-items: center; height: 40px;"> <div style="border: 1px solid black; padding: 5px; margin-right: 10px;"> <b>4</b> <b>He</b> Helium 2         </div> </div>
<b>7</b> <b>Li</b> Lithium 3	<b>9</b> <b>Be</b> Beryllium 4											<b>11</b> <b>B</b> Boron 5	<b>12</b> <b>C</b> Carbon 6	<b>14</b> <b>N</b> Nitrogen 7	<b>16</b> <b>O</b> Oxygen 8	<b>19</b> <b>F</b> Fluorine 9	<b>20</b> <b>Ne</b> Neon 10					
<b>23</b> <b>Na</b> Sodium 11	<b>24</b> <b>Mg</b> Magnesium 12											<b>27</b> <b>Al</b> Aluminium 13	<b>28</b> <b>Si</b> Silicon 14	<b>31</b> <b>P</b> Phosphorus 15	<b>32</b> <b>S</b> Sulfur 16	<b>35.5</b> <b>Cl</b> Chlorine 17	<b>40</b> <b>Ar</b> Argon 18					
<b>39</b> <b>K</b> Potassium 19	<b>40</b> <b>Ca</b> Calcium 20	<b>45</b> <b>Sc</b> Scandium 21	<b>48</b> <b>Ti</b> Titanium 22	<b>51</b> <b>V</b> Vanadium 23	<b>52</b> <b>Cr</b> Chromium 24	<b>55</b> <b>Mn</b> Manganese 25	<b>56</b> <b>Fe</b> Iron 26	<b>59</b> <b>Co</b> Cobalt 27	<b>59</b> <b>Ni</b> Nickel 28	<b>64</b> <b>Cu</b> Copper 29	<b>65</b> <b>Zn</b> Zinc 30	<b>70</b> <b>Ga</b> Gallium 31	<b>73</b> <b>Ge</b> Germanium 32	<b>75</b> <b>As</b> Arsenic 33	<b>79</b> <b>Se</b> Selenium 34	<b>80</b> <b>Br</b> Bromine 35	<b>84</b> <b>Kr</b> Krypton 36					
<b>85</b> <b>Rb</b> Rubidium 37	<b>88</b> <b>Sr</b> Strontium 38	<b>89</b> <b>Y</b> Yttrium 39	<b>91</b> <b>Zr</b> Zirconium 40	<b>93</b> <b>Nb</b> Niobium 41	<b>96</b> <b>Mo</b> Molybdenum 42	<b>99</b> <b>Tc</b> Technetium 43	<b>101</b> <b>Ru</b> Ruthenium 44	<b>103</b> <b>Rh</b> Rhodium 45	<b>106</b> <b>Pd</b> Palladium 46	<b>108</b> <b>Ag</b> Silver 47	<b>112</b> <b>Cd</b> Cadmium 48	<b>115</b> <b>In</b> Indium 49	<b>119</b> <b>Sn</b> Tin 50	<b>122</b> <b>Sb</b> Antimony 51	<b>128</b> <b>Te</b> Tellurium 52	<b>127</b> <b>I</b> Iodine 53	<b>131</b> <b>Xe</b> Xenon 54					
<b>133</b> <b>Cs</b> Caesium 55	<b>137</b> <b>Ba</b> Barium 56	<b>139</b> <b>La</b> <sup>*</sup> Lanthanum 57	<b>178</b> <b>Hf</b> Hafnium 72	<b>181</b> <b>Ta</b> Tantalum 73	<b>184</b> <b>W</b> Tungsten 74	<b>186</b> <b>Re</b> Rhenium 75	<b>190</b> <b>Os</b> Osmium 76	<b>192</b> <b>Ir</b> Iridium 77	<b>195</b> <b>Pt</b> Platinum 78	<b>197</b> <b>Au</b> Gold 79	<b>201</b> <b>Hg</b> Mercury 80	<b>204</b> <b>Tl</b> Thallium 81	<b>207</b> <b>Pb</b> Lead 82	<b>209</b> <b>Bi</b> Bismuth 83	<b>210</b> <b>Po</b> Polonium 84	<b>210</b> <b>At</b> Astatine 85	<b>222</b> <b>Rn</b> Radon 86					
<b>223</b> <b>Fr</b> Francium 87	<b>226</b> <b>Ra</b> Radium 88	<b>227</b> <b>Ac</b> <sup>†</sup> Actinium 89	<b>261</b> <b>Rf</b> Rutherfordium 104	<b>262</b> <b>Db</b> Dubnium 105	<b>263</b> <b>Sg</b> Seaborgium 106	<b>262</b> <b>Bh</b> Bohrium 107	<b>265</b> <b>Hs</b> Hassium 108	<b>266</b> <b>Mt</b> Meitnerium 109	<b>269</b> <b>Ds</b> Darmstadtium 110	<b>272</b> <b>Rg</b> Roentgenium 111	<b>285</b> <b>Cn</b> Copernicium 112											

\* 58 – 71 Lanthanum series  
 † 90 – 103 Actinium series

a	x
b	

 a = relative atomic mass (approx)  
 x = atomic symbol  
 b = atomic number

<b>140</b> <b>Ce</b> Cerium 58	<b>141</b> <b>Pr</b> Praseodymium 59	<b>144</b> <b>Nd</b> Neodymium 60	<b>147</b> <b>Pm</b> Promethium 61	<b>150</b> <b>Sm</b> Samarium 62	<b>152</b> <b>Eu</b> Europium 63	<b>157</b> <b>Gd</b> Gadolinium 64	<b>159</b> <b>Tb</b> Terbium 65	<b>162</b> <b>Dy</b> Dysprosium 66	<b>165</b> <b>Ho</b> Holmium 67	<b>167</b> <b>Er</b> Erbium 68	<b>169</b> <b>Tm</b> Thulium 69	<b>173</b> <b>Yb</b> Ytterbium 70	<b>175</b> <b>Lu</b> Lutetium 71
<b>232</b> <b>Th</b> Thorium 90	<b>231</b> <b>Pa</b> Protactinium 91	<b>238</b> <b>U</b> Uranium 92	<b>237</b> <b>Np</b> Neptunium 93	<b>242</b> <b>Pu</b> Plutonium 94	<b>243</b> <b>Am</b> Americium 95	<b>247</b> <b>Cm</b> Curium 96	<b>245</b> <b>Bk</b> Berkelium 97	<b>251</b> <b>Cf</b> Californium 98	<b>254</b> <b>Es</b> Einsteinium 99	<b>253</b> <b>Fm</b> Fermium 100	<b>256</b> <b>Md</b> Mendelevium 101	<b>254</b> <b>No</b> Nobelium 102	<b>257</b> <b>Lr</b> Lawrencium 103