

A Level Computer Science

H446/01 Computer Systems

Monday 11 June 2018 – Morning

Time allowed: 2 hours 30 minutes

| You may use: • a ruler (cm/mm) • an HB pencil | | |
|---|--|--|
| Do not use: • a calculator | | |



| First name | |
|---------------|------------------|
| Last name | |
| Centre number | Candidate number |

INSTRUCTIONS

- Use black ink. You may use an HB pencil for graphs and diagrams.
- Complete the boxes above with your name, centre number and candidate number.
- · Answer all the questions.
- Write your answer to each question in the space provided. Additional paper may be used if required but you must clearly show your candidate number, centre number and question number(s).
- Do **not** write in the barcodes.

INFORMATION

- The total mark for this paper is 140.
- The marks for each question are shown in brackets [].
- Quality of extended responses will be assessed in questions marked with an asterisk (*).
- · This document consists of 24 pages.



2

Answer all the questions.

- 1 A digital coffee making machine has a CPU that uses the Little Man Computer Instruction Set.
 - (a) Little Man Computer operates on a computer system based on the Von Neumann Architecture.

| (i) | State two features of the Von Neumann architecture. |
|------|--|
| | 1 |
| | |
| | 2 |
| | [2] |
| (ii) | Describe one feature, not part of the standard Von Neumann Architecture, which contemporary CPUs may have in order to improve performance. |
| | |
| | |
| | |

(b) Part of the coffee making machine's code asks the user to press a button to select strength. The code outputs 1 which will switch on a green light to indicate a valid selection or outputs 0 to indicate an invalid selection.

The code is shown below:

INP STA entry LDA max SUB entry BRP accept LDA redLight printAndEnd BRA accept LDA greenLight printAndEnd OUT HLT DAT greenLight 1 redLight DAT 0 DAT 5 max entry DAT

Fig. 1

(i) Tick the appropriate boxes below to indicate which inputs will result in a green light (i.e. code outputs 1) and which with a red light.

| Input | Green Light | Red Light |
|-------|-------------|-----------|
| 1 | | |
| 2 | | |
| 3 | | |
| 4 | | |
| 5 | | |
| 6 | | |
| 7 | | |
| 8 | | |
| 9 | | |

| (ii) | Explain which registers and buses are used, and the values they store/carry, when the line LDA redLight is executed (after it has been fetched and decoded). You should assume the address redLight refers to memory location 11. |
|------|---|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

4

| (iii) | Write code in a high-level language or pseudocode that has the same functionality as the code in Fig. 1. |
|-------|---|
| | |
| | |
| | |
| | |
| | |
| | [3] |
| (iv)* | Discuss the differences between assembly code and high-level languages. You should refer to: |
| | the advantages and disadvantages of writing programs in assembly code rather than a high-level language when each approach might be used |
| | why the coffee machine was programmed in assembly code. |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

© OCR 2018

- **2** A software company decides to build an operating system for OCR smart watches.
 - (a) Memory management is one of the functions of an operating system.

| (1) | List three functions, | otner than memory | management, of an | operating system. |
|-----|-----------------------|-------------------|-------------------|-------------------|
| | | | | |

| |
|------|
| |
| |
| [3] |

Part of a computer's memory is represented below (Fig. 2). The operating system divides the memory into equally sized chunks.




Fig. 2

| State the name of the type of memory management used in Fig. 2. | |
|---|-------|
| [1] | |
| ii) The operating system needs to load program C into memory but there is not enough space. Describe how the operating system would use virtual memory to load program C. | (iii) |
| | |
| | |
| | |
| | |
| | |
| [3] | |

(b) The company sets up a website to promote the watch. Part of the website is shown below. The sentence 'Download The Factsheet' is a hyperlink to the file factsheet.pdf which is stored in the same folder as the HTML file for the webpage.

Features

The new OCR Smart Watch:

- 1. Uses the CB2 RISC processor for long battery life
- 2. Stores up to 20hrs of music
- 3. Tracks fitness

Download The Factsheet

| (i) | Write the HTML to produce the extract from the webpage above. You can assume it will be placed within the $<$ body> tags of a pre-existing page. You do not need to specify the font. |
|-----|--|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | [5] |

| (ii) | Explain what happens when a search engine indexes the page. You do not need to discuss ranking. |
|-------|--|
| | |
| | |
| | |
| | |
| | |
| | [3] |
| (iii) | Explain why using a RISC processor rather than a CISC processor is likely to result in increased battery life. |
| | |
| | |
| | |
| | |
| | |
| | [3] |

3 An airport holds details of flights in a database using the table Flight. An extract of the table is shown below.

| <u>FlightID</u> | FlightNumber | DestinationCode | DestinationName | DepartureDate | DepartureTime |
|-----------------|--------------|-----------------|-----------------|---------------|---------------|
| 1355 | OC0089 | JFK | John F. Kennedy | 03/07/18 | 09:50 |
| 1453 | CS1573 | LHR | Heathrow | 03/07/18 | 10:30 |
| 1921 | OC7750 | JFK | John F. Kennedy | 04/07/18 | 08:30 |
| 1331 | AM0045 | YHZ | Halifax | 04/07/18 | 14:25 |
| 1592 | HB0326 | RTM | Rotterdam | 04/07/18 | 19:10 |
| 1659 | CS0123 | LHR | Heathrow | 04/07/18 | 07:20 |

| (a) | Describe what the SQL statement below does. |
|-----|---|
| | SELECT FlightNumber FROM Flight WHERE DestinationCode='JFK' |
| | |
| | |
| | |
| | [2] |
| The | airport cancels all its flights to Heathrow on 4 th July 2018. |
| (b) | The SQL statement below shows all the data for flights going to Halifax. Rewrite it so it instead removes all flights to Heathrow on 4 th July 2018. |
| | SELECT * FROM Flight WHERE DestinationName='Halifax' |
| | |
| | |
| | |
| | |
| | |
| | [3] |

| (c) | Tab | les often have primary and secondary keys. | |
|-----|-------|--|-------|
| | (i) | State why DestinationCode would not be a suitable primary key for the Fl table. | Light |
| | | | |
| | (ii) | State why DestinationCode would be a suitable secondary key for the Flight | |
| | | | |
| (d) | The | airline wishes to ensure the database is normalised. | |
| | (i) | Describe why the database can be considered to be in First Normal Form. | |
| | | | |
| | | | |
| | | | [2] |
| | (ii) | Describe why the database can be considered to be in Second Normal Form. | |
| | | | |
| | | | |
| | | | [2] |
| | (iii) | Describe why the database can not be considered to be in Third Normal form. | |
| | | | |
| | | | |
| | | | [2] |

| | Ţ: |
|-----|--|
| | |
| | |
| | |
| | Describe one format or method the airport could use to provide the data to the airlines sthey can use it in their own applications. |
| (e) | internet. |

| The | The internet can be considered an example of a WAN. | | | | |
|-----|---|--|--|--|--|
| (a) | Des | scribe what is meant by the term 'WAN'. | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | [2] | | | |
| (b) | | internet uses a set of protocols referred to as the TCP/IP stack. The TCP/IP stack sists of four different layers, each with its own set of protocols. | | | |
| | (i) | Explain why protocols are important on a network. | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | [2] | | | |
| | (ii) | State the name of the four layers of the TCP/IP stack. | | | |
| | | 1 | | | |
| | | 2 | | | |
| | | 3 | | | |
| | | 4[4] | | | |

[2]

| 5 | A software company is producing software that allows users with severe mobility issues to input |
|---|---|
| | data into a computer. |

The software flashes up letters on the screen one at a time. The user sends a signal to the computer when the letter they want appears on the screen.

(a) State the name of an input device and describe how it could be used by a user with very

limited mobility in their hands and arms to send a signal to the computer.

| Device name: | |
|-----------------------|--|
| How it would be used: | |
| | |
| | |

© OCR 2018


(b) Rather than displaying the whole alphabet, once the first letter has been entered, the program only shows letters that could be possible according to words in its dictionary. All possible words are stored in a tree data structure.

The program is tested on a sample dictionary of four words, represented as a tree in Fig. 3:

BARON BATHS BELOW

BELTS

- (i) Annotate Fig. 3 to show how the word BELTS would be removed from the tree. [2]
- (ii) Annotate Fig. 3 to show how the words BEACH and BONE would be added to the tree. [2]



(c) The developer decides she wants to make the software program open source.

Fig. 3

| explain the benefits to the users of the software being open source. | | | | | |
|--|--|--|--|--|--|
| | | | | | |
| | | | | | |
| | | | | | |
| [2] | | | | | |

| which laws | what extent you agree with the statement above. In your discussion you should explored regulate the use of technology and how advancements in technology have made lt to enforce/implement. |
|------------|---|
| ••••• | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

| 7 | A taxi firm is investigating replacing its drivers with self-driving cars. | | | | |
|---|--|--|----|--|--|
| | (a) | Explain why the self-driving system will use a real-time operating system. | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | L3 | | |

(b) The code for the self-driving system has been written using an object-oriented programming language.

It recognises obstacles in the road and then classifies them.

The class for Obstacle is shown below.

```
public class Obstacle
    private moving //Boolean value
    private distance //Real number given in metres
    private direction //Integer given as between 1 and 360 degrees

public procedure new(givenMoving, givenDistance, givenDirection)
    moving=givenMoving
    distance=givenDistance
    direction=givenDirection
    endprocedure

public procedure updateDistance(givenDistance)
    distance=givenDistance
    endprocedure

endclass

(i) Write a line of code to create an object called bollard of type Obstacle which is not moving and is 7.8 metres away in a direction of 8 degrees.
```

| (i) | Write a line of code to create an object called bollard of type Obstacle which is no moving and is 7.8 metres away in a direction of 8 degrees. | ot |
|-------|---|---------------|
| (ii) | Describe an example of encapsulation in the class definition code above. | <u>?]</u> |
| ` , | | |
| | | |
| (iii) | Describe the advantages of using encapsulation. | |
| | | |
| | | |

- (c) The self-driving program recognises people as a special type of obstacle and the class Person should inherit the methods and attributes of Obstacle. People are treated like other obstacles except:
 - when the updateDistance method is called, if the person is more than 2 metres away but is 5 metres (or less) away, the method Controls.beepHorn() is called.
 - when the person is 2 metres away (or closer), the method Controls.applyBrakes() is called as well as Controls.beepHorn().

| | Complete the | e class Person. | |
|-----|-----------------------------------|---|----------------|
| | class Pers | son | |
| | publi | ic procedure updateDistance(givenDistance) | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | distance=givenDistance | |
| | endpı endclass | rocedure | [5] |
| (d) | Give one ad cars rather th | Ivantage and one disadvantage to the customers of the taxi using an drivers. | g self-driving |
| | Advantage | | |
| | | | |
| | | | |
| | Disadvantage | е | |
| | | | |
| | | | |
| | | | [2] |

[2] Turn over

8 A student writes a program to apply a symmetric encryption algorithm to work on messages of up to 25 ASCII characters.

| (a) | Describe what is meant by the term 'ASCII'. | | | | | |
|-----|---|--|--|--|--|--|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | [2] | | | | | |

The encryption algorithm works in the following way.

A message of up to 25 characters (spaces and punctuation are not included) is placed in a 5×5 array. Any leftover spaces are filled with random letters. The message I LOVE COMPUTER SCIENCE becomes:

| I | L | 0 | V | E |
|---|---|---|---|---|
| С | 0 | М | Р | U |
| Т | E | R | S | С |
| I | E | N | С | E |
| Т | 0 | W | R | М |

The key is a sequence of ten numbers.

In this example we will use $1\ 2\ 3\ 4\ 5\ 1\ 2\ 3\ 4\ 5$. The first 5 numbers state how many spaces the rows 0 to 4 must be rotated right.

A key with the first 5 digits 1 2 3 4 5 would result in

| E | I | L | 0 | V |
|---|---|---|---|---|
| Р | U | С | 0 | М |
| R | S | С | Т | E |
| E | N | С | E | I |
| Т | 0 | M | R | М |

The next 5 digits state how many spaces down the columns 0 to 4 should be rotated.

Applying the last 5 digits 1 2 3 4 5 to the grid above would give

| Т | N | С | 0 | V |
|---|---|---|---|---|
| E | 0 | С | Т | М |
| Р | I | M | E | E |
| R | U | L | R | I |
| E | S | С | 0 | М |

Part of the pseudocode for the algorithm is written below.

```
global array grid[5,5]
addMessage()
// letters and random letters have been entered
// into the 2D array, grid

for i = 0 to 4
        x = getNextDigitInKey()
        shiftRow(i,x)

next i

for i = 0 to 4
        x = getNextDigitInKey()
        shiftColumn(i,x)

next i

//Now reassemble array back into string.
```


(b) Show the result of running the algorithm on the grid and key below.

[2]


KEY: 3333311111

| Т | 0 | Р | S | E |
|---|---|---|---|---|
| С | R | E | Т | М |
| E | S | S | А | G |
| E | Y | R | Р | L |
| U | 0 | G | G | Q |

Grid after only the rows are shifted:



Grid after columns have also been shifted:



| (c) | Write the procedure shiftRow. |
|-----|-------------------------------|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

| (d)* | Modern encryption is much stronger than the method described in the first part of this question. |
|------|--|
| | Discuss the impact of modern encryption on society. You should refer to: The importance of asymmetric encryption and how it differs from symmetric encryption. Different circumstances in which symmetric and asymmetric encryption may be used. |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

.....[9]

9 (a) Demonstrate how the bytes below are added together. Show your working.

01101010 <u>00111111</u>+

[2]

[2]

(b) Demonstrate how the bottom byte below is subtracted from the top byte. Show your working.

11001111 <u>00111001</u> -

| (c) | Convert the binary number shown below to hexadecimal. |
|-----|--|
| | 0011011100001111 |
| | |
| | |
| | |
| | [2] |
| (d) | The number below is represented in floating point format with a 5-bit mantissa in two's complement followed by a 3-bit exponent in two's complement. Calculate the denary value of the number, showing your working. |
| | 01001 010 |
| | |
| | |
| | |
| | |
| | |

| snown be | | | a 4-bit | exponent | | | | rmalise the | sa in tv e numb |
|-----------------------|--------------------|---------------------|--------------------------|----------|-------------|-----------|-------------|-------------|--------------------|
| 00011 00 |)10 | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| 11100 01 | 10 | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| ••••• | | | | | | | | | |
| | | | | | | | | | |
| Show the | e byte b | elow afte | | | | | | | |
| Show the | e byte b | elow afte | | | | | | | |
| | | | r having | an AND a | pplied wi | th the ma | sking byte | e. | |
| Byte | 1 | 0 | r having | an AND a | pplied wi | th the ma | sking byte | e. 1 | |
| Byte AND | 1 | 0 | r having | an AND a | pplied wi | th the ma | sking byte | e. 1 | |
| Byte AND Result | 1 | 0 1 | r having 1 1 | an AND a | pplied wi | th the ma | osking byte | e. 1 1 | |
| Byte AND Result | 1 | 0 1 | r having 1 1 | an AND a | pplied wi | th the ma | osking byte | e. 1 1 | |
| Byte AND Result | 1 1 e byte b | 0 1 elow afte | r having 1 1 r having | an AND a | pplied with | th the ma | osking byte | e. 1 1 | |

10 (a) Draw a logic gate diagram to represent the Boolean expression

$$Q \equiv \neg A \lor B$$

[2]

(b) Find the Boolean expression represented in the Karnaugh Map below. Show your working.

| | | | AB | | |
|----|----|----|----|----|----|
| | | 00 | 01 | 11 | 10 |
| | 00 | 1 | 1 | 1 | 1 |
| CD | 01 | 0 | 0 | 1 | 1 |
| | 11 | 0 | 0 | 0 | 1 |
| | 10 | 0 | 0 | 0 | 1 |

[5]

END OF QUESTION PAPER



Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1GE.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.