

Mathematics (MEI)

Advanced GCE 4772

Decision Mathematics 2

Mark Scheme for June 2010

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of pupils of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, OCR Nationals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by Examiners. It does not indicate the details of the discussions which took place at an Examiners' meeting before marking commenced.

All Examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the Report on the Examination.

OCR will not enter into any discussion or correspondence in connection with this mark scheme.

© OCR 2010

Any enquiries about publications should be addressed to:

OCR Publications
PO Box 5050
Annesley
NOTTINGHAM
NG15 0DL

Telephone: 0870 770 6622
Facsimile: 01223 552610
E-mail: publications@ocr.org.uk

1.

(a)(i) $\sim c \Rightarrow e$	B1
(ii) $(c \Rightarrow \sim e) \Leftrightarrow (\sim c \Rightarrow e)$	M1 line of a TT
1 0 01 0 01 1 1	A1 both propositions
or 0 1 10 0 10 0 0	1 or both 0
	M1 an " \Rightarrow " correct
	A1 all OK
(b)(i) Circuit is $\sim x \vee y$. This is $x \Rightarrow y$.	B1
10 1 0 0 1 0	
10 1 1 0 1 1	B4
01 0 0 1 0 0	
01 1 1 1 1 1	
(ii) $(\sim p \wedge \sim q) \Rightarrow r$	M1 implication noted
	A1
(iii) $(\sim p \wedge \sim q) \Rightarrow r$ is equivalent to $\sim r \Rightarrow \sim(\sim p \wedge \sim q)$	B1
But we have $\sim r$, so we have $\sim(\sim p \wedge \sim q)$.	B1
$\sim(\sim p \wedge \sim q)$ is equivalent to $p \vee q$	B1
But we have $\sim q$, so therefore p .	B1

2.

(i) Distances longer															B1		
(ii)																	
	1	2	3	4	5	6			1	2	3	4	5	6		not part of answer	
1	∞	15	∞	∞	7	8			1	1	2	3	4	5			6
2	15	∞	6	2	6	∞			2	1	2	3	4	5			6
3	∞	6	∞	3	∞	∞			3	1	2	3	4	5			6
4	∞	2	3	∞	10	17			4	1	2	3	4	5			6
5	7	6	∞	10	∞	8			5	1	2	3	4	5			6
6	8	∞	∞	17	8	∞			6	1	2	3	4	5			6
	1	2	3	4	5	6			1	2	3	4	5	6		not part of answer	
1	∞	15	∞	∞	7	8			1	1	2	3	4	5	6		
2	15	30	6	2	6	23			2	1	1	3	4	5	1		
3	∞	6	∞	3	∞	∞			3	1	2	3	4	5	6		
4	∞	2	3	∞	10	17			4	1	2	3	4	5	6		
5	7	6	∞	10	14	8			5	1	2	3	4	1	6		
6	8	23	∞	17	8	16			6	1	1	3	4	5	1		
	1	2	3	4	5	6			1	2	3	4	5	6	M1 30 in top left A1 times A1 6 to 3 route = 1 A1 rest of route		
1	30	15	21	17	7	8			1	2	2	2	2	5		6	
2	15	30	6	2	6	23			2	1	1	3	4	5		1	
3	21	6	12	3	12	29			3	2	2	2	4	2		2	
4	17	2	3	4	8	17			4	2	2	3	2	2		6	
5	7	6	12	8	12	8			5	1	2	2	2	2		6	
6	8	23	29	17	8	16			6	1	1	1	4	5		1	
	1	2	3	4	5	6			1	2	3	4	5	6	not part of answer		
1	30	15	21	17	7	8			1	2	2	2	2	5		6	
2	15	12	6	2	6	23			2	1	3	3	4	5		1	
3	21	6	12	3	12	29			3	2	2	2	4	2		2	
4	17	2	3	4	8	17			4	2	2	3	2	2		6	
5	7	6	12	8	12	8			5	1	2	2	2	2		6	
6	8	23	29	17	8	16			6	1	1	1	4	5		1	
	1	2	3	4	5	6			1	2	3	4	5	6	not part of answer		
1	30	15	20	17	7	8			1	2	2	2	2	5		6	
2	15	4	5	2	6	19			2	1	4	4	4	5		4	
3	20	5	6	3	11	20			3	4	4	4	4	4		4	
4	17	2	3	4	8	17			4	2	2	3	2	2		6	
5	7	6	11	8	12	8			5	1	2	2	2	2		6	
6	8	19	20	17	8	16			6	1	4	4	4	5		1	
	1	2	3	4	5	6			1	2	3	4	5	6	not part of answer		
1	14	13	18	15	7	8			1	5	5	5	5	5		6	
2	13	4	5	2	6	14			2	5	4	4	4	5		5	
3	18	5	6	3	11	19			3	4	4	4	4	4		4	
4	15	2	3	4	8	16			4	2	2	3	2	2		2	
5	7	6	11	8	12	8			5	1	2	2	2	2		6	
6	8	14	19	16	8	16			6	1	5	5	5	5		1	
	1	2	3	4	5	6			1	2	3	4	5	6	not part of answer		
1	14	13	18	15	7	8			1	5	5	5	5	5		6	
2	13	4	5	2	6	14			2	5	4	4	4	5		5	
3	18	5	6	3	11	19			3	4	4	4	4	4		4	
4	15	2	3	4	8	16			4	2	2	3	2	2		2	
5	7	6	11	8	12	8			5	1	2	2	2	2		6	
6	8	14	19	16	8	16			6	1	5	5	5	5		1	

<p>(iii) cont</p> <p>It has found all shortest times and corresponding routes. Shortest time from x to y is in x row and y column of time matrix. For route look in x row and y column of route matrix. This gives first vertex “en route”. Repeat, looking in row corresponding to the current “en route” vertex and the y column, until the “en route” vertex is y. Shortest time from 3 to 6 is 19. Corresponding route is 3 to 4 to 2 to 5 to 6.</p>	<p>B1 B1</p> <p>B1</p> <p>B1</p> <p>B1</p>
<p>(iv) On time matrix – 1(7)5(6)2(2)4(3)3(19)6(8)1 so 45 From route matrix – 1 5 2 4 3 4 2 5 6 1</p>	<p>B1</p> <p>B1</p>
<p>(v) Lower bound = $7 + 8 + 19 = 34$</p>	<p>M1</p> <p>A1 $7 + 8$</p> <p>A1 19</p>
<p>(vi) $82 + 8 = 90$ minutes</p>	<p>B1</p>

4772


Mark Scheme

June 2010

3.

<p>(i) & (ii)</p> <p>Retire at 65, EMV = 459375</p>	<p>M1 3-way split A1 choice node</p> <p>M1 2-way splits A1 chance nodes</p> <p>B1 pension calculations M1 (income + pension) × time A1 retire at 59 A1 retire at 60 A1 retire at 65</p> <p>M1 EMV's A1✓</p> <p>M1 choice A1✓</p>
---	--

(iii) p's (in order) $\frac{1}{2}$ 0 $\frac{6}{11}$ $\frac{1}{11}$ $\frac{17}{22}$ (given) $\frac{6}{11}$



M1 A1

M1 final utilites
A1 cao

M1 expecteds
A1 \sqrt

B1 choice

4.

(i)	Max $180x + 90y + 110z$ st $2x + 5y + 3z \leq 30$ $4x + y + 2z \leq 24$	B1 B1 B1																																																																																																																																									
(ii)	<table><tr><th>P</th><th>x</th><th>y</th><th>z</th><th>s1</th><th>s2</th><th>RHS</th></tr><tr><td>1</td><td>-180</td><td>-90</td><td>-110</td><td>0</td><td>0</td><td>0</td></tr><tr><td>0</td><td>2</td><td>5</td><td>3</td><td>1</td><td>0</td><td>30</td></tr><tr><td>0</td><td>4</td><td>1</td><td>2</td><td>0</td><td>1</td><td>24</td></tr><tr><td>1</td><td>0</td><td>-45</td><td>-20</td><td>0</td><td>45</td><td>1080</td></tr><tr><td>0</td><td>0</td><td>4.5</td><td>2</td><td>1</td><td>-0.5</td><td>18</td></tr><tr><td>0</td><td>1</td><td>0.25</td><td>0.5</td><td>0</td><td>0.25</td><td>6</td></tr><tr><td>1</td><td>0</td><td>0</td><td>0</td><td>10</td><td>40</td><td>1260</td></tr><tr><td>0</td><td>0</td><td>1</td><td>4/9</td><td>2/9</td><td>-1/9</td><td>4</td></tr><tr><td>0</td><td>1</td><td>0</td><td>7/18</td><td>-1/18</td><td>5/18</td><td>5</td></tr></table> <p>Identification of basic variables + values</p>	P	x	y	z	s1	s2	RHS	1	-180	-90	-110	0	0	0	0	2	5	3	1	0	30	0	4	1	2	0	1	24	1	0	-45	-20	0	45	1080	0	0	4.5	2	1	-0.5	18	0	1	0.25	0.5	0	0.25	6	1	0	0	0	10	40	1260	0	0	1	4/9	2/9	-1/9	4	0	1	0	7/18	-1/18	5/18	5	M1 initial tableau A1 M1 first iteration A1 M1 second iteration A1																																																																			
P	x	y	z	s1	s2	RHS																																																																																																																																					
1	-180	-90	-110	0	0	0																																																																																																																																					
0	2	5	3	1	0	30																																																																																																																																					
0	4	1	2	0	1	24																																																																																																																																					
1	0	-45	-20	0	45	1080																																																																																																																																					
0	0	4.5	2	1	-0.5	18																																																																																																																																					
0	1	0.25	0.5	0	0.25	6																																																																																																																																					
1	0	0	0	10	40	1260																																																																																																																																					
0	0	1	4/9	2/9	-1/9	4																																																																																																																																					
0	1	0	7/18	-1/18	5/18	5																																																																																																																																					
(iii)	Over two weeks ($x = 3$ and $z = 18$)	B1 B1																																																																																																																																									
(iv)	Degeneracy (technical term not required) – objective planes are parallel to boundary line.	B1 same obj value B1 line of solutions																																																																																																																																									
(v)	<table><tr><th>A</th><th>P</th><th>x</th><th>y</th><th>z</th><th>s1</th><th>s2</th><th>s3</th><th>s4</th><th>a</th><th>RHS</th></tr><tr><td>1</td><td>0</td><td>1</td><td>1</td><td>0</td><td>0</td><td>0</td><td>0</td><td>-1</td><td>0</td><td>7</td></tr><tr><td>0</td><td>1</td><td>-180</td><td>-90</td><td>-110</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td><td>0</td></tr><tr><td>0</td><td>0</td><td>2</td><td>5</td><td>3</td><td>1</td><td>0</td><td>0</td><td>0</td><td>0</td><td>30</td></tr><tr><td>0</td><td>0</td><td>4</td><td>1</td><td>2</td><td>0</td><td>1</td><td>0</td><td>0</td><td>0</td><td>24</td></tr><tr><td>0</td><td>0</td><td>1</td><td>1</td><td>0</td><td>0</td><td>0</td><td>1</td><td>0</td><td>0</td><td>7</td></tr><tr><td>0</td><td>0</td><td>1</td><td>1</td><td>0</td><td>0</td><td>0</td><td>0</td><td>-1</td><td>1</td><td>7</td></tr></table> <p>or</p> <table><tr><th>P</th><th>x</th><th>y</th><th>z</th><th>s1</th><th>s2</th><th>s3</th><th>s4</th><th>a</th><th>RHS</th></tr><tr><td>1</td><td>-M-180</td><td>-M-90</td><td>-110</td><td>0</td><td>0</td><td></td><td>M</td><td>0</td><td>-7M</td></tr><tr><td>0</td><td>2</td><td>5</td><td>3</td><td>1</td><td>0</td><td>0</td><td>0</td><td>0</td><td>30</td></tr><tr><td>0</td><td>4</td><td>1</td><td>2</td><td>0</td><td>1</td><td>0</td><td>0</td><td>0</td><td>24</td></tr><tr><td>0</td><td>1</td><td>1</td><td>0</td><td>0</td><td>0</td><td>1</td><td>0</td><td>0</td><td>7</td></tr><tr><td>0</td><td>1</td><td>1</td><td>0</td><td>0</td><td>0</td><td>0</td><td>-1</td><td>1</td><td>7</td></tr></table>	A	P	x	y	z	s1	s2	s3	s4	a	RHS	1	0	1	1	0	0	0	0	-1	0	7	0	1	-180	-90	-110	0	0	0	0	0	0	0	0	2	5	3	1	0	0	0	0	30	0	0	4	1	2	0	1	0	0	0	24	0	0	1	1	0	0	0	1	0	0	7	0	0	1	1	0	0	0	0	-1	1	7	P	x	y	z	s1	s2	s3	s4	a	RHS	1	-M-180	-M-90	-110	0	0		M	0	-7M	0	2	5	3	1	0	0	0	0	30	0	4	1	2	0	1	0	0	0	24	0	1	1	0	0	0	1	0	0	7	0	1	1	0	0	0	0	-1	1	7	B1 = $\rightarrow \leq + \geq$ B1 \leq row B1 \geq row B1 new objective B1 minimise A or B1 = $\rightarrow \leq + \geq$ B1 \leq row B1 \geq row B1 new objective B1 maximise P
A	P	x	y	z	s1	s2	s3	s4	a	RHS																																																																																																																																	
1	0	1	1	0	0	0	0	-1	0	7																																																																																																																																	
0	1	-180	-90	-110	0	0	0	0	0	0																																																																																																																																	
0	0	2	5	3	1	0	0	0	0	30																																																																																																																																	
0	0	4	1	2	0	1	0	0	0	24																																																																																																																																	
0	0	1	1	0	0	0	1	0	0	7																																																																																																																																	
0	0	1	1	0	0	0	0	-1	1	7																																																																																																																																	
P	x	y	z	s1	s2	s3	s4	a	RHS																																																																																																																																		
1	-M-180	-M-90	-110	0	0		M	0	-7M																																																																																																																																		
0	2	5	3	1	0	0	0	0	30																																																																																																																																		
0	4	1	2	0	1	0	0	0	24																																																																																																																																		
0	1	1	0	0	0	1	0	0	7																																																																																																																																		
0	1	1	0	0	0	0	-1	1	7																																																																																																																																		
(vi)	Point is on the line – gives £1260 profit	B1 (either)																																																																																																																																									

OCR (Oxford Cambridge and RSA Examinations)
1 Hills Road
Cambridge
CB1 2EU

OCR Customer Contact Centre

14 – 19 Qualifications (General)

Telephone: 01223 553998

Facsimile: 01223 552627

Email: general.qualifications@ocr.org.uk

www.ocr.org.uk

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

Oxford Cambridge and RSA Examinations
is a Company Limited by Guarantee
Registered in England
Registered Office; 1 Hills Road, Cambridge, CB1 2EU
Registered Company Number: 3484466
OCR is an exempt Charity



OCR (Oxford Cambridge and RSA Examinations)
Head office
Telephone: 01223 552552
Facsimile: 01223 552553

© OCR 2010