

**OXFORD CAMBRIDGE AND RSA EXAMINATIONS  
AS GCE**

**4766/01**

**MATHEMATICS (MEI)**

**Statistics 1**

**QUESTION PAPER**

**FRIDAY 24 MAY 2013: Morning**

**DURATION: 1 hour 30 minutes  
plus your additional time allowance**

**MODIFIED ENLARGED**

**Candidates answer on the Printed Answer Book or any suitable paper provided by the centre. The Printed Answer Book may be enlarged by the centre.**

**OCR SUPPLIED MATERIALS:**

**Printed Answer Book 4766/01**

**MEI Examination Formulae and Tables (MF2)**

**Loose sheet for question 6 (inserted)**

**OTHER MATERIALS REQUIRED:**

**Scientific or graphical calculator**

**READ INSTRUCTIONS OVERLEAF**

## **INSTRUCTIONS TO CANDIDATES**

- Write your name, centre number and candidate number in the spaces provided on the Printed Answer Book or on the paper provided by the centre. Please write clearly and in capital letters.
- **IF YOU USE THE PRINTED ANSWER BOOK, WRITE YOUR ANSWER TO EACH QUESTION IN THE SPACE PROVIDED.** Additional paper may be used if necessary but you must clearly show your candidate number, centre number and question number(s).
- Use black ink. HB pencil may be used for graphs and diagrams only.
- Read each question carefully. Make sure you know what you have to do before starting your answer.
- Answer ALL the questions.
- You are permitted to use a scientific or graphical calculator in this paper.
- Final answers should be given to a degree of accuracy appropriate to the context.

## **INFORMATION FOR CANDIDATES**

- The number of marks is given in brackets [ ] at the end of each question or part question on the Question Paper.
- You are advised that an answer may receive **NO MARKS** unless you show sufficient detail of the working to indicate that a correct method is being used.
- The total number of marks for this paper is **72**.
- Any blank pages are indicated.

## **INFORMATION FOR CANDIDATES**

- Do not send this Question Paper for marking; it should be retained in the centre or recycled. Please contact OCR Copyright should you wish to re-use this document.

## SECTION A (36 marks)

- 1 The weights,  $x$  grams, of 100 potatoes are summarised as follows.**

$$n = 100$$

$$\Sigma x = 24\,940$$

$$\Sigma x^2 = 6\,240\,780$$

- (i) Calculate the mean and standard deviation of  $x$ . [3]**
- (ii) The weights,  $y$  grams, of the potatoes after they have been peeled are given by the formula  $y = 0.9x - 15$ . Deduce the mean and standard deviation of the weights of the potatoes after they have been peeled. [3]**
- 2 Every evening, 5 men and 5 women are chosen to take part in a phone-in competition. Of these 10 people, exactly 3 will win a prize. These 3 prize-winners are chosen at random.**
- (i) Find the probability that, on a particular evening, 2 of the prize-winners are women and the other is a man. Give your answer as a fraction in its simplest form. [4]**
- (ii) Four evenings are selected at random. Find the probability that, on at least three of the four evenings, 2 of the prize-winners are women and the other is a man. [4]**

- 3 The weights of bags of a particular brand of flour are quoted as 1.5 kg. In fact, on average 10% of bags are underweight.**
- (i) Find the probability that, in a random sample of 50 bags, there are exactly 5 bags which are underweight. [3]**
- (ii) Bags are randomly chosen and packed into boxes of 20. Find the probability that there is at least one underweight bag in a box. [2]**
- (iii) A crate contains 48 boxes. Find the expected number of boxes in the crate which contain at least one underweight bag. [2]**
- 4 Martin has won a competition. For his prize he is given six sealed envelopes, of which he is allowed to open exactly three and keep their contents. Three of the envelopes each contain £5 and the other three each contain £1000. Since the envelopes are identical on the outside, he chooses three of them at random. Let £ $X$  be the total amount of money that he receives in prize money.**

- (i) Show that  $P(X = 15) = 0.05$ . [2]**

**The probability distribution of  $X$  is given in the table below.**

<b><math>r</math></b>	<b>15</b>	<b>1010</b>	<b>2005</b>	<b>3000</b>
<b><math>P(X = r)</math></b>	<b>0.05</b>	<b>0.45</b>	<b>0.45</b>	<b>0.05</b>

- (ii) Find  $E(X)$  and  $\text{Var}(X)$ . [5]**

- 5 A researcher is investigating whether people can identify whether a glass of water they are given is bottled water or tap water. She suspects that people do no better than they would by guessing. Twenty people are selected at random; thirteen make a correct identification. She carries out a hypothesis test.**
- (i) Explain why the null hypothesis should be  $p = 0.5$ , where  $p$  represents the probability that a randomly selected person makes a correct identification. [2]**
- (ii) Briefly explain why she uses an alternative hypothesis of  $p > 0.5$ . [1]**
- (iii) Complete the test at the 5% significance level. [5]**

### **SECTION B (36 marks)**

- 6 The birth weights in kilograms of 25 female babies are shown below, in ascending order.**

**1.39 2.50 2.68 2.76 2.82 2.82 2.84 3.03 3.06**  
**3.16 3.16 3.24 3.32 3.36 3.40 3.54 3.56**  
**3.56 3.70 3.72 3.72 3.84 4.02 4.24 4.34**

- (i) Find the median and interquartile range of these data. [3]**
- (ii) Draw a box and whisker plot to illustrate the data. [3]**
- (iii) Show that there is exactly one outlier. Discuss whether this outlier should be removed from the data. [4]**

**The cumulative frequency curve is shown on the loose sheet. The cumulative frequency curve illustrates the birth weights of 200 male babies.**

- (iv) Find the median and interquartile range of the birth weights of the male babies. [3]**
- (v) Compare the weights of the female and male babies. [2]**
- (vi) Two of these male babies are chosen at random. Calculate an estimate of the probability that both of these babies weigh more than any of the female babies. [3]**

**7 Jenny has six darts. She throws darts, one at a time, aiming each at the bull's-eye. The probability that she hits the bull's-eye with her first dart is 0.1. For any subsequent throw, the probability of hitting the bull's-eye is 0.2 if the previous dart hit the bull's-eye and 0.05 otherwise.**

**(i) Illustrate the possible outcomes for her first, second and third darts on a probability tree diagram. [4]**

**(ii) Find the probability that**

**(A) she hits the bull's-eye with at least one of her first three darts, [3]**

**(B) she hits the bull's-eye with exactly one of her first three darts. [4]**

**Question 7 continues on the next page**

- (iii) Given that she hits the bull's-eye with at least one of her first three darts, find the probability that she hits the bull's-eye with exactly one of them. [3]

Jenny decides that, if she hits the bull's-eye with any of her first three darts, she will stop after throwing three darts. Otherwise she will throw all six darts.

- (iv) Find the probability that she hits the bull's-eye three times in total. [4]

### Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website ([www.ocr.org.uk](http://www.ocr.org.uk)) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1GE.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.