

OXFORD CAMBRIDGE AND RSA EXAMINATIONS
AS GCE
4751/01

MATHEMATICS (MEI)

Introduction to Advanced Mathematics (C1)

QUESTION PAPER

WEDNESDAY 17 MAY 2017: Morning

DURATION: 1 hour 30 minutes
plus your additional time allowance

MODIFIED ENLARGED 24pt

Candidates answer on the Printed Answer Book, or any suitable paper provided by the centre. The centre may enlarge the Printed Answer Book.

OCR SUPPLIED MATERIALS:

Insert for Question 1

OTHER MATERIALS REQUIRED:

None

**NO CALCULATOR CAN BE USED FOR
THIS PAPER**

READ INSTRUCTIONS OVERLEAF



INSTRUCTIONS TO CANDIDATES

Write your name, centre number and candidate number in the spaces provided on the Printed Answer Book or on the paper provided by the centre. Please write clearly and in capital letters.

If you use the printed answer book write your answer to each question in the space provided. If additional space is required, you should use the lined page(s) at the end of this booklet. The question number(s) must be clearly shown.

Use black ink. HB pencil may be used for graphs and diagrams only.

Read each question carefully. Make sure you know what you have to do before starting your answer.

Answer **all** the questions.

You are **not** permitted to use a calculator in this paper.

Final answers should be given to a degree of accuracy appropriate to the context.

INFORMATION FOR CANDIDATES

The number of marks is given in brackets [] at the end of each question or part question on the Question Paper.

You are advised that an answer may receive **no marks** unless you show sufficient detail of the working to indicate that a correct method is being used.

The total number of marks for this paper is **72**.

Any blank pages are indicated.

INSTRUCTION TO EXAMS OFFICER/INVIGILATOR

Do not send this Question Paper for marking; it should be retained in the centre or recycled. Please contact OCR Copyright should you wish to re-use this document.

Section A (36 marks)

- 1 A straight line passes through $(0, 1)$ and has gradient -2 . Draw the graph of this line on the grid. **[2]**

- 2 (i) Find the value of $\left(1\frac{7}{9}\right)^{-\frac{1}{2}}$. **[3]**

(ii) Simplify $\frac{(6x^5y^2)^3}{18y^{10}}$. **[2]**

- 3 Solve the inequality $6 - x > 5(x - 3)$. **[3]**

- 4 Find the coordinates of the point of intersection of the lines $2x + 5y = 5$ and $x - 2y = 4$. **[4]**

5 The equation of a circle is
 $(x + 2)^2 + (y - 3)^2 = 5$.

(i) State the radius of this circle and the coordinates of its centre. **[2]**

(ii) Find the equation of the line through the centre of the circle which is parallel to the line $5x + y = 4$. **[2]**

6 Rearrange the formula $r = \sqrt{\frac{V}{a + b}}$ to make b the subject. **[4]**

7 (i) Simplify $\frac{5 - 2\sqrt{7}}{3 + \sqrt{7}}$, giving your answer in the form $\frac{a - b\sqrt{7}}{c}$, where a , b and c are integers. **[3]**

(ii) Simplify $\frac{12}{\sqrt{2}} + \sqrt{98}$, giving your answer in the form $d\sqrt{2}$, where d is an integer. **[2]**

- 8 You are given that, in the expansion of $(a + bx)^5$, the constant term is 32 and the coefficient of x^3 is -1080 . Find the values of a and b . **[5]**
- 9 The smallest of three consecutive positive integers is n . Find the difference between the squares of the smallest and largest of these three integers, and hence prove that this difference is four times the middle one of these three integers. **[4]**


BLANK PAGE

Section B (36 marks)

- 10** Fig. 10 below shows the points A (3, 3), B (−2, −2) and C (5, −1).

Fig. 10

Not to scale



- (i) Show that $AB = BC$. **[2]**
- (ii) Find the equation of the line through B which is perpendicular to AC. Give your answer in the form $y = mx + c$. **[4]**

- (iii) Find the coordinates of point D such that ABCD is a rhombus. **[2]**
- (iv) Determine, showing all your working, whether the point E (8, 3.8) lies inside or outside the rhombus ABCD. **[4]**

11 A cubic function $f(x)$ is given by
 $f(x) = (x - 2)(2x - 3)(x + 5)$.

(i) Sketch the graph of $y = f(x)$. **[3]**

(ii) The curve $y = f(x)$ is translated by $\begin{pmatrix} -3 \\ 0 \end{pmatrix}$.

The equation of the translated curve is
 $y = g(x)$. Show that

$$g(x) = 2x^3 + 21x^2 + 43x + 24. \quad \mathbf{[3]}$$

(iii) Show that $x = -2$ is one root of the equation $g(x) = 6$ and hence find the other two roots of this equation, expressing your answers in exact form.
[6]

- 12 (i)** Express $y = x^2 + x + 3$ in the form $y = (x + m)^2 + p$ and hence explain why the curve $y = x^2 + x + 3$ does not intersect the x -axis. **[4]**
- (ii)** Find the coordinates of the points of intersection of the curves $y = x^2 + x + 3$ and $y = 2x^2 - 3x - 9$. **[4]**
- (iii)** Find the set of values of k for which the curves $y = x^2 + x + k$ and $y = 2x^2 - 3x - 9$ do **not** intersect. **[4]**

END OF QUESTION PAPER

Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1GE.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.