



GCE
Mathematics (MEI)

Unit **4772**: Decision Mathematics 2

Advanced GCE

Mark Scheme for June 2018

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.


All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

© OCR 2018

Annotations and abbreviations

Annotation in scores	Meaning
✓ and ✗	
BOD	Benefit of doubt
FT	Follow through
ISW	Ignore subsequent working
M0, M1	Method mark awarded 0, 1
A0, A1	Accuracy mark awarded 0, 1
B0, B1	Independent mark awarded 0, 1
SC	Special case
^	Omission sign
MR	Misread
Highlighting	
Other abbreviations in mark scheme	Meaning
E1	Mark for explaining
U1	Mark for correct units
G1	Mark for a correct feature on a graph
M1 dep*	Method mark dependent on a previous mark, indicated by *
cao	Correct answer only
oe	Or equivalent
rot	Rounded or truncated
soi	Seen or implied
www	Without wrong working

Question	Answer	Marks	Guidance
1 (i) & (ii)	 <p>Plant vegetables EMV = £62</p>	M1 M1 A1 B1 M1 A1 M1 A1 A1 A1	decision node at first branch chance nodes at second branches all correct payoffs computing OK at a chance node 62 and 61 deciding at the decision node 62 cao action


Question	Answer	Marks	Guidance
(iii)	<pre> graph LR Start(()) -- "pay for advice" --> Node1[76.4] Start -- "no advice" --> Node2[62] Node1 -- "vegetables" --> Node3((76.4)) Node1 -- "flowers" --> Node4((74.2)) Node3 -- "0.6" --> Node5(()) Node3 -- "0.4" --> Node6(()) Node5 --> Payoff1["114-25 = 89"] Node6 --> Payoff2["82.5-25 = 57.5"] Node5 --> Node7(()) Node6 --> Node8(()) Node7 --> Payoff3["102-20 = 82"] Node8 --> Payoff4["82.5-20 = 62.5"] </pre> <p>Value of advice = £14.40</p>	B1 M1 A1 B1	advice or ~advice repeat of structure with new pay-offs (allow if new payoffs incorrect) all calculations cao EMV = £14.40 ✓

Question		Answer	Marks	Guidance
	(iv)	Without advice ... $0.5*62 + 0.5*61 = 61.5$ With advice ... $0.5*76.4 + 0.5*74.2 = 75.3$ So value of advice is now £13.80.	B1 B1 B1	

Question		Answer	Marks	Guidance																																																																								
2	(i)	<table border="1"> <thead> <tr> <th></th><th>1</th><th>2</th><th>3</th><th>4</th><th>5</th></tr> </thead> <tbody> <tr> <td>1</td><td>24</td><td>24</td><td>28</td><td>12</td><td>36</td></tr> <tr> <td>2</td><td>24</td><td>24</td><td>24</td><td>12</td><td>32</td></tr> <tr> <td>3</td><td>28</td><td>24</td><td>32</td><td>16</td><td>8</td></tr> <tr> <td>4</td><td>12</td><td>12</td><td>16</td><td>24</td><td>24</td></tr> <tr> <td>5</td><td>36</td><td>32</td><td>8</td><td>24</td><td>16</td></tr> </tbody> </table>		1	2	3	4	5	1	24	24	28	12	36	2	24	24	24	12	32	3	28	24	32	16	8	4	12	12	16	24	24	5	36	32	8	24	16	<table border="1"> <thead> <tr> <th></th><th>1</th><th>2</th><th>3</th><th>4</th><th>5</th></tr> </thead> <tbody> <tr> <td>1</td><td>4</td><td>4</td><td>4</td><td>4</td><td>4</td></tr> <tr> <td>2</td><td>4</td><td>4</td><td>3</td><td>4</td><td>3</td></tr> <tr> <td>3</td><td>4</td><td>2</td><td>4</td><td>4</td><td>5</td></tr> <tr> <td>4</td><td>1</td><td>2</td><td>3</td><td>1</td><td>3</td></tr> <tr> <td>5</td><td>3</td><td>3</td><td>3</td><td>3</td><td>3</td></tr> </tbody> </table>		1	2	3	4	5	1	4	4	4	4	4	2	4	4	3	4	3	3	4	2	4	4	5	4	1	2	3	1	3	5	3	3	3	3	3	<p>B1 16 cells unchanged in distance matrix, with corresponding cells unchanged in route matrix</p> <p>M1 5 to 1 route entry correct</p> <p>A1 5 to 1 distance correct</p> <p>M1 rest of distance changes</p> <p>A1 rest of route changes</p>
	1	2	3	4	5																																																																							
1	24	24	28	12	36																																																																							
2	24	24	24	12	32																																																																							
3	28	24	32	16	8																																																																							
4	12	12	16	24	24																																																																							
5	36	32	8	24	16																																																																							
	1	2	3	4	5																																																																							
1	4	4	4	4	4																																																																							
2	4	4	3	4	3																																																																							
3	4	2	4	4	5																																																																							
4	1	2	3	1	3																																																																							
5	3	3	3	3	3																																																																							
	(ii)	<p>Shortest distance from 1 to 5 in row 1 col 5 of distance matrix = 36</p> <p>Shortest route from 1 to 5 is 1 to 4 (r1c5 of RM), 4 to 3 (r4c5 of RM), 3 to 5 (r3c5 of RM).</p> <p>(Special case – two correct answers without method(s).)</p>	<p>M1 both methods</p> <p>A1</p> <p>(B1)</p>																																																																									
	(iii)	<table border="1"> <thead> <tr> <th></th><th>1</th><th>2</th><th>3</th><th>4</th><th>5</th></tr> </thead> <tbody> <tr> <td>1</td><td>24</td><td>24</td><td>28</td><td>12</td><td>36</td></tr> <tr> <td>2</td><td>24</td><td>24</td><td>24</td><td>12</td><td>32</td></tr> <tr> <td>3</td><td>28</td><td>24</td><td>32</td><td>16</td><td>8</td></tr> <tr> <td>4</td><td>12</td><td>12</td><td>16</td><td>24</td><td>24</td></tr> <tr> <td>5</td><td>36</td><td>32</td><td>8</td><td>24</td><td>16</td></tr> </tbody> </table> <p>Select 8, 24 and 24 (details not needed).</p> <p>Add back in 12 and 12.</p> <p>So $8+24+24+12+12 = 80$</p>		1	2	3	4	5	1	24	24	28	12	36	2	24	24	24	12	32	3	28	24	32	16	8	4	12	12	16	24	24	5	36	32	8	24	16	<p>B1</p> <p>B1</p> <p>B1 ✓</p>																																					
	1	2	3	4	5																																																																							
1	24	24	28	12	36																																																																							
2	24	24	24	12	32																																																																							
3	28	24	32	16	8																																																																							
4	12	12	16	24	24																																																																							
5	36	32	8	24	16																																																																							
	(iv)	<p>1 12 4 12 2 24 3 8 5 36 1 so distance = $12+12+24+8+36 = 92$</p> <p>Route is 1 4 2 3 5 (3 4) 1</p>	<p>B1</p> <p>B1</p>	92																																																																								

Question		Answer	Marks	Guidance
	(v)	Pairing (1 2) (3 5) has cost 32 Pairing (1 3) (2 5) has cost 60 Pairing (1 5) (2 3) has cost 60 So $169 + 32 = 201$ (Special case – correct answer only.)	M1 A1 (B1)	
	(vi)	Need number 3 Minimum connector	M1 A1	

Question	Answer	Marks	Guidance																																																																																																																
3 (i)	<p>a represents the volume of feed A in m^3, etc.</p> <p>Min $250a + 300b + 150c$ objective</p> <p>st $a + b + c = 100$ order volume</p> <p>$15a + 12b + 10c \geq 1300$ fibre constraint</p> <p>$3.5a + 4b + 2c \geq 300$ fat constraint</p> <p>$10a + 15b + 10c \geq 1300$ protein constraint</p>	M1A1 B1 B1 M1 A1	variables volumes constraints																																																																																																																
(ii)	corresponds to minimum of $\{100/1, 100/1, 1300/12, 300/4, 1300/15\}$	B1																																																																																																																	
(iii)&(iv)	<table border="1"> <thead> <tr> <th>P</th> <th>A</th> <th>B</th> <th>C</th> <th>s1</th> <th>s2</th> <th>s3</th> <th>s4</th> <th>s5</th> <th>a1</th> <th>a2</th> <th>a3</th> <th>a4</th> <th>rhs</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>1.5</td> <td>0</td> <td>7</td> <td>0</td> <td>-1</td> <td>-1</td> <td>7</td> <td>-1</td> <td>0</td> <td>0</td> <td>-8</td> <td>0</td> <td>600</td> </tr> <tr> <td>0</td> <td>12.5</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>0</td> <td>-75</td> <td>0</td> <td>0</td> <td>0</td> <td>75</td> <td>0</td> <td>22500</td> </tr> <tr> <td>0</td> <td>0.125</td> <td>0</td> <td>0.5</td> <td>1</td> <td>0</td> <td>0</td> <td>0.25</td> <td>0</td> <td>0</td> <td>0</td> <td>-0.25</td> <td>0</td> <td>25</td> </tr> <tr> <td>0</td> <td>0.125</td> <td>0</td> <td>0.5</td> <td>0</td> <td>-1</td> <td>0</td> <td>0.25</td> <td>0</td> <td>1</td> <td>0</td> <td>-0.25</td> <td>0</td> <td>25</td> </tr> <tr> <td>0</td> <td>4.5</td> <td>0</td> <td>4</td> <td>0</td> <td>0</td> <td>-1</td> <td>3</td> <td>0</td> <td>0</td> <td>1</td> <td>-3</td> <td>0</td> <td>400</td> </tr> <tr> <td>0</td> <td>0.875</td> <td>1</td> <td>0.5</td> <td>0</td> <td>0</td> <td>0</td> <td>-0.25</td> <td>0</td> <td>0</td> <td>0</td> <td>0.25</td> <td>0</td> <td>75</td> </tr> <tr> <td>0</td> <td>-3.125</td> <td>0</td> <td>2.5</td> <td>0</td> <td>0</td> <td>0</td> <td>3.75</td> <td>-1</td> <td>0</td> <td>0</td> <td>-3.75</td> <td>1</td> <td>175</td> </tr> </tbody> </table>	P	A	B	C	s1	s2	s3	s4	s5	a1	a2	a3	a4	rhs	1	1.5	0	7	0	-1	-1	7	-1	0	0	-8	0	600	0	12.5	0	0	0	0	0	-75	0	0	0	75	0	22500	0	0.125	0	0.5	1	0	0	0.25	0	0	0	-0.25	0	25	0	0.125	0	0.5	0	-1	0	0.25	0	1	0	-0.25	0	25	0	4.5	0	4	0	0	-1	3	0	0	1	-3	0	400	0	0.875	1	0.5	0	0	0	-0.25	0	0	0	0.25	0	75	0	-3.125	0	2.5	0	0	0	3.75	-1	0	0	-3.75	1	175	M1 A1 A1 A1 A1 A1 B1	Use of pivot row to get zeros in B column. infeasibility row objective row equality rows other 3 constraint rows any one of the indicated pivots
P	A	B	C	s1	s2	s3	s4	s5	a1	a2	a3	a4	rhs																																																																																																						
1	1.5	0	7	0	-1	-1	7	-1	0	0	-8	0	600																																																																																																						
0	12.5	0	0	0	0	0	-75	0	0	0	75	0	22500																																																																																																						
0	0.125	0	0.5	1	0	0	0.25	0	0	0	-0.25	0	25																																																																																																						
0	0.125	0	0.5	0	-1	0	0.25	0	1	0	-0.25	0	25																																																																																																						
0	4.5	0	4	0	0	-1	3	0	0	1	-3	0	400																																																																																																						
0	0.875	1	0.5	0	0	0	-0.25	0	0	0	0.25	0	75																																																																																																						
0	-3.125	0	2.5	0	0	0	3.75	-1	0	0	-3.75	1	175																																																																																																						
(v)	<p>feasible</p> <p>also optimal</p> <p>cost is £27600</p> <p>$36m^3$ of A, $60m^3$ of B and $4m^3$ of C</p> <p>fibre constraint tight</p> <p>protein constraint tight</p> <p>fat constraint slack, with the mix having 3.74% fat content</p>	B1 B1 B1 B1 B1 B1 B1																																																																																																																	

Question			Answer	Marks	Guidance																																	
4 (a)	(i)	Correct		B1																																		
	(ii)	Incorrect, eg you might have put up your umbrella to keep the sun off your head.		B1 B1																																		
	(iii)	Correct		B1																																		
	(iv)	Incorrect, eg other animals might also purr.		B1 B1																																		
	(v)	Incorrect, eg there may be no snow!		B1 B1																																		
(b)	(i)			B1 B1	swapping a and b two negations (this lost if diagram shown with the two negations cancelling out.)																																	
	(ii)	<table border="1" data-bbox="348 714 1605 976"> <thead> <tr> <th>$(a$</th> <th>\Rightarrow</th> <th>$b)$</th> <th>\Leftrightarrow</th> <th>$(\sim b$</th> <th>\Rightarrow</th> <th>$\sim a)$</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>1</td> <td>0</td> <td>1</td> <td>1</td> <td>1</td> <td>1</td> </tr> <tr> <td>0</td> <td>1</td> <td>1</td> <td>1</td> <td>0</td> <td>1</td> <td>1</td> </tr> <tr> <td>1</td> <td>0</td> <td>0</td> <td>1</td> <td>1</td> <td>0</td> <td>0</td> </tr> <tr> <td>1</td> <td>1</td> <td>1</td> <td>1</td> <td>0</td> <td>1</td> <td>0</td> </tr> </tbody> </table>	$(a$	\Rightarrow	$b)$	\Leftrightarrow	$(\sim b$	\Rightarrow	$\sim a)$	0	1	0	1	1	1	1	0	1	1	1	0	1	1	1	0	0	1	1	0	0	1	1	1	1	0	1	0	M1 A1 A1
$(a$	\Rightarrow	$b)$	\Leftrightarrow	$(\sim b$	\Rightarrow	$\sim a)$																																
0	1	0	1	1	1	1																																
0	1	1	1	0	1	1																																
1	0	0	1	1	0	0																																
1	1	1	1	0	1	0																																
	(iii)	$(a \Rightarrow b) \Leftrightarrow \sim a \vee b \Leftrightarrow b \vee \sim a \Leftrightarrow \sim b \Rightarrow \sim a$ (special case -1 if assumes what is to be proved)		B1 B1 B1	def of \Rightarrow commutativity def of \Rightarrow																																	

Question		Answer	Marks	Guidance
(c)		<p>Try to re-set the RCCB.</p> <p>If it will not re-set then switch light off and the garage door mechanism off and try to re-set the RCCB. If it re-sets then the problem is either the garage door or the light.</p> <p>Switch on the garage door mechanism. If the RCCB trips then the garage door mechanism has been damaged.</p> <p>If the RCCB does not trip then activate the garage door. If the RCCB trips then the garage door mechanism has been damaged.</p> <p>Whether or not the garage door mechanism has been damaged, switch off the garage door mechanism and re-set the RCCB if necessary and switch on the light. If the RCCB trips then the light control has let water in.</p>	B1 B1 B1 B1	

OCR (Oxford Cambridge and RSA Examinations)
The Triangle Building
Shaftesbury Road
Cambridge
CB2 8EA

OCR Customer Contact Centre

Education and Learning
Telephone: 01223 553998
Facsimile: 01223 552627
Email: general.qualifications@ocr.org.uk

www.ocr.org.uk

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

Oxford Cambridge and RSA Examinations
is a Company Limited by Guarantee
Registered in England
Registered Office; The Triangle Building, Shaftesbury Road, Cambridge, CB2 8EA
Registered Company Number: 3484466
OCR is an exempt Charity

OCR (Oxford Cambridge and RSA Examinations)
Head office
Telephone: 01223 552552
Facsimile: 01223 552553

© OCR 2018

