



Cambridge Technicals Sport

Unit 1: Body Systems and the effects of physical activity

Level 3 Cambridge Technical in Sport and Physical Activity
05826 - 05829

Mark Scheme for January 2019

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

© OCR 2019

Annotations used by examiners

Multiple Choice Questions

Examiners indicate if an answer given is correct or not by indicating '1' or '0' on the right hand side of the question.

All questions other than Multiple Choice and Extended response Question 21

Tick = correct

Cross = incorrect

BOD = benefit of the doubt given

NBD = no benefit of the doubt given / also used where additional material may have been seen but no more marks gained

NR = no response attempted

SEEN = response been read but no credit given

REP = Point repeated and no further credit given

Extended response - Question 21

Please note that on the extended response question ticks and crosses are not used as it is not 1 tick = 1 mark.

Where applicable:

Id is used to indicate that a knowledge point from the mark scheme indicative content has been used.

Und is used to indicate that a more developed or detailed point has been made (showing greater understanding).

Eg is used to indicate where an example has been used or applied to support or develop the response.

L1 = Level 1 (for 'Levels-marked' questions only) – put at end of response to indicate level awarded

L2 = Level 2 (for 'Levels-marked' questions only) – put at end of response to indicate level awarded

L3 = Level 3 (for 'Levels-marked' questions only) – put at end of response to indicate level awarded

Question		Answer	Marks	Guidance
1		C – Talus, tibia and fibula	1	
2		A – Long	1	
3		B – Joint capsule	1	
4		D – Smash in badminton	1	
5		B – Few mitochondria	1	
6		C – Energy continuum	1	
7		C – Increased blood pressure	1	
8		D – Adductor brevis	1	
9		<u>12 breaths per minute/bpm</u>	1	Per minute/bpm must be specified
10		Plasma	1	
11		<ol style="list-style-type: none"> 1. Support 2. Protection 3. Blood (cell) production or production of red/white blood cells 4. Mineral storage 5. Attachment <u>for muscles</u> 	3	Stability = NBD Structure = NBD Mineral production = NBD Attachment (on its own)

Question		Answer	Marks	Guidance
12		<ol style="list-style-type: none"> 1. A = biceps (brachii) 2. B = rectus abdominus 3. C = rectus femoris 4. D = gluteus maximus 	4	Do not accept (DNA): Abs/abdominals for B. Quads/quadriceps for C. Glutes/gluteals for D. Accept incorrect spellings if phrases recognisable Vastus group of muscles = NBD
13	(a)	<ol style="list-style-type: none"> 1. Small size (of neuron) 2. Few fibres per neuron 3. High capillary density or many/lots of capillaries 4. Many mitochondria or high mitochondria density 5. Many myoglobin or high myoglobin content 6. Low phosphocreatine stores 7. Low glycogen stores 	3	Mark first 3 answers only DNA <ul style="list-style-type: none"> • High resistance to fatigue • High in haemoglobin

Question		Answer	Marks	Guidance
13	(b)	<ol style="list-style-type: none"> Keeps capillaries dilated More oxygen/oxygenated blood (to muscles) (Quicker) removal of lactic acid/CO₂ Prevents blood pooling (in muscles) Reduces muscle soreness/stiffness/aching/ DOMS/risk of cramp Increases flexibility/elasticity 	3	Do not accept: <ul style="list-style-type: none"> Reduce risk of injury DNA <ul style="list-style-type: none"> Increases looseness References to oxygen debt Prevents build-up of lactic acid
14		<ol style="list-style-type: none"> Pronator teres Supinator (Movement is) pronation (Pronator teres) is agonist or contracts concentrically (Supinator) is antagonist or relaxes 	4	Only give pts 4 and 5 if referring to the correct muscle for each
15		<ol style="list-style-type: none"> Bicuspid/mitral valve Right atrium Pulmonary vein Right ventricle 	4	

Question		Answer	Marks	Guidance
16		<p>1. Amount/volume of blood pumped out of the heart/ventricles/left ventricle <u>per beat</u></p> <p>2. 60 – 80 ml (per beat)</p> <p>3. Amount/volume of blood pumped out of the heart/ventricles/left ventricle <u>per minute</u></p> <p>4. 4-6l or 4000 - 6000ml (per minute)</p>	4	<p>Pt 1 and Pt 3- Must also be some reference to heart or ventricle (not right ventricle on its own).</p> <p>Accept any value in range 60-80 for point 2?</p> <p>Pts 2 and 4 must have correct units</p> <p>Accept any value between 4 -6 litres for pt 4</p> <p>DNA</p> <ul style="list-style-type: none"> Amount of blood pumped out per beat (no mention of heart)
17		<p>Arterioles are blood vessels with thick walls and a <u>large</u> diameter. The tunica <u>media</u> consists of some elastic fibres and relatively large amounts of <u>smooth</u> muscle.</p> <p>This smooth muscle <u>contracts</u> to reduce the size of the <u>lumen</u>, causing vasoconstriction, and then <u>relaxes</u> to increase its width, causing vasodilation.</p> <p>Arterioles subdivide into <u>capillaries</u> which are the smallest blood vessels in the body.</p>	7	<p>Missing words are bold and underlined. They are:</p> <p><u>Large</u> <u>Media</u> <u>Smooth</u> <u>Contracts</u> <u>Lumen</u> <u>Relaxes</u> <u>Capillaries</u></p>

Question		Answer	Marks	Guidance
18	(a)	<p>1. (Nasal cavity) warms/moistens/ filters air or traps dust</p> <p>or entrance chamber of respiratory system or where air enters (body)</p> <p>2. (Epiglottis) allows air to enter trachea/ windpipe/lungs</p> <p>or food to enter oesophagus or prevents food entering trachea/windpipe/lungs or covers trachea/windpipe when eating or covers oesophagus when breathing</p> <p>3. (Alveoli) allow gas exchange/diffusion</p>	3	<p>Pt1 – foreign objects caught = BOD Pt 1 – O₂ enters = BOD</p>
18	(b)	<p>1. Contract during inspiration/breathing in</p> <p>2. Causing ribs to move up/out</p> <p>3. To increase volume/size of lungs/thoracic cavity</p> <p>4. To reduce pressure in lungs/thoracic cavity</p> <p>5. Relax during expiration/breathing out</p> <p>6. Causing ribs to move down/in</p> <p>7. To decrease volume/size of lungs/thoracic cavity</p> <p>8. To increase pressure in lungs/thoracic cavity</p>	4	<p>Sub-max 3 for inspiration</p> <p>Sub-max 3 for expiration</p> <p>Increase / decrease size of chest = NBD</p>

Question		Answer	Marks	Guidance
19	(a)	<ol style="list-style-type: none"> (How) MV increases (Why) more oxygen is needed (at working muscles) 	2	DNA <ul style="list-style-type: none"> Meet demands for oxygen (pt 2)
19	(b)	<ol style="list-style-type: none"> More carbon dioxide needs to be exhaled Oxygen/aerobic system used (during recovery) or repay oxygen debt / EPOC Removal of lactic acid Replenishment of myoglobin stores 	2	Accept 'due to the need to remove excess CO2 build up' (pt 1) Pt 3 breaking down lactic acid = BOD
20	(a)	<ol style="list-style-type: none"> (Type of reaction) anaerobic (Fuel) phosphocreatine / PC/CP/ creatine phosphate (ATP) one (per mole of PC) (By-products) none or ADP 	4	DNA: <ul style="list-style-type: none"> Exothermic (reaction) Endothermic (reaction) Coupled (reaction)

Question		Answer	Marks	Guidance
	(b)	<p>Sub-max 2 for:</p> <ol style="list-style-type: none"> Lactacid/slow component Removal of lactic acid <p>or conversion of lactic acid to pyruvate/CO₂/glycogen/glucose/protein/H₂O</p> <ol style="list-style-type: none"> Replenishment of glycogen Ventilation / circulatory rates remain elevated (during recovery) or aerobic system provides energy (for recovery process) <p>One mark for:</p> <ol style="list-style-type: none"> (Timescale) 30 minutes - 2 hours 	3	<p>DNA:</p> <p>Lactic acid component for pt 1 (repeats question) 'Slow' (pt1) (on its own)</p> <p>Any time range outside 30 mins – 2 hours eg 2-3 hours = NBD Accept a specific value within range of 30 mins – 2 hours eg 1 hour</p> <p>Pt 2 breaking down lactic acid = BOD</p>

21* (Explain the structures and functions of the vertebral column)		10 marks
<p>(Names of sections)</p> <p>1. Cervical vertebrae</p> <ul style="list-style-type: none"> • 7 bones • Atlas and axis are top two vertebrae • Atlas supports head • Allows nodding of head • Creates pivot joint at neck • E.g. heading a football <p>2. Thoracic vertebrae</p> <ul style="list-style-type: none"> • 12 bones • Each vertebra is attached to ribs • Less / limited movement <p>3. Lumbar vertebrae</p> <ul style="list-style-type: none"> • 5 bones • Largest vertebrae • Support weight of upper body • Allow more movement than thoracic vertebrae <p>4. Sacrum / sacral vertebrae</p> <ul style="list-style-type: none"> • 5 bones • Attach lumbar vertebrae / spine / upper body to lower body • Fused / fixed joints • Attached to pelvis / pelvic girdle • Weight-bearing function 	<p>(Types of joint)</p> <p>6. Pivot joint</p> <ul style="list-style-type: none"> • Between atlas and axis • Allows rotation / turning head (to left and right) • E.g. Football turning head to scan pitch for passing options <p>7. Slightly movable / cartilaginous joints</p> <ul style="list-style-type: none"> • Between adjacent vertebrae • Discs of cartilage • Allow slight movements in all directions • E.g. flexion of spine during sit up <p>8. Gliding joints</p> <ul style="list-style-type: none"> • Between processes of vertebrae • Bones slide across each other <p>9. Fixed/fused joints (only credit these joints once)</p> <ul style="list-style-type: none"> • Between sacrum / coccyx / pelvis • No movement possible <p>(Joint movements, NB. rotation = pt 6)</p> <p>10. Flexion</p> <ul style="list-style-type: none"> • Curling spine • E.g. tuck during forward roll in gymnastics <p>11. Extension</p> <ul style="list-style-type: none"> • Straightening spine • E.g. jumping high to rebound in basketball • Hyperextension • E.g. arching back during Fosbury flop in high jump 	<p>(Functions)</p> <p>13. Movement</p> <ul style="list-style-type: none"> • Combination of slight movements gives effect of wide range of movement • From slightly movable / cartilaginous joints <p>14. Protection</p> <ul style="list-style-type: none"> • Spinal cord / CNS • Thoracic vertebrae work with ribs to protect vital organs / lungs / heart. <p>15. Support/shape</p> <ul style="list-style-type: none"> • Each vertebra supports structures above • Gives upright/erect posture or good posture • S-shape of spine gives greater strength • Shape of bones allow space for (peripheral) nerves and blood vessels <p>(other points)</p> <p>16. Vertebrae are irregular bones</p> <p>17. Reference to spinal problems</p> <ul style="list-style-type: none"> • Lordosis / kyphosis / scoliosis / spondylosis / slipped disc <p>18. Reference to core muscles attached to spine</p> <ul style="list-style-type: none"> • Erector spinae group / rectus abdominus / internal and external obliques / trapezius <p>19. Advantages of vertebral column</p> <ul style="list-style-type: none"> • Combination of great strength and wide range of movement, without exposing spinal cord to danger

21* (Explain the structures and functions of the vertebral column)		10 marks
5. Coccyx <ul style="list-style-type: none">• 4 bones• Fused / fixed vertebrae• Remains of tail / tail bone	12. Lateral flexion <ul style="list-style-type: none">• Bending to side (right and left)• E.g. during cartwheel or bowling in cricket	20. Disadvantages <ul style="list-style-type: none">• Potential stress of lifestyle/sport/training• Degenerative damage• Importance of learning good posture/habits at early age

<p>Level 3 (8–10 marks) A comprehensive answer: Detailed knowledge & understanding. Effective analysis/critical evaluation and/or discussion/explanation/development. Clear and consistent practical application of knowledge. Accurate use of technical and specialist vocabulary. High standard of written communication.</p>	<p>At Level 3 responses are likely to include: Detailed knowledge and understanding of the structures and functions of the vertebral column. At the top of this level there is detailed coverage of names of sections, joint types and all movements are likely to be covered with accurate practical examples. There may be an explanation of the strengths and/or weaknesses of the spine. At the bottom of this level knowledge of the vertebral column is very good. At least three joint types and joint movements are described with practical examples. At least two functions of the vertebral column may have been explained.</p>
<p>Level 2 (5–7 marks) A competent answer: Satisfactory knowledge & understanding. Analysis/critical evaluation and/or discussion/explanation/development attempted with some success. Some success in practical application of knowledge. Technical and specialist vocabulary used with some accuracy. Written communication generally fluent with few errors.</p>	<p>At Level 2 responses are likely to include: Satisfactory knowledge and understanding of the vertebral column, including names of most bones, joint types and movements and functions. At the top of this level most sections of the spine have been named in the correct order. At least two joint types and movements are described, and practical examples are used successfully. At the bottom of this level there may be errors in the names or order of bones, a couple of joint types may be identified with limited development and some joint movements are backed up with at least one practical example.</p>
<p>Level 1 (1–4 marks) A limited answer: Basic knowledge & understanding. Little or no attempt to analyse/critically evaluate and/or discuss/explain/develop. Little or no attempt at practical application of knowledge. Technical and specialist vocabulary used with limited success. Written communication lacks fluency and there will be errors, some of which may be intrusive.</p>	<p>At Level 1 responses are likely to include: Basic knowledge of the vertebral column. At the top of this level at least two sections of the vertebral column have likely been identified together with one joint movement and one function. Answers may be stronger naming parts of the spine rather than differentiating between joint types. There may be at least one practical example of a joint movement at the spine. To score 1 mark either one section, type of joint, movement or function has been identified.</p>
<p>[0 marks] No response or no response worthy of credit.</p>	

OCR (Oxford Cambridge and RSA Examinations)
The Triangle Building
Shaftesbury Road
Cambridge
CB2 8EA

OCR Customer Contact Centre

Education and Learning

Telephone: 01223 553998

Facsimile: 01223 552627

Email: general.qualifications@ocr.org.uk

www.ocr.org.uk

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

Oxford Cambridge and RSA Examinations
is a Company Limited by Guarantee
Registered in England
Registered Office; The Triangle Building, Shaftesbury Road, Cambridge, CB2 8EA
Registered Company Number: 3484466
OCR is an exempt Charity

OCR (Oxford Cambridge and RSA Examinations)
Head office
Telephone: 01223 552552
Facsimile: 01223 552553

© OCR 2019

